

# HOODS



## RENOVA PURE AIR. Excellent air quality.


The new Renova Pure Air range guarantees air quality in your home. It goes beyond providing clean air with its advanced odour filtration system; it ensures that the air is free from harmful substances produced by pollution or generated within your own home.

### A revolutionary concept of recirculating hoods for your home




### No odours

Its triple filtration system eliminates even the strongest and most persistent kitchen odours with a remarkable 98% efficiency, surpassing the effectiveness of traditional carbon filters or regenerative carbon filters.



### Efficiency



STANDARD CARBON FILTER	REGENERABLE CARBON FILTER	CERAMIC FILTER	RENOVA PUR AIR
------------------------	---------------------------	----------------	----------------

## Free from harmful substances

Our hoods eliminate 100% of harmful particles generated by cleaning products, dust mites, dust, allergens like pollen or those caused by pets, ensuring clean and substance-free air.



VIRUS &amp; BACTERIAS



POLEN



PET DANDER



DUST



CHEMICAL POLLUTANTS VOC



DUST MITES




SMOKE

## Maintenance is a breeze

The new Renova Pure Air hoods feature a self-cleaning system, eliminating the need to switch out the carbon filters or replace the costly ceramic filters every 3 years.


This also saves having to wash the carbon filters every 2 months, so there is absolutely nothing you need to do to keep the filters as good as new.

## Cleaning and filter replacement costs are minimal based on 60 minutes of daily use over 10 years



## No energy loss

All the energy used for heating or cooling stays within your home. The purified air circulates back to the kitchen, eliminating losses through external ducts to maintain a pleasant temperature year-round. According to a study by the Federal Institute for Research on Building, Urban Affairs and Spatial Development (BBSR, by its German initials), using an externally vented hood for just 30 minutes a day in a cold climate can result in an estimated energy loss of 500 kW.



## Installation is hassle-free

Design your new kitchen freely, as no external duct or vent is required. Simply plug in the hood to an electrical outlet. By installing a hood in recirculation mode, you can reduce noise and avoid extraction capacity loss due to improper installation or lengthy ducts leading outside.

## Enjoy peace of mind

With the Renova Air function, your home's air is purified for 10 minutes every hour, ensuring excellent air quality.

Enjoy cooking without worrying about smoke or smells !

## Connectivity

For the end user comfort and security CATA offers two types of connectivity between hob and hood:

### AUTO connectivity



The hood automatically controls the hood adjusting its suction power to the cooking needs of each moment. Available in the RENOVA AIR range, TENTA with hob INSB 6032 BK/A and INSB 6030 WH.

### AUTO 2 connectivity



The AUTO2 cooktop automatically controls the AUTO2 hood by adjusting its suction power to the cooking needs of the moment. Available on models ISLA BENNU SLIM /B and THALASSA PRO range with cooktops INSB 6028BK /A, IB 6403 E2 BK and IB 6324 E2 BK.




## Warm and White Natural Lighting



New high-efficiency **two-color** LED STRIPS with the possibility of switching between warm light (2700K) or natural white (4000K) adjustable in intensity to perfectly adapt to the kitchen environment.

## Maximum energy efficiency in the market with latest generation BRUSHLESS

the BRUSHLESS A+++ motors offer up to 90% less energy consumption while providing high extraction capacity (842 m<sup>3</sup>/h), offering a quieter and more durable solution.



## Build-in TENTA

An integrated white glass hood with the **control on the front visor** to be more functional. It has a wide coverage of the cooking area and total protection of the cabinet and it also includes **AUTO** connectivity with the hob and **two-tone** warm / natural lighting.



## Ceiling hood

### BENNU SLIM ISLAND A+

17cm

A fully flush-mounted hood to fit into the narrowest false ceilings from 17cm. With **AUTO2** connectivity to forget about the remote control and start cooking. It has warm / natural bi-color lighting to match the rest of the ceiling lighting.



### THALASSA PRO

A+++

The verticals flagship model is updated with all the best features on the market such as the **842m³/h BT4DC** motor and class **A+++**, the **AUTO** connectivity with the hob, **two-tone** warm / natural adjustable in intensity, pneumatic opening, a collection area for condensation from the filters, easy installation with horizontal leveling.


**Air purification function.** The hood will work automatically for 10 minutes every hour renewing the air in your kitchen.

**Renova turbo function.** Fast air renewal with 5 minutes interval at MAX speed, and progressively reducing the speed for when you need to quickly and efficiently get rid of bad odors. Available on Thalassa Pro and Thalassa models.


## Compact telescopes with universal installation

New range of modern compact **14cm high telescopic built-in hoods** with high efficiency LED STRIPS to choose from the high performance of the **TFH 6830** to the **795m³/h** and **TFH 6630** of **605m³/h** to the **TFH 6430** of **391m³/h**. All of them with **multiple universal and replaceable front installation** options to facilitate replacement and fit in any kitchen.


**Multiple installation possibilities in a single hood with Universal fixings for replacement**




**Top shelf fixing**



**Lateral Fixation**



**Rear Fixation**



## Recommendations:

Choose a hood that has a flow rate that can renew the kitchen air between 6 and 10 times per hour (between 12 and 15 times in recirculation).

Use the cooking areas closest to the wall and avoid air stream during cooking.

Always connect the hood 5 minutes before starting to cook.

Try to keep the boiling pans covered to improve the performance of the hob and produce less steam.

Once cooking is finished, keep the hood running for a minimum of 5 to 15 minutes depending on the intensity of the smoke and odors generated. It is highly recommended to choose a hood with the automatic disconnect timer function to do it directly.

Keep metal filters in good condition with regular cleaning of them. It is highly recommended to choose a hood with filter cleaning indicator so it is not forgotten.



RENOVA PURE AIR



VNV90 XGBK


p18



MNV90 GWH

p18

SURFACE INTEGRATION



AS 750

p20



AS 600

p21

DECORATIVE ISLANDS



IAS 770

p22



ISLA MAGRABA p24

p24



ISLA MOON

p24



ISLA BENNU SLIM 1200 X

p26

ISLA FARO X

p25



ISLA BENNU SLIM 900 X

p26



ISLA SIRIN 1000 GWH

p27



ISLA SIRIN 1000 WH

p27



ISLA FENIX 1000 X

p28




ISLA LEGEND

p28



ISLA SYGMA

p29



ISLA GAMMA

ISLA VEGA

p30




CORNER HOODS



GALA 900 L



GALA 900 R



ANGOLO BOX



ANGOLO

p33


**cata** & Can Roca DECORATIVE



GOYA PRO BK



GOYA BK



GOYA WH



GRECO BK

p38



GRECO WH p38



GRECO GR p38

## VERTICAL DECORATIVE



THALASSA PRO BK p40-41



THALASSA PRO WH p40-41



THALASSA PRO GR p40-41



THALASSA PRO 1200 p40-41



THALASSA GBK p42



THALASSA GWH p42



JUNO+ GBK p43



JUNO+ GWH p43



JUNO GBK p44



HESTIA GBK p44



WANDA XGBK p45



WANDA XGWH p45



LENA XGBK p46



LENA XGWH p46

## BOX



LEGEND XGBK p47



LEGEND X



SYGMA 12010



SYGMA X



p49

## CURVED GLASS



S PLUS X



ST-9000 X



SK 6000X



CK X



CG5-T900/600 X

p51



**CHIMNEY**



BETA 1200



p52



OMEGA



p53

OMEGA BK

p54




OMEGA WH


p54



V500 X



p54



p55



V3 TX

p55

**BUILT-IN HOODS**




Q BK

p56



CHORUS XBK

p56



TENTA

p58-59

**BUILT-IN HOODS**




CORONA



p60-61



ARMONIA



p62-63



GC DUAL A WH

p64-65



GC DUAL A BK

p64-65

**INSERTS**



GCX SD



GPL X



GL X



GT PLUS X



p67

p67



GT PLUS BK / WH

p67



GCB X

p68



G50 LUX

p68



G45 X / WH

p69



GK 4500 X / WH

p69

**TELESCOPIC**

**CONVENTIONAL**

**KITCHEN EXTRACTION**




## DECORATIVES



**VNV90 XGBK**  
Cod. 02159420 EAN 8422248343077





- **Recirculation hood with integrated air purifier.** Eliminates odors with an efficiency of 98% and purifies 100% of dust, bacteria, viruses and volatile organic compounds.
- Touch Control Panel with digital display, automatic shut-down timer and cleaning filters indicator.
- 6 extraction levels, 5 + **1 TURBO**
- Motor maximum airflow free outlet: 1400m3/h
- **Air purification function**
- Brushless motor. Sound power: **46dB(A)**, maximum: 64dB(A)
- High-efficiency lighting by intensity-adjustable two-tone warm / natural LED STRIP
- **AUTO connectivity with automatic control from the CATA AUTO hob**
- **Maintenance-free self-regeneratable carbon filter**
- **Non-condensation filter and Filter condensation collection area**
- Easy-to-install system
- Dishwasher-washable filters
- Black glass finishing
- Max. Pressure: 357 Pa
- **Energy Class: A+++**

**MNV90 GWH**  
Cod. 02189020 EAN 8422248344692




- **Recirculation hood with integrated air purifier.** Eliminates odors with an efficiency of 98% and purifies 100% of dust, bacteria, viruses and volatile organic compounds.
- Touch Control Panel with digital display, automatic shut-down timer and cleaning filters indicator.
- 6 extraction levels, 5 + **1 TURBO**
- Motor maximum airflow free outlet: 1400m3/h
- Air purification function
- Brushless motor. Sound power: **46dB(A)**, maximum: 64dB(A)
- High-efficiency lighting by intensity-adjustable two-tone warm / natural LED STRIP
- **AUTO connectivity with automatic control from the CATA AUTO hob**
- **Maintenance-free self-regeneratable carbon filter**
- **Glass visor furniture protection and opening for intensive use**
- Easy-to-install system
- Dishwasher-washable filters
- White glass finishing
- Max. Pressure: 357 Pa
- **Energy Class: A+**



RENOVA **PURE AIR**



## INDUCTION & SURFACE COOKER HOOD



**AS 750**  
Cod. 08000405 EAN 8422248109406

 A+  POWER+  SILENT  
BRUSHLESS motor | Flex Zone Induction



- **Touch Control Panel** with timer and cleaning filters indicator
- 6 extraction levels, 5 + 1 TURBO and AUTO function
- Extraction power (according to UNE/EN 61591): 580m<sup>3</sup>/h - 200m<sup>3</sup>/h
- Sound power (Reg. (EU) n°65/2014): 45dB(A), maximum: 64dB(A)
- Maximum air flow (free outlet): 950m<sup>3</sup>/h
- BRUSHLESS motor. Ultra silent. Maximum energy consumption 135W
- Airflow speed: 10 m/s
- Easy-to-install system
- Dishwasher-washable filters
- Max. Pressure: 357 Pa - TURBO Pressure: 365 Pa
- 150 mm outlet diameter
- Energy Class: A+





Accessories (not included)  
Plinth recirculating Kit AS750 ..... Cod. 02800939 / EAN 8422248080330  
Rectangular duct kit ..... Cod. 02800992 / EAN 8422248112765

- **4 cooking areas:**  
Front Right: 1 area with **Booster function** of 215mm x 190mm of 1.6 kW (max. 1.85kW)  
Rear Right: 1 area with **Booster function** of 215mm x 190mm of 2.1 kW (max. 3kW)  
Front Left: 1 area with **Booster function** of 215mm x 190mm of 1.6 kW (max. 1.85kW)  
Rear Left: 1 area with **Booster function** of 215mm x 190mm of 2.1 kW (max. 3kW)
- **2 modular double areas** measuring 215mm x 380mm of 3.7kW
- **Touch Control** with acoustic warning
  - 9 adjustable power levels + Booster
  - Timer function for each area
  - Countdown alarm
  - Automatic pan detection
  - Safety lock
  - Residual heat indicator
  - Automatic safety switch-off
- **Frontal bevel**
- **77 cm wide**
- **Total power (induction + extraction) 7.53kW**




Accessories (not included)  
Barbecue grill ..... Cod. 03017400 / EAN 8422248082563

**Rectangular duct kit**  
Cod. 02800992  
EAN 8422248112765



**Plinth recirculating kit AS750**  
Cod. 02800939  
EAN 8422248080330

## INDUCTION&amp;SURFACE COOKER HOOD



**AS 600**  
Cod. 08000406 EAN 8422248198554



BRUSHLESS motor

Flex Zone Induction

- **Touch Control Panel** with timer and cleaning filters indicator
- 6 extraction levels, 5 + 1 TURBO and AUTO function
- Extraction power (according to UNE/EN 61591): 531m<sup>3</sup>/h - 246m<sup>3</sup>/h
- **Sound power (Reg.(EU) n°65/2014): 45dB(A)**, maximum: 64dB(A)
- Maximum air flow (free outlet): 950m<sup>3</sup>/h
- BRUSHLESS motor. Ultra silent. Maximum energy consumption **135W**
- Airflow speed: 10 m/s
- Easy-to-install system
- Dishwasher-washable filters
- Max. Pressure: 357 Pa - TURBO Pressure: 365 Pa
- 150 mm outlet diameter
- **Energy Class: A+**

Accessories (not included)

Plinth recirculating Kit AS600 ..... Cod. 02801000 / EAN 8422248355339  
Rectangular duct kit ..... Cod. 02800992 / EAN 8422248112765

• **4 cooking areas:**

Front Right: 1 area **with Booster function** of 215mm x 190mm of 1.6 kW (max. 1.85kW)  
Rear Right: 1 area **with Booster function** of 215mm x 190mm of 2.1 kW (max. 3kW)  
Front Left: 1 area **with Booster function** of 215mm x 190mm of 1.6 kW (max. 1.85kW)  
Rear Left: 1 area **with Booster function** of 215mm x 190mm of 2.1 kW (max. 3kW)

**2 modular double areas** measuring 215mm x 380mm of 3.7kW


• **Touch Control** with acoustic warning

- 9 adjustable power levels + Booster
- Timer function for each area
- Countdown alarm
- Automatic pan detection
- Safety lock
- Residual heat indicator
- Automatic safety switch-off
- **Frontal bevel**
- **59 cm wide**
- **Total power (induction + extraction) 7.53kW**






Accessories (not included)

Barbecue grill ..... Cod. 03017400 / EAN 8422248082563




Rectangular duct kit  
Cod. 02800992  
EAN 8422248112765



Plinth recirculating  
kit AS600  
Cod. 02801000  
EAN 8422248355339

## INDUCTION&SURFACE COOKER HOOD



**IAS 770**  
Cod. 08000403 EAN 8422248102568

 A+  POWER+  SILENT  
BRUSHLESS motor | Flex Zone Induction



- **Touch Control Panel** with timer and cleaning filters indicator
- 5 extraction levels, 4+ **1 TURBO**
- Extraction power (according to UNE/EN 61591): **600m<sup>3</sup>/h** - 140m<sup>3</sup>/h
- **Sound power (Reg.(EU) n°65/2014): 40dB(A)**, maximum: 64dB(A)
- Maximum air flow (free outlet): **950m<sup>3</sup>/h**
- BRUSHLESS motor. Ultra silent. Maximum energy consumption **135W**
- Airflow speed: 10 m/s
- Easy-to-install system
- Dishwasher-washable filters
- Max. Pressure: 357 Pa - TURBO Pressure: 365 Pa
- 150 mm outlet diameter
- **Energy Class: A**

**Accessories (not included)**

Plinth recirculating Kit AS600 ..... Cod. 02801000 / EAN 842224835539  
Rectangular duct kit ..... Cod. 02800992 / EAN 8422248112765

**4 cooking areas:**

- Front Right: 1 area **with Booster function** of 215mm x 190mm of 1.6 kW (max. 1.85kW)
- Rear Right: 1 area **with Booster function** of 215mm x 190mm of 2.1 kW (max. 3kW)
- Front Left: 1 area **with Booster function** of 215mm x 190mm of 1.6 kW (max. 1.85kW)
- Rear Left: 1 area **with Booster function** of 215mm x 190mm of 2.1 kW (max. 3kW)

**2 modular double areas** measuring 215mm x 380mm of 3.7kW


**Touch Control** with acoustic warning

- 9 adjustable power levels + Booster
- Timer function for each area
- Countdown alarm
- Automatic pan detection
- Safety lock
- Residual heat indicator
- Automatic safety switch-off
- **Frontal bevel**
- **59 cm wide**
- **Total power (induction + extraction) 7.53kW**





**Accessories (not included)**

Barbecue grill ..... Cod. 03017400 / EAN 8422248082563



**Rectangular duct kit**  
Cod. 02800992  
EAN 8422248112765



**Plinth recirculating kit AS750**  
Cod. 02800939  
EAN 8422248080330

## ISLANDS HOODS





## ISLANDS HOODS



### MAGRABA ISLAND

Cod. 02119207 EAN 8422248069342





- **Electronic control panel** with automatic shut-down timer
- 3 extraction levels
- Extraction power (according to UNE/EN 61591): **645m<sup>3</sup>/h** - 300m<sup>3</sup>/h
- Motor maximum airflow free outlet: **1200m<sup>3</sup>/h**
- **Sound power (Reg.(EU) n°65/2014): 48dB(A)**, maximum: 63dB(A)
- BT2 motor. Extra silent. Maximum energy consumption **200W**
- **High efficiency LED lighting**
- Easy-to-install system
- **Recirculation operation**
- **Dishwasher-washable active charcoal filters**
- Finished Stainless steel and white
- Max. Pressure: 400 Pa
- Energy class: C

### MOON ISLAND

Cod. 02119203 EAN 8422248062084



- **Touch control panel** with automatic shut-down timer and cleaning filters indicator
- 3 extraction levels
- Extraction power (according to UNE/EN 61591): **645m<sup>3</sup>/h** - 300m<sup>3</sup>/h
- Motor maximum airflow free outlet: **1200m<sup>3</sup>/h**
- **Sound power (Reg.(EU) n°65/2014): 48dB(A)**, maximum: 63dB(A)
- BT2 motor. Extra silent. Maximum energy consumption **200W**
- **High efficiency LED lighting, adjustable intensity**
- **Easy-to-install system**
- **Recirculation operation**
- Dishwasher-washable active charcoal filters
- Finished Stainless steel and white glass
- Max. Pressure 400 Pa
- Energy Class: C




**ISLANDS HOODS**



High Efficiency Motor

**FARO X ISLAND**  
Cod. 02119101 EAN 8422248074230





- **Electronic control panel** with automatic shut-down timer
- 3 extraction levels, 2 + 1 TURBO
- Extraction power (according to UNE/EN 61591): **800m<sup>3</sup>/h** - 340m<sup>3</sup>/h
- Motor maximum airflow free outlet: **1350m<sup>3</sup>/h**
- **Sound power (Reg. (EU) n°65/2014): 50dB(A)**, maximum: 65dB(A)
- BT3 motor. Extra silent. Maximum energy consumption **280W**
- **High efficiency LED lighting**
- **Easy-to-install system**
- Dishwasher-washable filters
- Finished Stainless steel
- Max. Pressure: 470 Pa
- 150/125 mm outlet diameter
- **Energy class: A**

**Accessories (not included)**  
Filter DUAL Compact ..... Cod. 02811003 / EAN 8422248054317  
Check valve ..... Cod. 02832004 / EAN 8422248480499





## ISLANDS HOODS



SIMPLE INSTALLATION WITH THE INTEGRATED MOTOR AND DISCHARGE ON ALL 4 SIDES



### BENNU SLIM 1200 X ISLAND Cod. 02111309 EAN 8422248112642


### BENNU SLIM 900 X ISLAND Cod. 02111308 EAN 8422248110891



- **Touch control** panel with automatic shut-down timer and cleaning filters indicator + **remote control**
- **AUTO 2 connectivity with automatic control from the CATA AUTO 2 hob**
- 6 extraction levels, 5 + **1 TURBO**
- Extraction power (according to UNE/EN 61591): **570m³/h - 266m³/h**
- **Sound power (Reg.(EU) n°65/2014): 50dB(A)**, maximum: 65dB(A)
- S6 motor. Extra silent. Maximum energy consumption 93W
- **High-efficiency lighting by intensity-adjustable two-tone warm / natural LED STRIP**
- Easy-to-install system
- Dishwasher-washable filters
- Inox finishing
- Max. Pressure: 669 Pa
- 220x90 or Ø150 mm outlet
- **Minimum installation height 17 cm**
- Ceiling installation
- **Energy Class: A+**

#### Accessories (not included)

Recirculation -2x Filtro DUAL MAX .....	Cod. 02800922 / EAN 8422248059930 .....
180x90 outlet .....	Cod. 02829304 / EAN 8422248346764 .....



#### REMOTE CONTROL

TIMER OPTION FOR PERFECT SMOKE EXTRACTION



AUTO2 CONNECTIVITY WITH AUTOMATIC CONTROL FROM THE CATA HOB

## ISLANDS HOODS



Finished in glass

850 m<sup>3</sup>/h

High Efficiency Motor

**SIRIN 1000 GWH ISLAND**  
Cod. 02111002 EAN 8422248097437

850 m<sup>3</sup>/h

High Efficiency Motor

**SIRIN 1000 WH ISLAND**  
Cod. 02111001 EAN 8422248077750



- **Touch control** panel with automatic shut-down timer and cleaning filters indicator + **remote control**
- 4 extraction levels, 3 + **1 TURBO**
- Extraction power (according to UNE/EN 61591): **850m<sup>3</sup>/h** - 340m<sup>3</sup>/h
- Motor maximum airflow free outlet: **1350m<sup>3</sup>/h**
- **Sound power (Reg.(EU) n°65/2014): 50dB(A)**, maximum: 65dB(A)
- BT3 motor. Extra silent. Maximum energy consumption 280W
- **High efficiency LED lighting, adjustable intensity**
- Easy-to-install system
- Dishwasher-washable filters
- White Glass finishing
- Max. Pressure: 470 Pa
- 150 mm outlet diameter
- Ceiling installation



**Accessories (not included)**

Active Charcoal Filter .....	Cod. 02859398 / EAN 8422248075497 .....
Adaptor+Check Valve 150mm .....	Cod. 02832006 / EAN 8422248079167 .....

- **Touch control** panel with automatic shut-down timer and cleaning filters indicator + **remote control**
- 4 extraction levels, 3 + **1 TURBO**
- Extraction power (according to UNE/EN 61591): **850m<sup>3</sup>/h** - 340m<sup>3</sup>/h
- Motor maximum airflow free outlet: **1350m<sup>3</sup>/h**
- **Sound power (Reg.(EU) n°65/2014): 50dB(A)**, maximum: 65dB(A)
- BT3 motor. Extra silent. Maximum energy consumption 280W
- **High efficiency LED lighting, adjustable intensity**
- Easy-to-install system
- Dishwasher-washable filters
- White finishing
- Max. Pressure: 470 Pa
- 150 mm outlet diameter
- Ceiling installation

**Accessories (not included)**

Active Charcoal Filter .....	Cod. 02859398 / EAN 8422248075497 .....
Adaptor+Check Valve 150mm .....	Cod. 02832006 / EAN 8422248079167 .....



## ISLANDS HOODS



**FENIX 1000 X ISLAND**  
Cod. 02111305 EAN 8422248077798



- **Touch control** panel with automatic shut-down timer and cleaning filters indicator + **remote control**
- 4 extraction levels, 3 + **1 TURBO**
- Extraction power (according to UNE/EN 61591): **850m³/h** - 340m³/h
- Motor maximum airflow free outlet: **1350m³/h**
- **Sound power (Reg.(EU) n°65/2014): 50dB(A)**, maximum: 65dB(A)
- BT3 motor. Extra silent. Maximum energy consumption 280W
- **High efficiency LED lighting, adjustable intensity**
- Easy-to-install system
- Dishwasher-washable filters
- Stainless Steel finishing
- Max. Pressure: 470 Pa
- 150 mm outlet diameter
- Ceiling installation

**Accessories (not included)**

Active Charcoal Filter ..... Cod. 02859398 / EAN 8422248075497  
Adaptor+Check Valve 150mm ..... Cod. 02832006 / EAN 8422248079167

**850 m³/h**  
High Efficiency Motor



**LEGEND 900 XGBK ISLAND**  
Cod. 02097202 EAN 8422248061681



- **Touch Control Panel** with timer and cleaning filters indicator
- 5 extraction levels, 4 + **1 TURBO**
- Extraction power (according to UNE/EN 61591): **820m³/h** - 200m³/h
- Motor maximum airflow free outlet: **1200m³/h**
- **1st speed silent mode**
- **Sound power (Reg.(EU) n°65/2014): 40dB(A)**, maximum: 64dB(A)
- BRUSHLESS motor. Ultra silent. Maximum energy consumption **130W**
- **High efficiency LED lighting, adjustable intensity**
- Easy-to-install system
- Dishwasher-washable filters
- Finished Stainless steel and **mirror glass**
- Max. Pressure: 470 Pa
- 150/125 mm outlet diameter
- **Energy Class: A+**

**Accessories (not included)**

Active Charcoal Filter ..... Cod. 02859398 / EAN 8422248075497  
Check Valve ..... Cod. 02832004 / EAN 84222480499



**ISLANDS HOODS**


850 m<sup>3</sup>/h  
High Efficiency Motor

**SYGMA 900 X ISLAND**  
Cod. 02197313 EAN 8422248062121



- **Electronic control Panel** with automatic shut down timer
- 3 extraction levels, 2 + 1 TURBO
- Extraction power (according to UNE/EN 61591): **850m<sup>3</sup>/h** - 340m<sup>3</sup>/h
- Motor maximum airflow free outlet: **1350m<sup>3</sup>/h**
- **Sound power (Reg. (EU) n°65/2014): 50dB(A)**, maximum: 65dB(A)
- BT3 motor. Extra silent. Maximum energy consumption **280W**
- **High efficiency LED lighting**
- Easy-to-install system
- Dishwasher-washable filters
- Finished in Stainless steel
- Max. Pressure: 470 Pa
- 150/125 mm outlet diameter
- **Energy Class: A**

**Accessories (not included)**

Active charcoal filter ..... Cod. 02859398 / EAN 8422248075497  
Check valve..... Cod. 02832004 / EAN 84222480499



850 m<sup>3</sup>/h  
High Efficiency Motor



**GAMMA 900 X ISLAND**  
Cod. 02025205 EAN 8422248077736



- **Electronic control Panel** with automatic shut down timer
- 3 extraction levels, 2 + 1 TURBO
- Extraction power (according to UNE/EN 61591): **850m<sup>3</sup>/h** - 340m<sup>3</sup>/h
- Motor maximum airflow free outlet: **1350m<sup>3</sup>/h**
- **Sound power (Reg. (EU) n°65/2014): 50dB(A)**, maximum: 65dB(A)
- BT3 motor. Extra silent. Maximum energy consumption **280W**
- **High efficiency LED lighting**
- Easy-to-install system
- Dishwasher-washable filters
- Finished in Stainless steel
- Max. Pressure: 470 Pa
- 150/125 mm outlet diameter
- **Energy Class: A**

**Accessories (not included)**

Active charcoal filter ..... Cod. 02859398 / EAN 8422248075497  
Check valve..... Cod. 02832004 / EAN 84222480499





## ISLANDS HOODS



850 m<sup>3</sup>/h  
High Efficiency Motor

### VEGA X ISLAND


Cod. 02119311 EAN 8422248077743




- **Electronic control Panel** with automatic shut down timer
- 3 extraction levels, 2 + **1 TURBO**
- Extraction power (according to UNE/EN 61591): **850m<sup>3</sup>/h** - 340m<sup>3</sup>/h
- Motor maximum airflow free outlet: **1350m<sup>3</sup>/h**
- **Sound power (Reg.(EU) n°65/2014): 50dB(A)**, maximum: 65dB(A)
- BT3 motor. Extra silent. Maximum energy consumption **280W**
- **High efficiency LED lighting**
- Easy-to-install system
- Dishwasher-washable filters
- Finished in Stainless steel
- Max. Pressure: 470 Pa
- 150/125 mm outlet diameter
- **Energy Class: A**

#### Accessories (not included)

Active charcoal filter..... Cod. 02859398 / EAN 8422248075497  
Check valve..... Cod. 02832004 / EAN 8422248480499







## CORNERHOODS



**GALA 900 L**  
Cod. 02169304 EAN 8422248355575



High Efficiency Motor



- **Electronic control Panel** with automatic shut down timer
- 4 extraction levels, 3 + **1 TURBO**
- Extraction power (according to UNE/EN 61591): **802m³/h** - 340m³/h
- Motor maximum airflow free outlet: **1350m³/h**
- **Sound power (Reg.(EU) n°65/2014): 50dB(A)**, maximum: 65dB(A)
- BT3 motor. Extra silent. Maximum energy consumption **280W**
- **High efficiency strip LED lighting**
- Easy-to-install system
- Dishwasher-washable filters
- Finished in Stainless steel
- Max. Pressure: 470 Pa
- 150/125 mm outlet diameter
- **Energy Class: A**

**Accessories (not included)**

Active charcoal filter .....	Cod. 02859398 / EAN 8422248075497 .....
Check valve .....	Cod. 02832004 / EAN 842224840499 .....
Recirculation -3 x Filter DUAL Universal .....	Cod. 02800918 / EAN 8422248054348 .....
Noiseless Flexible Duct .....	Cod. 02893002 / EAN 8422248059718 .....

**GALA 900 R**  
Cod. 02166304 EAN 8422248355582





850 m³/h  
High Efficiency Motor



- **Electronic control Panel** with automatic shut down timer
- 4 extraction levels, 3 + **1 TURBO**
- Extraction power (according to UNE/EN 61591): **802m³/h** - 340m³/h
- Motor maximum airflow free outlet: **1350m³/h**
- **Sound power (Reg.(EU) n°65/2014): 50dB(A)**, maximum: 65dB(A)
- BT3 motor. Extra silent. Maximum energy consumption **280W**
- **High efficiency strip LED lighting**
- Easy-to-install system
- Dishwasher-washable filters
- Finished in Stainless steel
- Max. Pressure: 470 Pa
- 150/125 mm outlet diameter
- **Energy Class: A**

**Accessories (not included)**

Active charcoal filter .....	Cod. 02859398 / EAN 8422248075497 .....
Check valve .....	Cod. 02832004 / EAN 842224840499 .....
Recirculation -3 x Filter DUAL Universal .....	Cod. 02800918 / EAN 8422248054348 .....
Noiseless Flexible Duct .....	Cod. 02893002 / EAN 8422248059718 .....



## CORNER HOODS



**ANGOLO BOX 1000 X**  
Cod. 02195309 EAN 8422248077774



- **Electronic control Panel** with automatic shut down timer
- 3 extraction levels, 2 + 1 TURBO
- Extraction power (according to UNE/EN 61591): **800m<sup>3</sup>/h** - 340m<sup>3</sup>/h
- Motor maximum airflow free outlet: **1350m<sup>3</sup>/h**
- **Sound power (Reg.(EU) n°65/2014): 50dB(A)**, maximum: 65dB(A)
- BT3 motor. Extra silent. Maximum energy consumption **280W**
- **High efficiency LED lighting**
- Easy-to-install system
- Dishwasher-washable filters
- Finished in Stainless steel
- Max. Pressure: 470 Pa
- 150/125 mm outlet diameter
- **Energy Class: A**

**Accessories (not included)**

Check valve.....	Cod. 02832004 / EAN 8422248480499 .....
Top tub .....	Cod. 02863300 / EAN 8422248031035 .....
Recirculation -3 x Filter DUAL Universal .....	Cod. 02800918 / EAN 8422248054348 .....





**ANGOLO X**  
Cod. 02195310 EAN 8422248077781



- **Electronic control Panel** with automatic shut down timer
- 3 extraction levels, 2 + 1 TURBO
- Extraction power (according to UNE/EN 61591): **850m<sup>3</sup>/h** - 340m<sup>3</sup>/h
- Motor maximum airflow free outlet: **1350m<sup>3</sup>/h**
- **Sound power (Reg.(EU) n°65/2014): 50dB(A)**, maximum: 65dB(A)
- BT3 motor. Extra silent. Maximum energy consumption **280W**
- **High efficiency LED lighting**
- Easy-to-install system
- Dishwasher-washable filters
- Finished in Stainless steel
- Max. Pressure: 470 Pa
- 150/125 mm outlet diameter
- **Energy Class: A**

**Accessories (not included)**

Active charcoal filter.....	Cod. 02859398 / EAN 8422248075497 .....
Check valve.....	Cod. 02832004 / EAN 8422248480499 .....





# DECORATIVES HOODS



DECORATIVES



**GOYA PRO 90 BK**


Cod. 02184401 EAN 8422248080613



- Multifunction **TFT Touch screen** with automatic shut-down timer and cleaning filters indicator
- 6 extraction levels, **Silent + 4 + TURBO**
- PRO connectivity** with automatic control from the CATA PRO hob
- Extraction power (according to UNE/EN 61591): 842m<sup>3</sup>/h - 283m<sup>3</sup>/h**
- Motor maximum airflow free outlet: **1400m<sup>3</sup>/h**
- Sound power (Reg. (EU) n°65/2014): 48dB(A), maximum: 64dB(A)
- BRUSHLESS motor. Ultra silent. Maximum energy consumption **135W**
- High efficiency strip LED lighting, adjustable intensity**
- Easy-to-install system
- Non-condensation filter XL**
- Dishwasher washable Filters
- Air renovation function
- Finished in black glass
- Max. Pressure: 365 Pa
- Front panel with opening for intensive use
- 150/125 mm outlet diameter
- Energy Class: A+++**

**Accessories (not included)**

Active charcoal filter.....	Cod. 02859318 / EAN 842224809847 .....
Check valve.....	Cod. 02832008 / EAN 8422248086837 .....
Top tube BK .....	Cod. 02861403 / EAN 8422248078818 .....
Top tube Inox .....	Cod. 02861303 / EAN 8422248097758 .....



The diagram illustrates several features of the range hood:

- Possibility to open and close the front panel for a more moderated or intensive kitchen.
- Multifunction touch TFT panel for intuitive and fast use.
- Anticondensation XL filter.
- LED Strip with dimer.
- Connectivity with PRO family hobs with automatic function.
- Instant and cyclic air renewal functions.

Two screenshots of the control interface are shown:

- The first screenshot shows the main control panel with extraction levels (TURBO, MAX, SILENT), brightness (3), and connectivity icons (Wi-Fi, PRO, etc.).
- The second screenshot shows a circular timer set for 15 min, with options for Instant and Air Renovation, along with connectivity icons.



cata C & can Roca

**cata** C  
green innovation

HOODS

## DECORATIVES



A+  
POWER+  
SILENT  
motor BRUSHLESS



**GOYA 90 BK**  
Cod. 02129404 EAN 8422248190541



A+  
POWER+  
SILENT  
motor BRUSHLESS



**GOYA 90 WH**  
Cod. 02129004 EAN 8422248190534



**GOYA 70 BK**  
Cod. 02127404 EAN 8422248190527





**GOYA 70 WH**  
Cod. 02127004 EAN 8422248190510

- **Touch Control Panel** with automatic shut-down timer and cleaning filters indicator
- 6 extraction levels, 5 + 1 TURBO
- **1st speed silent mode**
- Extraction power (according to UNE/EN 61591): **825m³/h** - 200m³/h
- Motor maximum airflow free outlet: **1200m³/h**
- **Sound power (Reg.(EU) n°65/2014): 40dB(A)**, maximum: 64dB(A)
- BRUSHLESS motor. Ultra silent. Maximum energy consumption **135W**
- **High-efficiency lighting by intensity-adjustable two-tone warm / natural LED STRIP**
- Easy-to-install system
- **Non-condensation filter XL**
- Dishwasher-washable filters
- Black/white glass finishing
- Max. Pressure: 365 Pa
- **Front panel with pneumatic opening for intensive use**
- 150/125 mm outlet diameter
- **Energy Class: A++**

### Accessories (not included)

Active charcoal filter	Cod. 02859398 / EAN 8422248075497
Check valve	Cod. 02832004 / EAN 8422248480499
Top tub BK	Cod. 02861405 / EAN 8422248078931
Top tub WH	Cod. 02861005 / EAN 8422248078917



DECORATIVES

**cata** & Can Roca



850 m<sup>3</sup>/h  
High Efficiency Motor

850 m<sup>3</sup>/h  
High Efficiency Motor

**GRECO 90 BK**

Cod. 02184407 EAN 8422248106146

**GRECO 80 BK**

Cod. 02145407 EAN 8422248106160

**GRECO 70 BK**


Cod. 02133407 EAN 8422248106191



- **Touch Control Panel** with automatic shut-down timer and cleaning filters indicator
- 4 extraction levels, 3 + **1 TURBO**
- Extraction power (according to UNE/EN 61591): **850m<sup>3</sup>/h** - 340m<sup>3</sup>/h
- Motor maximum airflow free outlet: **1350m<sup>3</sup>/h**
- **Sound power (Reg.(EU) n°65/2014): 50dB(A)**, maximum: 65dB(A)
- BT3 motor. Ultra silent. Maximum energy consumption **280W**
- **High efficiency LED lighting, adjustable intensity**
- Easy-to-install system
- **Non-condensation filter XL**
- Dishwasher-washable filters
- Black glass finishing
- Max. Pressure: 470 Pa
- **Front panel with pneumatic opening for intensive use**
- 150/125 mm outlet diameter
- **Energy Class: A**

**Accessories (not included)**

Active charcoal filter.....	Cod. 02859398 / EAN 8422248075497 .....
Check valve.....	Cod. 02832004 / EAN 8422248480499 .....
Top tub BK.....	Cod. 02861403 / EAN 8422248078818 .....
Top tub WH.....	Cod. 02861003 / EAN 8422248097765 .....
Top tub INOX.....	Cod. 02861303 / EAN 8422248097758 .....



**GRECO 90 WH**

Cod. 02184007 EAN 8422248106153

**GRECO 80 WH**

Cod. 02145007 EAN 8422248106184

**GRECO 70 WH**


Cod. 02133007 EAN 8422248106207



- **Touch Control Panel** with automatic shut-down timer and cleaning filters indicator
- 4 extraction levels, 3 + **1 TURBO**
- Extraction power (according to UNE/EN 61591): **850m<sup>3</sup>/h** - 340m<sup>3</sup>/h
- Motor maximum airflow free outlet: **1350m<sup>3</sup>/h**
- **Sound power (Reg.(EU) n°65/2014): 50dB(A)**, maximum: 65dB(A)
- BT3 motor. Ultra silent. Maximum energy consumption **280W**
- **High efficiency LED lighting, adjustable intensity**
- Easy-to-install system
- **Non-condensation filter XL**
- Dishwasher-washable filters
- White glass finishing
- Max. Pressure: 470 Pa
- **Front panel with pneumatic opening for intensive use**
- 150/125 mm outlet diameter
- **Energy Class: A**

**Accessories (not included)**

Active charcoal filter.....	Cod. 02859398 / EAN 8422248075497 .....
Check valve.....	Cod. 02832004 / EAN 8422248480499 .....
Top tub BK.....	Cod. 02861403 / EAN 8422248078818 .....
Top tub WH.....	Cod. 02861003 / EAN 8422248097765 .....
Top tub INOX.....	Cod. 02861303 / EAN 8422248097758 .....





**cata**C & can Roca

**cata**C  
green innovation

HOODS

## DECORATIVES



850 m<sup>3</sup>/h  
High Efficiency Motor


**GRECO 80 GR**  
Cod. 02145203 EAN 8422248106177



- **Touch Control Panel** with automatic shut-down timer and cleaning filters indicator
- 4 extraction levels, 3 + 1 TURBO
- Extraction power (according to UNE/EN 61591): **850m<sup>3</sup>/h** - 340m<sup>3</sup>/h
- Motor maximum airflow free outlet: **1350m<sup>3</sup>/h**
- **Sound power (Reg. (EU) n°65/2014): 50dB(A)**, maximum: 65dB(A)
- BT3 motor, Ultra silent. Maximum energy consumption **280W**
- **High efficiency LED lighting, adjustable intensity**
- Easy-to-install system
- **Non-condensation filter XL**
- Dishwasher-washable filters
- Metallic gray glass finishing
- Max. Pressure: 470 Pa
- **Front panel with pneumatic opening for intensive use**
- 150/125 mm outlet diameter
- **Energy Class: A**

### Accessories (not included)

Active charcoal filter .....	Cod. 02859398 / EAN 8422248075497
Check valve .....	Cod. 02832004 / EAN 8422248480499
Top tub BK .....	Cod. 02861403 / EAN 8422248078818
Top tub WH .....	Cod. 02861003 / EAN 8422248097765
Top tub INOX .....	Cod. 02861303 / EAN 8422248097758



Depth of 30cm, so that it does not exceed the kitchen furniture and accidents are avoided.

LED'S lighting

XL ANTI-CONDENSATION FILTER



Possibility to open and close the front panel for a moderate or more intensive cooking.



## DECORATIVES



**THALASSA PRO 1200 GBK**  
Cod. 02131407 EAN 8422248356329



**THALASSA PRO 900 GBK**  
Cod. 02139407 EAN 8422248356282



**THALASSA PRO 800 GBK**  
Cod. 02138407 EAN 8422248356299



**THALASSA PRO 700 GBK**  
Cod. 02137407 EAN 8422248356305



**THALASSA PRO 600 GBK**  
Cod. 02136407 EAN 8422248356312



**THALASSA PRO 900 GWH**  
Cod. 02139007 EAN 8422248356336



**THALASSA PRO 800 GWH**  
Cod. 02138007 EAN 8422248356343



**THALASSA PRO 700 GWH**  
Cod. 02137007 EAN 8422248356350



**THALASSA PRO 600 GWH**  
Cod. 02136007 EAN 8422248356367



**THALASSA PRO 900 GGR**  
Cod. 02139507 EAN 8422248356374



**THALASSA PRO 800 GGR**  
Cod. 02138507 EAN 8422248356381



- **Touch Control Panel** with automatic shut-down timer and cleaning filters indicator

- 6 extraction levels, 5 + 1 TURBO

- Extraction power (according to UNE/EN 61591): **842m³/h** - 283m³/h

- Motor maximum airflow free outlet: 1400m³/h

- Sound power (Reg.(EU) n°65/2014): **46dB(A)**, maximum: 64dB(A)

- BRUSHLESS motor. Ultra silent. Maximum energy consumption **140W**

- **High efficiency LED lighting, adjustable intensity**

- **AUTO 2 connectivity with automatic control from the CATA AUTO 2 hob**

- Fresh function

- Pneumatic opening

- 1st speed silent mode

- Installation without duct tube and ceramic carbon filter optional

- Front panel with opening for intensive use

- **Non-condensation filter**

- Easy-to-install system

- Dishwasher-washable filters

- Black /White/ Grey glass finishing


- Max. Pressure: 365 Pa

- 150/125 mm outlet diameter

- **Energy Class: A+++**

### Accessories (not included)

Active charcoal filter .....	Cod. 02859318 / EAN 8422248098472 .....
Check valve .....	Cod. 02832004 / EAN 8422248480499 .....
Top tub .....	Cod. 02861300 / EAN 8422248016742 .....
Tub set BK .....	Cod. 02861401 / EAN 8422248060226 .....
Tub set WH .....	Cod. 02861001 / EAN 8422248060233 .....







## DECORATIVES



**THALASSA 900 GBK**  
Cod. 02139406 EAN 8422248356220



**THALASSA 700 GBK**  
Cod. 02137406 EAN 8422248356237



**THALASSA 600 GBK**  
Cod. 02136406 EAN 8422248356244



**THALASSA 900 GWH**  
Cod. 02139006 EAN 8422248356251



**THALASSA 700 GWH**  
Cod. 02137006 EAN 8422248356268




**THALASSA 600 GWH**  
Cod. 02136006 EAN 8422248356275



- Electronic **Control Panel with digital display**, automatic shut-down timer and cleaning filters indicator
- 4 extraction levels, 3 + **1 TURBO**
- Extraction power (according to UNE/EN 61591): **811m³/h** - 346m³/h
- Motor maximum airflow free outlet: 1400m³/h
- **Sound power (Reg.(EU) n°65/2014): 50dB(A)**, maximum: 65dB(A)
- BT3 motor. Extra silent. Maximum energy consumption **280W**
- High efficiency Strip LED lighting, adjustable intensity
- Fresh function
- Pneumatic opening
- Installation without duct tube and ceramic carbon filter optional
- Front panel with opening for intensive use
- **Non-condensation filter and Filter condensation collection area**
- Easy-to-install system with horizontal leveling
- Dishwasher-washable filters
- White glass finishing
- Max. Pressure: 470 Pa
- 150/120 mm outlet diameter
- **Energy Class: A**

### Accessories (not included)

Active charcoal filter	Cod. 02859394 / EAN 8422248038782
Check valve	Cod. 02832004 / EAN 8422248480499



## DECORATIVES



A+ POWER+ SILENT  
 BRUSHLESS motor

**JUNO+ 9000 GBK**  
Cod. 02059701 EAN 8422248355643

**NEW**

**JUNO+ 7000 GBK**  
Cod. 02078701 EAN 8422248355636

**NEW**

**JUNO+ 6000 GBK**  
Cod. 02027701 EAN 8422248355629


**NEW**



- **Touch Control Panel** with digital display, automatic shut-down timer and cleaning filters indicator
- 6 extraction levels, 5 + **1 TURBO**
- Extraction power (according to UNE/EN 61591): **562m³/h** - 170m³/h
- Motor maximum airflow free outlet: 900m³/h
- **Sound power (Reg.(EU) n°65/2014): 44dB(A)**, maximum: 61dB(A)
- Brushless motor. Extra silent. Maximum energy consumption **95W**
- High efficiency Strip LED lighting, adjustable intensity
- Pneumatic opening
- **Front panel with opening for intensive use**
- Non-condensation filter
- Easy-to-install system
- Dishwasher-washable filters
- Black glass finishing
- Max. Pressure: 470 Pa
- 150/125 mm outlet diameter
- **Energy Class: A+**

**Accessories (not included)**

Active charcoal filter ..... Cod. 02859394 / EAN 8422248038782  
Check valve ..... Cod. 02832004 / EAN 8422248480499



A+ POWER+ SILENT  
 BRUSHLESS motor

**JUNO+ 9000 GWH**  
Cod. 02059801 EAN 8422248355674

**NEW**

**JUNO+ 7000 GWH**  
Cod. 02078801 EAN 8422248355667

**NEW**

**JUNO+ 6000 GWH**  
Cod. 02027801 EAN 8422248355650


**NEW**



- **Touch Control Panel** with digital display, automatic shut-down timer and cleaning filters indicator
- 6 extraction levels, 5 + **1 TURBO**
- Extraction power (according to UNE/EN 61591): **562m³/h** - 170m³/h
- Motor maximum airflow free outlet: 900m³/h
- **Sound power (Reg.(EU) n°65/2014): 44dB(A)**, maximum: 61dB(A)
- Brushless motor. Extra silent. Maximum energy consumption **95W**
- High efficiency Strip LED lighting, adjustable intensity
- Pneumatic opening
- **Front panel with opening for intensive use**
- Non-condensation filter
- Easy-to-install system
- Dishwasher-washable filters
- White glass finishing
- Max. Pressure: 470 Pa
- 150/125 mm outlet diameter
- **Energy Class: A+**

**Accessories (not included)**

Active charcoal filter ..... Cod. 02859394 / EAN 8422248038782  
Check valve ..... Cod. 02832004 / EAN 8422248480499





## DECORATIVES



**JUNO 9000 GBK**  
Cod. 02059700 EAN 8422248355612



**JUNO 7000 GBK**  
Cod. 02078700 EAN 8422248355605




**JUNO 6000 GBK**  
Cod. 02027700 EAN 8422248355599



- **Touch Control Panel with digital display**, automatic shut-down timer and cleaning filters indicator
- 6 extraction levels, 5 + **1 TURBO**
- Extraction power (according to UNE/EN 61591): **428m³/h** - 170m³/h
- Motor maximum airflow free outlet: **600m³/h**
- **Sound power (Reg.(EU) n°65/2014): 50dB(A)**, maximum: 64dB(A)
- BRUSHLESS motor. Extra silent. Maximum energy consumption **110W**
- **High efficiency Compact Strip LED lighting, adjustable intensity**
- Easy-to-install system
- Dishwasher-washable filters
- Finished in white glass
- Max. Pressure: 470 Pa
- 150/125 mm outlet diameter
- **Energy Class: A+**

### Accessories (not included)

Active charcoal filter ..... Cod. 02859394 / EAN 8422248038782  
Check valve ..... Cod. 02632004 / EAN 8422248480499




**HESTIA 600 GBK**  
Cod. 02012610 EAN 8422248360395



- **Mechanical Control Panel**
- 3 extraction levels
- Extraction power (according to UNE/EN 61591): 380m³/h - 190m³/h
- Motor maximum airflow free outlet: **450 m³/h**
- **Sound power (Reg.(EU) n°65/2014): 51dB(A)**, maximum: 67dB(A)
- YL450DC motor. Maximum energy consumption **110W**
- High efficiency compact Strip LED lighting
- Easy-to-install system
- Dishwasher-washable filters
- Finishing and black glass
- Max. Pressure: 206 Pa
- 120 mm outlet diameter
- **Energy Class: B**

### Accessories (not included)

Active charcoal filter ..... Cod. 02859394 / EAN 8422248038782  
Check valve ..... Cod. 02832004 / EAN 8422248480499



## DECORATIVES



A+ POWER+ SILENT  
 BRUSHLESS motor

**WANDA 900 XGBK**  
Cod. 02059405 EAN 8422248102308

**WANDA 700 XGBK**  
Cod. 02078405 EAN 8422248102315

**WANDA 600 XGBK**  
Cod. 02027210 EAN 8422248102322



- **Touch Control Panel** with automatic shut-down timer
- 9 extraction levels
- Extraction power (according to UNE/EN 61591): **525m³/h** - 207m³/h
- Motor maximum airflow free outlet: **1000m³/h**
- **Sound power (Reg. (EU) n°65/2014): 39dB(A)**, maximum: 59dB(A)
- BRUSHLESS motor. Ultra silent. Maximum energy consumption **70W**
- **High efficiency LED lighting**
- Easy-to-install system
- Dishwasher-washable filters
- Finishing and black glass
- Max. Pressure: 430 Pa
- 150 mm outlet diameter
- **Energy Class: A++**

**Accessories (not included)**

Active charcoal filter ..... Cod. 02859492 / EAN 8422248097697 .....



A+ POWER+ SILENT  
 BRUSHLESS motor

**WANDA 900 XGWH**  
Cod. 02059010 EAN 8422248102339

**WANDA 700 XGWH**  
Cod. 02078006 EAN 8422248102346



**WANDA 600 XGWH**  
Cod. 02027012 EAN 8422248102353



- **Touch Control Panel** with automatic shut-down timer
- 9 extraction levels
- Extraction power (according to UNE/EN 61591): **525m³/h** - 207m³/h
- Motor maximum airflow free outlet: **1000m³/h**
- **Sound power (Reg. (EU) n°65/2014): 39dB(A)**, maximum: 59dB(A)
- BRUSHLESS motor. Ultra silent. Maximum energy consumption **70W**
- **High efficiency LED lighting**
- Easy-to-install system
- Dishwasher-washable filters
- Finishing and white glass
- Max. Pressure: 430 Pa
- 150 mm outlet diameter
- **Energy Class: A++**

**Accessories (not included)**

Active charcoal filter ..... Cod. 02859492 / EAN 8422248097697 .....





#### LENA 900XGBK

Cod. 02059403 EAN 8422248108089

#### LENA 600XGBK

Cod. 02032205 EAN 8422248102292

#### LENA 500XGBK


Cod. 02032206 EAN 8422248102377



- **Electronic control Panel** with automatic shut down timer
- 3 extraction levels
- Extraction power (according to UNE/EN 61591): **500m³/h** - 310m³/h
- Motor maximum airflow free outlet: **750m³/h**
- **Sound power (Reg.(EU) nº65/2014): 45dB(A)**, maximum: 63dB(A)
- 1 motor. Maximum energy consumption **120W**
- **High efficiency LED lighting**
- Easy-to-install system
- Dishwasher-washable filters
- Finished in black glass
- Max. Pressure: 380 Pa
- 150mm outlet diameter
- **Energy Class: B**

##### Accessories (not included)

Active charcoal filter ..... Cod. 02859492 / EAN 8422248097697 .....



#### LENA 900XGWH

Cod. 02059011 EAN 8422248346559

#### LENA 600XGWH

Cod. 02032005 EAN 8422248102285

#### LENA 500XGWH


Cod. 02032006 EAN 8422248102360



- **Electronic control Panel** with automatic shut down timer
- 3 extraction levels
- Extraction power (according to UNE/EN 61591): **500m³/h** - 310m³/h
- Motor maximum airflow free outlet: **750m³/h**
- **Sound power (Reg.(EU) nº65/2014): 45dB(A)**, maximum: 63dB(A)
- 1 motor. Maximum energy consumption **120W**
- **High efficiency LED lighting**
- Easy-to-install system
- Dishwasher-washable filters
- Finished in white glass
- Max. Pressure: 380 Pa
- 150mm outlet diameter
- **Energy Class: B**

##### Accessories (not included)

Active charcoal filter ..... Cod. 02859492 / EAN 8422248097697 .....



## DECORATIVES



A++  
 POWER+  
 SILENT  
**BRUSHLESS motor**

**LEGEND 9000 XGBK**  
Cod. **02029207** EAN **8422248101493**

**LEGEND 7000 XGBK**  
Cod. **02021202** EAN **8422248101509**


**LEGEND 6000 XGBK**  
Cod. **02060208** EAN **8422248102544**



- **Touch Control Panel** with automatic shut-down timer and cleaning filters indicator
- 9 extraction levels
- Extraction power (according to UNE/EN 61591): **640m³/h** - 236m³/h
- Motor maximum airflow free outlet: **1000m³/h**
- **Sound power (Reg.(EU) n°65/2014): 44dB(A)**, maximum: 65dB(A)
- BRUSHLESS motor. Ultra silent. Maximum energy consumption **70W**
- **High efficiency Strip LED lighting**
- Easy-to-install system
- MAX panelLED stainless steel filters dishwasher washable
- Stainless steel finishing and black glass
- Max. Pressure: 220 Pa
- 150 mm outlet diameter
- **Energy Class: A++**

**Accessories (not included)**

Active charcoal filter ..... Cod. 02859492 / EAN 8422248097697



A+  
 POWER+  
 SILENT  
**BRUSHLESS motor**

**LEGEND 900 X**  
Cod. **02029305** EAN **8422248068635**


**LEGEND 700 X**  
Cod. **02021306** EAN **8422248068659**



- **Electronic Control Panel** with digital display, automatic shut-down timer and cleaning filters indicator
- 5 extraction levels, 4 + **1 TURBO**
- **1st speed silent mode**
- Extraction power (according to UNE/EN 61591): **648m³/h** - 200m³/h
- Motor maximum airflow free outlet: **1200m³/h**
- **Sound power (Reg.(EU) n°65/2014): 40dB(A)**, maximum: 64dB(A)
- BRUSHLESS motor. Ultra silent. Maximum energy consumption **130W**
- **High efficiency LED lighting, adjustable intensity**
- Easy-to-install system
- Dishwasher-washable filters
- Stainless steel finishing
- Max. Pressure: 470 Pa
- 150/125 mm outlet diameter
- **Energy Class: A**

**Accessories (not included)**

Active charcoal filter ..... Cod. 02859398 / EAN 8422248075497  
Check valve ..... Cod. 02832004 / EAN 8422248480499  
Top tube ..... Cod. 02861301 / EAN 8422248031073





## DECORATIVES



**SYGMA 12010 X**  
Cod. 02132305 EAN 8422248073035



800 m<sup>3</sup>/h  
High Efficiency Motor



**SYGMA 9010 X**  
Cod. 02075305 EAN 8422248110051



**SYGMA 7010 X**  
Cod. 02021310 EAN 8422248110068



**SYGMA 6010 X**  
Cod. 02060310 EAN 8422248110075





800 m<sup>3</sup>/h  
High Efficiency Motor



- **Electronic control Panel** with automatic shut down timer and cleaning filters indicator
- 3 extraction levels, 3 + **1 TURBO**
- Extraction power (according to UNE/EN 61591): **802m<sup>3</sup>/h** - 340m<sup>3</sup>/h
- Motor maximum airflow free outlet: **1350m<sup>3</sup>/h**
- **Sound power (Reg.(EU) n°65/2014): 50dB(A)**, maximum: 67dB(A)
- BT3 motor. Extra silent. Maximum energy consumption **280W**
- **High efficiency Strip LED lighting, adjustable intensity**
- Easy-to-install system
- Dishwasher-washable filters
- Finished in Stainless steel
- Max. Pressure: 470 Pa
- 150/125 mm outlet diameter
- **Energy Class: A**

- Accessories (not included)**
- |                              |   |
|------------------------------|---|
| Active charcoal filter ..... | Cod. 02859398 / EAN 8422248075497 ..... |
| Check valve .....            | Cod. 02832004 / EAN 84222480499 .....   |
| Top tube .....               | Cod. 02861300 / EAN 8422248016742 ..... |

- Accessories (not included)**
- |                              |   |
|------------------------------|---|
| Active charcoal filter ..... | Cod. 02859398 / EAN 8422248075497 ..... |
| Check valve .....            | Cod. 02832004 / EAN 8422248480499 ..... |
| Top tube .....               | Cod. 02861301 / EAN 8422248031073 ..... |



## DECORATIVES


 800 m<sup>3</sup>/h  
 High Efficiency Motor

**SYGMA 9010 BK**  
 Cod. 02075401 EAN 8422248110082

**SYGMA 7010 BK**  
 Cod. 02021400 EAN 8422248357272

**SYGMA 6010 BK**  
 Cod. 02060400 EAN 8422248357289


- **Electronic control Panel** with automatic shut down timer and cleaning filters indicator
- 3 extraction levels, 3 + 1 TURBO
- Extraction power (according to UNE/EN 61591): **802m<sup>3</sup>/h** - 340m<sup>3</sup>/h
- Motor maximum airflow free outlet: **1350m<sup>3</sup>/h**
- **Sound power (Reg. (EU) n°65/2014): 50dB(A)**, maximum: 67dB(A)
- BT3 motor. Extra silent. Maximum energy consumption **280W**
- **High efficiency Strip LED lighting, adjustable intensity**
- Easy-to-install system
- Dishwasher-washable filters
- Finished in black
- Max. Pressure: 470 Pa
- 150/125 mm outlet diameter
- **Energy Class: A**

**Accessories (not included)**

 Active charcoal filter ..... Cod. 02859398 / EAN 8422248075497  
 Check valve ..... Cod. 02832004 / EAN 842224840499

**S PLUS 9010 X**  
 Cod. 02029602 EAN 8422248093422

**S PLUS 7010 X**  
 Cod. 02021602 EAN 8422248093446

**S PLUS 6010 X**  
 Cod. 02060602 EAN 8422248093453



**Mechanical Control Panel**

- 3 extraction levels
- Extraction power (according to UNE/EN 61591): **637m<sup>3</sup>/h** - 361m<sup>3</sup>/h
- Motor maximum airflow free outlet: **1150m<sup>3</sup>/h**
- **Sound power (Reg. (EU) n°65/2014): 69dB(A)**, maximum: 74dB(A)
- Motor M3R. Extra silent. Maximum energy consumption **270W**

**High efficiency compact Strip LED lighting**

- Easy-to-install system
- Dishwasher-washable filters
- Finished in Stainless steel
- Max. Pressure 430 Pa
- 150/125 mm Outlet diameter
- Energy Class: C

**Accessories (not included)**

 Active charcoal filter ..... Cod. 02859398 / EAN 8422248001595  
 Check valve ..... Cod. 02832001 / EAN 8422248044677  
 Top tube ..... Cod. 02861301 / EAN 8422248031073


## DECORATIVES



**ST-9000 X**  
Cod. 02029309 EAN 8422248108706

**ST-7000 X**  
Cod. 02021309 EAN 8422248108690

**ST-6000 X**  
Cod. 02060309 EAN 8422248108683



• **Mechanical Control Panel**

- 3 extraction levels
- Extraction power (according to UNE/EN 61591): **302m³/h** - 165m³/h
- Motor maximum airflow free outlet: 360 m³/h
- **Sound power (Reg.(EU) n°65/2014): 58dB(A)**, maximum: 62dB(A)
- Maximum energy consumption **65W**
- **High efficiency compact Strip LED lighting**
- Easy-to-install system
- Dishwasher-washable filters
- Finished in Stainless steel
- Max. Pressure 175 Pa
- 150 mm Outlet diameter
- Energy Class: C

**Accessories (not included)**

Active charcoal filter ..... Cod. 02859495 / EAN 8422248100281

**SK 6000 X**  
Cod. 02060609 EAN 8422248356978





• **Mechanical Control Panel**

- 3 extraction levels
- Extraction power (according to UNE/EN 61591): **440m³/h** - 175 m³/h
- Motor maximum airflow free outlet: 470m³/h
- **Sound power (Reg.(EU) n°65/2014): 52dB(A)**, maximum: 69dB(A)
- K10 Motor. Maximum energy consumption **110W**
- **High efficiency compact Strip LED lighting**
- Easy-to-install system
- Dishwasher-washable filters
- Finished Stainless steel and glass
- Max. Pressure 293 Pa
- 150 mm Outlet diameter
- **Energy Class: A**

**Accessories (not included)**

Active charcoal filter ..... Cod. 02859489 / EAN 8422248358477  
Check valve ..... Cod. 02832004 / EAN 8422248480499



## DECORATIVES



**CK 9000 X**  
Cod. **02008107** EAN **8422248356992**



**CK 6000 X**  
Cod. **02005107** EAN **8422248356985**



**CK 6000 BK**  
Cod. **02005407** EAN **8422248357005**



• **Mechanical Control Panel**

- 3 extraction levels
- Extraction power (according to UNE/EN 61591): **440m³/h** - 175 m³/h
- Motor maximum airflow free outlet: 470m³/h

• **Sound power (Reg.(EU) n°65/2014): 52dB(A)**, maximum: 69dB(A)


- K10 motor. Maximum energy consumption **110W**

• **High efficiency compact Strip LED lighting**

- Easy-to-install system
- Dishwasher-washable filters
- Finished Stainless steel and glass/ Finished black and glass
- Max. Pressure 293 Pa
- 150 mm Outlet diameter
- Energy Class: A

**Accessories (not included)**

- Active charcoal filter ..... Cod. 02859492 / EAN 8422248358477  
Check valve ..... Cod. 02632004 / EAN 8422248480499



**CG5-T900 X**  
Cod. **02008299** EAN **8422248108102**

**CG5-T600 X**  
Cod. **02005299** EAN **8422248097413**



• **Mechanical Control Panel**

- 3 extraction levels
- Extraction power (according to UNE/EN 61591): **495m³/h** - 300 m³/h
- Motor maximum airflow free outlet: 517m³/h

• **Sound power (Reg.(EU) n°65/2014): 45dB(A)**, maximum: 66dB(A)


- Maximum energy consumption **120W**

• High efficiency LED lighting

- Easy-to-install system
- Dishwasher-washable filters
- Finished Stainless steel and glass
- Max. Pressure 435 Pa
- 150 mm Outlet diameter
- Energy Class: B

**Accessories (not included)**

- Active charcoal filter ..... Cod. 02859492 / EAN 8422248097697



## DECORATIVES



**BETA 1200 X**  
Cod. 02157309 EAN 8422248062299



850 m<sup>3</sup>/h  
High Efficiency Motor



850 m<sup>3</sup>/h  
High Efficiency Motor

**BETA 900 X**  
Cod. 02051303 EAN 8422248061827

**BETA 700 X**  
Cod. 02093303 EAN 8422248061834



**BETA 600 X**  
Cod. 02050305 EAN 8422248061841



- **Electronic control Panel** with automatic shut down timer
- 3 extraction levels, 2 + **1 TURBO**
- Extraction power (according to UNE/EN 61591): **850m<sup>3</sup>/h** - 340m<sup>3</sup>/h
- Motor maximum airflow free outlet: 1350 m<sup>3</sup>/h
- **Sound power (Reg.(EU) n°65/2014): 52dB(A)**, maximum: 67dB(A)
- BT3 motor. Extra silent. Maximum energy consumption **280W**
- **High efficiency LED lighting**
- Easy-to-install system
- Dishwasher-washable filters
- Finished Stainless steel
- Max. Pressure: 470 Pa
- 150/125 mm outlet diameter
- **Energy Class: A**

**Accessories (not included)**

Active charcoal filter.....	Cod. 02859398 / EAN 8422248075497 .....
Check valve.....	Cod. 02832004 / EAN 842224804999 .....
Top tube (1200).....	Cod. 02861300 / EAN 8422248016742 .....



## DECORATIVES



**OMEGA 900 X**  
Cod. **02004310** EAN **8422248190596**

**OMEGA 700 X**  
Cod. **02003310** EAN **8422248190602**

**OMEGA 600 X**  
Cod. **02002310** EAN **8422248109826**



- **Mechanical control panel**
- 3 extraction levels
- Extraction power (according to UNE/EN 61591): **645m³/h** - 385m³/h
- Motor maximum airflow free outlet: **1100m³/h**


- **Sound power (Reg.(EU) n°65/2014):** 58dB(A), maximum: 72dB(A)
- M3R motor. Extra silent. Maximum energy consumption **270W**

**High efficiency Compact Strip LED lighting**

- Easy-to-install system
- Dishwasher-washable filters
- Finished in stainless steel
- Max. pressure 430 Pa
- 150/125 mm outlet diameter
- Energy Class: C

**Accessories (not included)**

Active charcoal filter	Cod. 02859391 / EAN 8422248001595
Check valve	Cod. 02832001 / EAN 8422248044677
Top tube	Cod. 02862301 / EAN 8422248031080



**OMEGA 7500 X**  
Cod. **02003307** EAN **8422248101615**



- **Mechanical control panel**
- 3 extraction levels
- Extraction power (according to UNE/EN 61591): **595m³/h** - 410m³/h
- Motor maximum airflow free outlet: **1100m³/h**


- **Sound power (Reg.(EU) n°65/2014):** 58dB(A), maximum: 68dB(A)
- 1 motor. Maximum energy consumption 200W


**High efficiency Compact Strip LED lighting**

- Easy-to-install system
- Dishwasher-washable filters
- Finished in Stainless steel
- Max. Pressure: 430 Pa
- 150mm outlet diameter
- Energy Class: A

**Accessories (not included)**

Active charcoal filter	Cod. 02859492 / EAN 8422248097697
------------------------	-----------------------------------





## DECORATIVES



**OMEGA 900 WH**  
Cod. 02004010 EAN 8422248190619

**OMEGA 700 WH**  
Cod. 02003010 EAN 8422248190626

**OMEGA 600 WH**  
Cod. 02002010 EAN 8422248109819

**OMEGA 900 BK**  
Cod. 02004410 EAN 8422248190633


**OMEGA 600 BK**  
Cod. 02002410 EAN 8422248109833



- **Mechanical control panel**
- 3 extraction levels
- Extraction power (according to UNE/EN 61591): **645m³/h** - 385m³/h
- Maximum air flow: **1100m³/h**
- **Sound power (Reg.(EU) n°65/2014): 58dB(A)**, maximum: 72dB(A)
- M3R motor. Extra silent. Maximum energy consumption 270W
- **High efficiency compact Strip LED lighting**
- Easy-to-install system
- Dishwasher-washable filters
- Finished in white
- Max. pressure 430 Pa
- 150/125 mm outlet diameter
- Energy Class: C

**Accessories (not included)**

Active charcoal filter.....	Cod. 02859391 / EAN 8422248001595 .....
Check valve.....	Cod. 02832001 / EAN 8422248044677 .....
Top tube .....	Cod. 02862000 / EAN 8422248020428.....



**V-500 X**  
Cod. 02088303 EAN 8422248087315




**NEW**

- **Mechanical control panel**
- 3 extraction levels
- Extraction power (according to UNE/EN 61591): **420m³/h** - 210m³/h
- Maximum airflow free outlet: **750m³/h**
- **Sound power (Reg.(EU) n°65/2014): 53dB(A)**, maximum: 65dB(A)
- 1 Motor. Extra silent. Maximum energy consumption **95W**
- **High efficiency LED E-14 lighting**
- Easy-to-install system
- Dishwasher-washable filters
- Finished in stainless steel
- Max. pressure 200 Pa
- 150/125 mm outlet diameter
- Energy Class: C

**Accessories (not included)**

Active charcoal filter.....	Cod. 02859394 / EAN 8422248038782.....
Top tube .....	Cod. 028663304 / EAN 8422248106788.....



## DECORATIVES



**VK 6000 X**  
Cod. **02061606** EAN **8422248357012**

**NEW**

**VK 6000 BK**  
Cod. **02061405** EAN **8422248357074**

**NEW**

**VK 6000 WH**  
Cod. **02061105** EAN **8422248357081**

**NEW**



**V3-T900 X**  
Cod. **02063399** EAN **8422248095303**

**V3-T600 X**  
Cod. **02061399** EAN **8422248095273**

**V3-T600 WH**  
Cod. **02061799** EAN **8422248110198**



• **Mechanical Control Panel**

- 3 extraction levels
- Extraction power (according to UNE/EN 61591): **455m³/h** -  $175\text{m}^3/\text{h}$
- Motor maximum airflow free outlet:  $470\text{ m}^3/\text{h}$
- **Sound power (Reg.(EU) n°65/2014): 49dB(A)**, maximum: 68dB(A)
- K10 motor. Maximum energy consumption **110W**
- **High efficiency compact Strip LED lighting**
- Easy-to-install system
- Dishwasher-washable filters
- Finished Stainless steel/black/white
- 150mm Outlet diameter
- **Energy Class: A**

**Accessories (not included)**



- Active charcoal filter ..... Cod. 02859489/ EAN 8422248358477  
Check valve ..... Cod. 02832004 / EAN 8422248480499

• **Mechanical control panel**

- 3 extraction levels
- Extraction power (according to UNE/EN 61591): **335m³/h** -  $166\text{m}^3/\text{h}$
- Maximum airflow free outlet: **360m³/h**
- **Sound power (Reg.(EU) n°65/2014): 51dB(A)**, maximum: 66dB(A)
- 1 Motor. Extra silent. Maximum energy consumption **65W**
- **High efficiency compact Strip LED lighting**
- Easy-to-install system
- Dishwasher-washable filters
- Finished in stainless steel
- Max. pressure 132 Pa
- 150 mm outlet diameter
- Energy Class: B

**Accessories (not included)**

- Active charcoal filter ..... Cod. 02859497/ EAN 8422248108065





## DECORATIVES



### Q-7790 BK

Cod. 02149402 EAN 8422248084161

### Q-7760 BK

Cod. 02148402 EAN 8422248084178




#### Mechanical control panel

- 3 extraction levels
- Extraction power (according to UNE/EN 61591): **645m³/h** - 385m³/h
- Maximum airflow free outlet: **1150m³/h**
- **Sound power (Reg.(EU) n°65/2014): 58dB(A)**, maximum: 72dB(A)
- M3R motor. Extra silent. Maximum energy consumption **270W**
- **High efficiency LED lighting**
- Easy-to-install system
- Dishwasher-washable filters
- Finished in black
- Max. pressure 430 Pa
- 150/125 mm outlet diameter
- Energy Class: C

#### Accessories (not included)

Active charcoal filter .....	Cod. 02859391 / EAN 8422248001595 .....
Check valve .....	Cod. 02832001 / EAN 8422248044677 .....
Top tube 60 BK .....	Cod. 02883400 / EAN 8422248086172 .....
Top tube90 BK .....	Cod. 02885400 / EAN 8422248086196 .....



### CHORUS XBK

Cod. 02165201 EAN 8422248055529




#### Mechanical control panel

- 3 extraction levels
- Extraction power (according to UNE/EN 61591): 400m³/h - 210m³/h
- Motor maximum airflow free outlet: 620 m³/h
- **Minimum sound power: 50dB(A)**, maximum: 62dB(A)
- Motor K7 PLUS. Extra silent. Maximum energy consumption **95W**
- **High efficiency LED lighting**
- Easy-to-install system
- Dishwasher-washable filters
- Finished in Stainless steel
- Max. Pressure 200 Pa
- 150/125 mm outlet diameter
- Energy Class: C
- **MICROWAVE FEATURES**
- 20 litre microwave
- Simultaneous 1,000 W quartz grill
- Five power levels, 700 W output
- Revolving dish ø 255 mm
- Timer from 0 to 95 minutes
- Automatic defrosting by time and weight
- 9 automatic access menus
- Fast start button
- Safety lock
- Finished in Black and white glass
- 60cm wide
- Inner measurements: 182 x 315 x 280 mm (high x wide x deep)


#### Accessories (not included)

Active charcoal filter .....	Cod. 02859394 / EAN 8422248038782 .....
Check valve .....	Cod. 02832004 / EAN 842224804999 .....





## INTEGRATION HOODS



**TENTA 90 GWH**  
Cod. 02189005 EAN 8422248093729



- **Touch Control Panel** with digital display, automatic shut-down timer and cleaning filters indicator
- **AUTO connectivity with automatic control from the CATA hob**
- 6 extraction levels, 5 + 1 TURBO
- Extraction power (according to UNE/EN 61591): **765m³/h** - 245m³/h
- Motor maximum airflow free outlet: 1400 m³/h
- **Sound power (Reg.(EU) n°65/2014): 46dB(A)**, maximum: 63dB(A)
- BRUSHLESS motor. Ultra silent. Maximum energy consumption **135W**
- **High-efficiency lighting by intensity-adjustable two-tone warm / natural LED STRIP**
- Easy-to-install system
- Dishwasher-washable filters
- Glass visor furniture protection and **opening for intensive use**
- White glass finishing
- Max. Pressure: 357 Pa
- 150/125 mm outlet diameter
- **Energy Class: A+**

**Accessories (not included)**


Active charcoal filter..... Cod. 02859318 / EAN 8422248098472  
Check valve..... Cod. 02832008 / EAN 8422248086837




For furniture with boards from 16 to 19 mm and hulls from 310 to 350 mm deep



Front glass visor with opening for intensive use



Touch control with easy-access digital display




## INTEGRATION HOODS





## INTEGRATIONHOODS



### CORONA X 120

Cod. 02181308 EAN 8422248110556

850 m<sup>3</sup>/h

High Efficiency Motor

### CORONA X 100

Cod. 02180308 EAN 8422248198547



### CORONA X 90

Cod. 02189308 EAN 8422248110549

### CORONA X 80

Cod. 02188308 EAN 8422248110532

### CORONA X 70

Cod. 02187308 EAN 8422248110525

### CORONA X 60

Cod. 02186308 EAN 8422248110518

### CORONA BK 90

Cod. 02189400 EAN 8422248348782



### CORONA BK 60

Cod. 02186400 EAN 8422248198257

### CORONA WH 60

Cod. 02186010 EAN 8422248355216



- Electronic Control Panel with digital display automatic shut-down timer

- 4 extraction levels, 3 + 1 TURBO

- Extraction power (according to UNE/EN 61591): 850m<sup>3</sup>/h - 340m<sup>3</sup>/h

- Motor maximum airflow free outlet: 1350m<sup>3</sup>/h

- Sound power (Reg.(EU) n°65/2014): 50dB(A), maximum: 67dB(A)

- BT3 motor. Ultra silent. Maximum energy consumption 280W

- High efficiency strip LED lighting

- Easy-to-install system

- Fully stainless steel washable dishwasher filters

- Glass Visor

- Stainless steel finishing



- Max. Pressure: 470 Pa

- 150/125 mm outlet diameter


- Energy Class: A

#### Accessories (not included)

Active charcoal filter.....	Cod. 02859398 / EAN 8422248075497.....
Check valve.....	Cod. 02832004 / EAN 8422248480499.....
Duct cover.....	Cod. 02861306 / EAN 8422248109949 .....




CORONA X 120




CORONA X 100



CORONA X 90




CORONA X 80



CORONA X 70



CORONA X 60



CORONA BK 90



CORONA BK 60




CORONA WH 60

## For furniture with panels from 16 to 19 mm



New multiposition hinge



Premium filters panelLED with large suction surface

## Examples of installation with new tube cover accessories



CUPBOARD 60 x 76,8 cm  
2 shelves, 1 accessory



CUPBOARD 60 x 89,6 cm  
2 shelves, 2 accessories



CUPBOARD 60 x 89,6 cm  
3 shelves, 1 accessory



CUPBOARD 60 x 96 cm  
2 shelves, 2 accessories

## New tube cover accessory for CORONA 60, available in stainless steel or black




Cod. 02861306 EAN 8422248109949



Cod. 02861307 EAN 8422248344371



## INTEGRATION HOODS



**ARMONIA 90 X**  
Cod. 02189309 EAN 8422248110587

**ARMONIA 80 X**  
Cod. 02188309 EAN 8422248356022 NEW

**ARMONIA 70 X**  
Cod. 02187309 EAN 8422248351928 NEW

**ARMONIA 60 X**  
Cod. 02186309 EAN 8422248110570

**ARMONIA 45 X**  
Cod. 02184309 EAN 8422248110563

**ARMONIA 70 BK**  
Cod. 02187409 EAN 8422248356015 NEW

**ARMONIA 60 BK**  
Cod. 02186409 EAN 8422248355995 NEW



- **Mechanical control panel**

- 3 extraction levels
- Extraction power (according to UNE/EN 61591): **645m³/h** - 385m³/h
- Motor maximum airflow free outlet: **1150m³/h**
- **Sound power (Reg. (EU) n°65/2014): 56dB(A)**, maximum: 70dB(A)
- M3R motor. Ultra silent. Maximum energy consumption **270W**

- **High efficiency compact STRIP LED lighting**

- Easy-to-install system
- Dishwasher-washable filters
- **Glass Visor**
- Stainless steel finishing
- Max. Pressure: 430 Pa
- 150/125 mm outlet diameter
- Energy Class: C

**Accessories (not included)**

Active charcoal filter (90/60cm) .....	Cod. 02859398 / EAN 8422248075497 .....
Active charcoal filter (45cm) .....	Cod. 02859391 / EAN 8422248001595 .....
Check valve.....	Cod. 02832001 / EAN 8422248044677 .....



For furniture with panels from 16 to 19 mm



Glass visor furniture protection



Great suction surface



ARMONIA 90 X



ARMONIA 80 X



ARMONIA 70 X



ARMONIA 60 X




ARMONIA 45 X



ARMONIA 70 BK



ARMONIA 60 BK





## GC DUAL Folding panel perimeter extraction

DUAL concept: Brings together the advantages of a flush-mounted unit and a conventional hood. It can work with the glass closed or open.

### Glass closed:

The hood is completely invisible from the front.

In this position, the perimeter suction effect occurs, reducing noise and promoting suction at the perimeters.

Greater visibility of the cooking plane.

The anti-grease filters are hidden.

Recommended position for gentle or medium cooking with 1 or 2 cooking zones and for long periods.



### Glass open:



Allows greater vision and use of the controls.

The suction coverage area is expanded to the front of the cooking hob.

Protection of the front of the kitchen unit from steam and smoke.


More direct suction.

Recommended position for intensive cooking or use of 3 or 4 cooking zones at the same time.



### Easy to install

CATA offers an exclusive, innovative system making the hood easier to install and allowing it to be fitted very easily, with great precision, by just one person. New, convenient, ergonomic anchoring system, offering an excellent end result.



## INSERTS



High Efficiency Motor

High Efficiency Motor

**GC DUAL 75 WH**  
Cod. 02131207 EAN 8422248078313


**GC DUAL 45 WH**  
Cod. 02130207 EAN 8422248078290



- Touch Control Panel with automatic shut-down timer and cleaning filters indicator
- Perimeter extraction with **dual swing panel**
- 4 extraction levels, 3 + **1 TURBO**
- Extraction power (according to UNE/EN 61591): **820m³/h** - 340m³/h
- Motor maximum airflow free outlet: **1350m³/h**
- **Sound power (Reg.(EU) n°65/2014): 50dB(A)**, maximum: 65dB(A)
- BT3 motor. Extra silent. Maximum energy consumption **280W**
- **High efficiency LED lighting, adjustable intensity**
- Easy-to-install system
- Dishwasher-washable filters
- Finished in White glass
- Max. Pressure: 470 Pa
- 150 mm outlet diameter
- **Energy Class: A**

**Accessories (not included)**

Active charcoal filter.....	Cod. 02859398 / EAN 8422248075497.....
Check valve.....	Cod. 02832004 / EAN 8422248480499 .....



**GC DUAL 75 BK**  
Cod. 02131208 EAN 8422248078320


**GC DUAL 45 BK**  
Cod. 02130208 EAN 8422248078306




- Touch Control Panel with automatic shut-down timer and cleaning filters indicator
- Perimeter extraction with **dual swing panel**
- 4 extraction levels, 3 + **1 TURBO**
- Extraction power (according to UNE/EN 61591): **820m³/h** - 340m³/h
- Motor maximum airflow free outlet: **1350m³/h**
- **Sound power (Reg.(EU) n°65/2014): 50dB(A)**, maximum: 65dB(A)
- BT3 motor. Extra silent. Maximum energy consumption **280W**
- **High efficiency LED lighting, adjustable intensity**
- Easy-to-install system
- Dishwasher-washable filters
- Finished in Black glass
- Max. Pressure: 470 Pa
- 150 mm outlet diameter
- **Energy Class: A**

**Accessories (not included)**

Active charcoal filter.....	Cod. 02859398 / EAN 8422248075497.....
Check valve.....	Cod. 02832004 / EAN 8422248480499 .....



## INSERTS



**GCX 83 SD**  
Cod. 02031308 EAN 8422248103589


**GCX 53 SD**  
Cod. 02030308 EAN 8422248103572



- **Touch Control Panel** with automatic shut-down timer and cleaning filters indicator
- 4 extraction levels, 3 + **1TURBO**
- **1st speed silent mode**
- Extraction power (according to UNE/EN 61591): **750m³/h** - 340m³/h
- Motor maximum airflow free outlet: **1350m³/h**
- **Sound power (Reg. (EU) n°65/2014): 50dB(A)**, maximum: 65dB(A)
- BT3 motor. Extra silent. Maximum energy consumption **280W**
- **High efficiency strip LED lighting**
- Easy-to-install system
- Dishwasher-washable filters
- Stainless steel finishing and grey glass
- Max. Pressure: 470 Pa
- 150/125 mm outlet diameter
- **Energy Class: A**

**Accessories (not included)**

Active charcoal filter ..... Cod. 02859398 / EAN 8422248075497  
Check valve ..... Cod. 02832004 / EAN 8422248480499



**GPL 75 X**  
Cod. 02031304 EAN 8422248198486


**GPL 52 X**  
Cod. 02030304 EAN 8422248198479



- **Electronic Control Panel with timer**
- 3 extraction levels
- Extraction power (according to UNE/EN 61591): **591m³/h** - 252m³/h (GPL 75X)
- Extraction power (according to UNE/EN 61591): **589m³/h** - 249m³/h (GPL 52X)
- Motor maximum airflow free outlet: **900m³/h**
- **Sound power (Reg. (EU) n°65/2014): 50dB(A)** (GPL 75X) / **49dB(A)** (GPL 52X), maximum: 67dB(A)
- Extra silent motor. Maximum energy consumption **205W**
- **High efficiency Strip LED lighting**
- Easy-to-install system
- Dishwasher-washable filters
- Stainless steel finishing and grey glass
- Max. Pressure: 410 Pa
- 150/125 mm outlet diameter
- **Energy Class: B**

**Accessories (not included)**

Active charcoal filter ..... Cod. 02859400 / EAN 8422248344906  
Check valve ..... Cod. 02832004 / EAN 8422248480499



## INSERTS



High Efficiency Motor

High Efficiency Motor

**GL 75 X**  
Cod. **02031302** EAN **8422248190411**



**GL 45 X**  
Cod. **02030305** EAN **8422248077842**



- **Touch Control Panel** with automatic shut-down timer and cleaning filters indicator
- 4 extraction levels, 3 + 1 TURBO
- Extraction power (according to UNE/EN 61591): **820m³/h** - 340m³/h
- Motor maximum airflow free outlet: **1350m³/h**
- **Sound power (Reg. (EU) n°65/2014): 50dB(A)**, maximum: 65dB(A)
- BT3 motor. Extra silent. Maximum energy consumption **280W**
- **High efficiency LED lighting, adjustable intensity**
- Easy-to-install system
- Dishwasher-washable filters
- Finished in Stainless steel
- Max. Pressure: 470 Pa
- 150/125 mm Outlet diameter
- **Energy Class: A**

**Accessories (not included)**

Active charcoal filter ..... Cod. 02859398 / EAN 8422248075497  
Check valve ..... Cod. 02832004 / EAN 8422248480499

**GT-PLUS 75 X**  
Cod. **02031301** EAN **8422248190381**



**GT-PLUS 45 X**  
Cod. **02030309** EAN **8422248190374**



**GT-PLUS 45 BK**  
Cod. **02030408** EAN **8422248190404**





**GT-PLUS 45 WH**  
Cod. **02030005** EAN **8422248190398**


**Mechanical Control Panel**

- 3 extraction levels
- Extraction power (according to UNE/EN 61591): **645m³/h** - 300m³/h
- Motor maximum airflow free outlet: **1200m³/h**
- **Sound power (Reg. (EU) n°65/2014): 50dB(A)**, maximum: 65dB(A)
- BT2 motor. Extra silent. Maximum energy consumption **200W**
- **High efficiency compact Strip LED lighting**
- Easy-to-install system
- Dishwasher-washable filters
- Finished in Stainless steel, white or black
- Max. Pressure: 400 Pa
- 150/125 mm Outlet diameter
- Energy Class: C

**Accessories (not included)**

Active charcoal filter ..... Cod. 02859398 / EAN 8422248075497  
Check valve ..... Cod. 02832004 / EAN 8422248480499





## INSERTS



**GCB 73 X**  
Cod. 02031300 EAN 8422248108461

**GCB 55 X**  
Cod. 02030300 EAN 8422248108454




- Mechanical Control Panel**

- 3 extraction levels
- Extraction power (according to UNE/EN 61591): **372m³/h** - 283m³/h
- Motor maximum airflow free outlet: **620m³/h**
- Sound power (Reg.(EU) n°65/2014): 60dB(A)**, maximum: 66dB(A)
- 1 motor. Maximum energy consumption **120W**
- High efficiency compact strip LED lighting**
- Easy-to-install system
- Dishwasher-washable filters
- Finished in Stainless steel
- Max. Pressure: 226 Pa
- 150/125 mm Outlet diameter
- Energy Class: C

**Accessories (not included)**

Active charcoal filter ..... Cod. 02859500 / EAN 8422248109215 .....



**G 50 LUX X**  
Cod. 02130302 EAN 8422248082716




- Mechanical Control Panel**

- 3 extraction levels
- Extraction power (according to UNE/EN 61591): **400m³/h** - 210m³/h
- Motor maximum airflow free outlet: **620m³/h**
- Sound power (Reg.(EU) n°65/2014): 50dB(A)**, maximum: 62dB(A)
- K7 PLUS motor. Extra silent. Maximum energy consumption **95W**
- High efficiency LED lighting**
- Easy-to-install system
- Dishwasher-washable filters
- Finished in Stainless steel
- Max. Pressure: 200 Pa
- 150/125 mm Outlet diameter
- Energy Class: C

**Accessories (not included)**

Active charcoal filter ..... Cod. 02825263 / EAN 8422248006552 .....

Check valve ..... Cod. 02849003 / EAN 8422248044653 .....



**INSERTS**



**G-45 X**  
Cod. **02039305** EAN **8422248087377**

**G-45 WH**  
Cod. **02039005** EAN **8422248087384**



- **Slider Control Panel**
- 2 extraction levels
- Extraction power (according to UNE/EN 61591): **390m³/h** - 150m³/h
- Motor maximum airflow free outlet: **620m³/h**
- **Sound power (Reg.(EU) n°65/2014): 45dB(A)**, maximum: 57dB(A)
- Tangential motor. Extra silent. Maximum energy consumption **100W**
- **LED E-14 lighting**
- Easy-to-install system.
- Dishwasher-washable filters
- Finished in Stainless Steel or white
- Max pressure. 194 Pa
- 120 mm Outlet diameter
- Energy Class: C

<b>Accessories (not included)</b>	
Active charcoal filter.....	Cod. 02825263 / EAN 8422248006552.....
Check valve.....	Cod. 02849003 / EAN 8422248044653 .....


**INSERTS**



**GK 4500 X**  
Cod. **02039306** EAN **8422248357135**

**GK 4500 WH**  
Cod. **02039007** EAN **8422248357142**



- **Slider Control Panel**
- 2 extraction levels
- Extraction power (according to UNE/EN 61591): **360m³/h** - 186m³/h
- Motor maximum airflow free outlet: **620m³/h**
- **Sound power (Reg.(EU) n°65/2014): 56dB(A)**, maximum: 67dB(A)
- Tangential motor. Extra silent. Maximum energy consumption **95W**
- **LED E-14 lighting**
- Easy-to-install system.
- Dishwasher-washable filters
- Finished in Stainless Steel or white
- Max pressure. 252 Pa
- 120 mm Outlet diameter
- Energy Class: B

<b>Accessories (not included)</b>	
Active charcoal filter.....	Cod. 02825263 / EAN 8422248006552.....
Check valve.....	Cod. 02849003 / EAN 8422248044653 .....





## TELESCOPIC



### TFH 6830 X

Cod. 02010601 EAN 8422248112741



### TFH 6830 GWH

Cod. 02010101 EAN 8422248112758



### TFH 6830 GBK

Cod. 02010404 EAN 8422248357364



- **Touch Control Panel** with digital display, automatic shut-down timer and cleaning filters indicator
- 6 extraction levels, 5 + **1 TURBO**
- Extraction power (according to UNE/EN 61591): **795m³/h** - 291m³/h
- Motor maximum airflow free outlet: **1200m³/h**
- **Sound power (Reg.(EU) n°65/2014): 46dB(A)**, maximum: 64dB(A)
- BRUSHLESS motor. Ultra silent. Maximum energy consumption **135W**
- **High efficiency Strip LED lighting adjustable intensity**
- Easy-to-clean inner panel
- Easy-to-install system
- Dishwasher-washable filters
- Finished in stainless steel / white glass / black glass
- Max. Pressure: 365 Pa
- 150/125 mm outlet diameter
- **Energy Class: A+++**

#### Accessories (not included)

Active charcoal filter.....	Cod. 02859318 / EAN 8422248098472 .....
Check valve.....	Cod. 02832004 / EAN 8422248480499 .....

### TFH 6630 X

Cod. 02010300 EAN 8422248082365



### TFH 6630 BK

Cod. 02010302 EAN 8422248082402

### TFH 6630 WH



Cod. 02010301 EAN 8422248082396



- **Touch Control Panel** with digital display, automatic shut-down timer and cleaning filters indicator
- 6 extraction levels, 5 + **1 TURBO**
- Extraction power (according to UNE/EN 61591): **605m³/h** - 210m³/h
- Motor maximum airflow free outlet: **1000m³/h**
- **Sound power (Reg.(EU) n°65/2014): 47dB(A)**, maximum: 64dB(A)
- BRUSHLESS motor. Extra silent. Maximum energy consumption **90W**
- **High efficiency Strip LED lighting adjustable intensity**
- Easy-to-install system
- **Stainless steel base and panelLED filters washable in dishwasher (TFH 6630 X)**
- Finished in white / black / stainless steel
- Max. Pressure: 315 Pa
- 150/125 mm Outlet diameter
- **Energy Class: A+**


#### Accessories (not included)

Active charcoal filter.....	Cod. 02859394 / EAN 8422248038782 .....
Check valve.....	Cod. 02832004 / EAN 8422248480499 .....




## INSTALLATION TFH

Compact drawer in 140mm height and depth 300mm adjustable up to **350mm** with accessory included




**Multiple installation possibilities in a single hood with Universal fixings for replacement.**


**Top shelf  
fixing**



**Lateral  
Fixation**



**Rear Fixation**



## CONTROL TC TFH6i

Touch control for telescopes with digital display.

### LIGHTING CONTROL

Adjusting the desired light intensity.

### RECIRCULATION

Active charcoal filter change warning.

### CLEAN FILTERS

Metal filter cleaning warning.

### MOTOR CONTROL

Precise adjustment of motor speed to each cooking situation by means of 5 speeds + TURBO.

### TURBO

Direct TURBO activation by pressing and holding to eliminate excess smoke and odors immediately.

### TIMER

Turn off the light and engine progressively after a few minutes to ensure odor and smoke removal after cooking.

### AUTO ON

Extending the front panel activates the motor and light as per the last hood usage conditions.

### REPLACEABLE FRONT INSTALATON



### AUTO OFF

Closing the front panel starts the TIMER process and turns off the light and the motor progressively after a few minutes to ensure smoke and odor removal after cooking.



## TELESCOPIC



A+ POWER+ SILENT  
**BRUSHLESS motor**

**TFH 6430 X**  
Cod. **02010609** EAN **8422248343626**



**TFH 6430 GBK**  
Cod. **02010409** EAN **8422248343602**




**TFH 6430 GWH**  
Cod. **02010009** EAN **8422248343619**



- **Touch Control Panel** with digital display, automatic shut-down timer and cleaning filters indicator
- 4 extraction levels, 3 + **1 TURBO**
- Extraction power (according to UNE/EN 61591): **391m³/h** - 164m³/h
- Motor maximum airflow free outlet: **1000m³/h**
- **Sound power (Reg.(EU) n°65/2014): 44dB(A)**, maximum: 62dB(A)
- **BRUSHLESS motor**. Extra silent. Maximum energy consumption **53W**
- **High efficiency Strip LED lighting adjustable intensity**
- Easy-to-install system
- **Stainless steel base and panel** **LED filters washable in dishwasher**
- Finished in white / black / stainless steel
- Max. Pressure: 362 Pa
- 150/125 mm Outlet diameter
- **Energy Class: A+**

**Accessories (not included)**

Active charcoal filter ..... Cod. 02859394 / EAN 8422248038782  
Check valve ..... Cod. 02832004 / EAN 8422248480499




**Mechanical control panel**

- 2 extraction levels
- Extraction power (according to UNE/EN 61591): **390m³/h** - 150m³/h
- Motor maximum airflow free outlet: **600m³/h**
- **Sound power (Reg.(EU) n°65/2014): 45.5dB(A)**, maximum: 57dB(A)
- Tangential motor. Extra silent. Maximum energy consumption **100W**
- **High efficiency LED lighting**
- **Easy-to-clean inner panel**
- Easy-to-install system
- Dishwasher-washable filters
- **Finished in black/white glass front panel**
- **Stainless steel base**
- **Replaceable handrail**
- Max. pressure 194 Pa
- 120mm outlet diameter
- Energy Class: C

**Accessories (not included)**

Active charcoal filter ..... Cod. 02825263 / EAN 8422248006552  
Check valve ..... Cod. 02849003 / EAN 8422248044653



## TELESCOPIC



**EXTENDER 900**  
Cod. **02094306** EAN **8422248110310**

**EXTENDER 700**  
Cod. **02089306** EAN **8422248110327**


**EXTENDER 600**  
Cod. **02017606** EAN **8422248110334**



- **Mechanical control panel**
- 2 extraction levels
- Extraction power (according to UNE/EN 61591): **390m³/h** - 150m³/h
- Motor maximum airflow free outlet: **600m³/h**
- **Sound power (Reg.(EU) n°65/2014): 45.5dB(A)**, maximum: 57dB(A)
- Tangential motor. Extra silent. Maximum energy consumption **100W**
- **High efficiency LED lighting**
- Easy-to-install system
- **Stainless steel base and panel****LED filters washable in dishwasher**
- Finished in stainless steel
- Max. pressure 194 Pa
- 120mm outlet diameter
- Energy Class: C

**Accessories (not included)**

Active charcoal filter..... Cod. 02825263 / EAN 8422248006552  
Check valve..... Cod. 02849003 / EAN 8422248044653



**TF-2003 DURALUM 900**  
Cod. **02094305** EAN **8422248061964**

**TF-2003 DURALUM 700**  
Cod. **02089305** EAN **8422248061971**


**TF-2003 DURALUM 600**  
Cod. **02017305** EAN **8422248061988**



- **Mechanical control panel**
- 2 extraction levels
- Extraction power (according to UNE/EN 61591): **390m³/h** - 150m³/h
- Motor maximum airflow free outlet: **600m³/h**
- **Sound power (Reg.(EU) n°65/2014): 45.5dB(A)**, maximum: 57dB(A)
- Tangential motor. Extra silent. Maximum energy consumption **100W**
- **High efficiency LED lighting**
- Easy-to-clean inner panel
- Easy-to-install system
- Dishwasher-washable filters
- **Finished in Stainless steel fingerprint free DurAlum**
- **Replaceable handrail**
- Max. pressure 194 Pa
- 120mm outlet diameter
- Energy Class: C

**Accessories (not included)**

Active charcoal filter..... Cod. 02825263 / EAN 8422248006552  
Check valve..... Cod. 02849003 / EAN 8422248044653





## TELESCOPIC



**TF-5260 X**  
Cod. 02034310 EAN 8422248082129

**TF-5260 WH**  
Cod. 02034501 EAN 8422248082136



- Sliding Control Panel**

- 3 extraction levels
- Extraction power (according to UNE/EN 61591): **325m³/h** - 175m³/h (EU Model)
- Motor maximum airflow free outlet: **350m³/h**
- Sound power (Reg.(EU) n°65/2014): 54dB(A)**, maximum: 68dB(A)
- 2 Motor. Maximum energy consumption 2 x 65W
- Max. pressure 325 (EU Model) / 205 Pa
- LED E-14 lighting**
- Easy-to-install system
- Dishwasher-washable filters
- Finished in white glass or stainless steel front panel
- 120mm outlet diameter
- Energy Class: D

**Accessories (not included)**

- Active charcoal filter..... Cod. 02846762 / EAN 8422248001816  
Check valve..... Cod. 02849002 / EAN 8422248044394

**TFB-5160 X**  
Cod. 02034606 EAN 8422248101998

**TFB-5160 BK**  
Cod. 02034408 EAN 8422248108096

**TFB-5160 WH**  
Cod. 02034107 EAN 8422248102001

**TFB-5150 X**  
Cod. 02097306 EAN 8422248102018





- Mechanical control panel**

- 2 extraction levels
- Extraction power (according to UNE/EN 61591): **300m³/h** - 180m³/h
- Motor maximum airflow free outlet: **700m³/h**
- Sound power (Reg.(EU) n°65/2014): 48dB(A)**, maximum: 61dB(A)
- Tangential motor. Extra silent. Maximum energy consumption **65W**
- High efficiency compact Strip LED lighting**
- Easy-to-install system
- Dishwasher-washable filters
- Finished in Stainless steel, white and black
- Max. pressure 170Pa
- 150mm outlet diameter
- Energy Class: C

**Accessories (not included)**

- Active charcoal filter..... Cod. 02859495 / EAN 8422248100281



## TELESCOPIC



**TF-5250 X (2 MOTORS)**  
Cod. **02097305** EAN **8422248086264**

**TF-5250 WH (2 MOTORS)**  
Cod. **02097002** EAN **8422248086271**



**TF-5060 X (1 MOTOR)**  
Cod. **02033309** EAN **8422248086059**



- **Sliding Control Panel**
- 3 extraction levels
- 2 Motor. Maximum energy consumption 2 x 65W  
Extraction power (according to UNE/EN 61591): **325m³/h** - 175m³/h  
**Sound power (Reg.(EU) n°65/2014): 54dB(A)**, maximum: 68dB(A)
- 1 Motor. Maximum energy consumption 65W  
Extraction power (according to UNE/EN 61591): **197m³/h** - 96m³/h  
**Sound power (Reg.(EU) n°65/2014): 51dB(A)**, maximum: 65dB(A)
- Motor maximum airflow free outlet: **350m³/h**
- Max. pressure 325 (EU Model) / 205 Pa
- **LED E-14 lighting**
- Easy-to-install system
- Dishwasher-washable filters
- Finished in white glass or stainless steel front panel
- 120mm outlet diameter
- Energy Class: D

**Accessories (not included)**

- Active charcoal filter..... Cod. 02846762 / EAN 8422248001816  
Check valve..... Cod. 02849002 / EAN 8422248044344





CONVENTIONAL



**S-BOX X**  
Cod. 02001301 EAN 8422248062039



- **Mechanical control panel**
- 3 extraction levels
- Extraction power (according to UNE/EN 61591): **390m³/h** - 150m³/h
- Motor maximum airflow free outlet: **600m³/h**
- **Sound power (Reg.(EU) nº65/2014): 45dB(A)**, maximum: 57dB(A)
- Tangential motor. Extra silent. Maximum energy consumption **100W**
- **Low consumption lighting**
- Easy-to-install system
- Dishwasher-washable filters
- Finished in stainless steel
- Max. pressure 194Pa
- 120mm outlet diameter
- Energy Class: C

**Accessories (not included)**

Active charcoal filter ..... Cod. 02804300 / EAN 8422248011976  
Check valve ..... Cod. 02849003 / EAN 8422248044653



**LFK 6000 X**  
Cod. 02011602 EAN 8422248357180





**LFK 6000 WH**  
Cod. 02011117 EAN 8422248357197



- **Rocker switch control**
- 2 extraction levels
- Extraction power (according to UNE/EN 61591): **162m³/h** - 108m³/h
- Motor maximum airflow free outlet: **350m³/h**
- **Sound power (Reg.(EU) nº65/2014): 49dB(A)**, maximum: 58dB(A)
- LB1 motor. Extra silent. Maximum energy consumption **55W**
- **E-14 LED lighting**
- Easy-to-install system
- Dishwasher-washable filters
- Finished in stainless steel/white
- Max. pressure 318Pa
- 120mm outlet diameter
- Energy Class: B

**Accesorios (no incluidos)**

Filtro de Carbón Activo ..... Cod. 02846764 / EAN 8422248078276





**F-2050 WH**  
Cod. **02015006** EAN **8422248086110**

**F-2050 X**  
Cod. **02015306** EAN **8422248086103**



- **Mechanical control panel**
- 3 extraction levels
- 1 motor x 60W
- Extraction power (according to UNE/EN 61591): **195m³/h** - 108m³/h
- Motor maximum airflow free outlet: **350m³/h**
- **Sound power (Reg. (EU) n°65/2014): 56dB(A)**, maximum: 68dB(A)
- Max. pressure 325 Pa
- **E-14 LED lighting**
- Easy-to-install system
- Dishwasher-washable filters
- Finished in stainless steel, black and white
- 120mm outlet diameter
- Energy Class: C

**Accessories (not included)**

Active charcoal filter 1 U/box ..... Cod. 02846764 / EAN 8422248078276 .....  
Check valve ..... Cod. 02849002 / EAN 8422248044394.





**F-2290 X**  
Cod. **02014302** EAN **8422248168946**



- **Sliding control panel**
- 3 extraction levels
- Extraction power (according to UNE/EN 61591): **180m³/h** - 140m³/h
- Motor max. free outlet airflow: **380m³/h**
- Minimum sound power: 59dB(A), maximum: 65dB(A)
- 2 motors. Maximum energy consumption 2 x 125W
- Halogen lighting E-14
- Easy-to-install system
- Dishwasher-washable aluminium mesh
- Finished in stainless steel
- Max. pressure 179Pa
- 120mm outlet diameter

**Accessories (not included)**

Active charcoal filter ..... Cod. 02846762 / EAN 8422248001816 .....  
Check valve ..... Cod. 02849002 / EAN 8422248044394.





## CONVENTIONAL



**FK SLIM 6000 X**  
Cod. 02011604 EAN 8422248357241

**FK SLIM 6000 BK**  
Cod. 02011504 EAN 8422248357258


**FK SLIM 6000 WH**  
Cod. 02011204 EAN 8422248357265



- Mechanical control panel
- 3 extraction levels
- Extraction power (according to UNE/EN 61591): **162m³/h** - 108m³/h
- Motor maximum airflow free outlet: **350m³/h**
- Sound power (Reg.(EU) n°65/2014): 49dB(A)**, maximum: 58dB(A)
- L1B motor. Maximum energy consumption **55W**
- E-14 LED lighting**
- Easy-to-install system
- Dishwasher-washable filters
- Finished in stainless steel/white
- Max. pressure 318Pa
- 120mm outlet diameter
- Energy Class: B

**Accessories (not included)**

Active charcoal filter ..... Cod. 02846763/ EAN 8422248076210  
Check valve ..... Cod. 02849002 / EAN 8422248044344.



**PROFESSIONAL-750**  
Cod. 00117000  
EAN 8422248100816

**PROFESSIONAL-750 L**  
Cod. 00117100  
EAN 8422248100823




**PROFESSIONAL500**  
Cod. 00117400  
EAN 8422248010832



- High air flow capacity
- Extraction power (according to UNE/EN 61591): **600m³/h**
- Sound power (Reg.(EU) n°65/2014): 49dB(A)**
- Maximum energy consumption: **105W** (Professional 750 Model)
- 119W** (Professional 750L Model)
- LED E-14 lighting (PROFESSIONAL 750L model)
- Easy-to-install system
- Metal grease filter with plate to collect grease washable in dishwasher**
- Metal housing and plastic impeller.
- 120mm outlet diameter
- Energy Class:  
C (Professional 750 Model)  
D (Professional 750L Model)
- 110-127V 60Hz on request**

**Accessories (not included)**

Active charcoal filter ..... Cod. 01140800 / EAN 8422248072731



## KITCHEN EXTRACTION



**GS-600 PLUS 2 VEL**  
Cod. **00116110**  
EAN **8422248006316**



**GS-600**  
Cod. **00116002**  
EAN **8422248100601**



**GS-400 M**  
Cod. **00114102**  
EAN **8422248100403**



**GS-400 P**  
Cod. **00111002**  
EAN **8422248100830**



**GS-600 BK**  
Cod. **00116400**  
EAN **8422248357371**



- High air flow capacity
- 2 extraction levels
- Extraction power (according to UNE/EN 61591): **420/600m³/h**
- **Sound power (Reg.(EU) nº65/2014): 52dB(A)**
- Maximum energy consumption: **105W**
- Easy-to-install system
- Metal housing and plastic impeller.
- **2 speeds switch that can be wall mounted**
- 120 mm outlet diameter
- Energy Class: C

- High air flow capacity
- Extraction power (according to UNE/EN 61591): **480m³/h**
- **Sound power (Reg.(EU) nº65/2014): 50dB(A)**
- Maximum energy consumption: **105W**
- Easy-to-install system
- Metal housing and plastic impeller.
- 110 mm outlet diameter
- Energy Class: C

- High air flow capacity
- Extraction power (according to UNE/EN 61591): **290m³/h**
- **Sound power (Reg.(EU) nº65/2014): 52dB(A)**
- Maximum energy consumption: **60W**
- Easy-to-install system
- Metal housing and standard protection guard
- 110 mm outlet diameter
- Energy Class: B

- High air flow capacity
- Extraction power (according to UNE/EN 61591): **290m³/h**
- **Sound power (Reg.(EU) nº65/2014): 52dB(A)**
- Maximum energy consumption: **60W**
- Easy-to-install system
- Termal plastic housing and standard protection guard
- 110 mm outlet diameter
- Energy Class: B

