



GIGA 600 BK



With giant modular zone
of Ø400 mm


4 cooking zones

2 temperature zones

Safety lock

Easy-to-install system







GIGA 750 BK

Cod. 08026001 - EAN 8422248054485



- Continuous power regulation
- 6 cooking areas: 6 zones of 237x189mm. 1 modular zone of Ø400mm, 3 modular zones of 237x378mm
- Slider Touch Control for each area
- It has three temperature functions
- 9 adjustable power levels + Booster
- Timer function for each area
- Countdown alarm
- Intelligent pan detection
- Safety lock
- Frontal bevel
- Total power 11kW



GIGA 600 WH

Cod. 08026003 - EAN 8422248059206



- Continuous power regulation
- 4 cooking areas: 4 zones of 237x189mm. 1 modular zone of Ø400mm, 2 modular zones of 237x378mm
- Slider Touch Control for each area
- It has three temperature functions
- 9 adjustable power levels + Booster
- Timer function for each area
- Countdown alarm
- Intelligent pan detection
- Safety lock
- Frontal bevel
- Total power 7.4kW



GIGA 600 BK

Cod. 08026002 - EAN 8422248059190


- Continuous power regulation
- 4 cooking areas: 4 zones of 237x189mm. 1 modular zone of Ø400mm, 2 modular zones of 237x378mm
- Slider Touch Control for each area
- It has three temperature functions
- 9 adjustable power levels + Booster
- Timer function for each area
- Countdown alarm
- Intelligent pan detection
- Safety lock
- Frontal bevel
- Total power 7.4kW





GIGA 600 SD

Cod. 08026609 - EAN 8422248069014


- Continuous power regulation
- 4 cooking areas: 4 zones of 237x189mm. 1 modular zone of Ø400mm, 2 modular zones of 237x378mm
- Slider Touch Control for each area
- It has three temperature functions
- 9 adjustable power levels + Booster
- Timer function for each area
- Countdown alarm
- Intelligent pan detection
- Safety lock
- Frontal bevel
- Total power 7.4kW




Surface integration,
**more space
and freedom
when cooking.**



Direct outside outlet



Under the plinth interior outlet



Under the plinth
to-the-room outlet

FLOW-IN, ELEGANCE THAT INSPIRES



Integrated extraction
and exclusive design
for a sophisticated
kitchen.



IAS 7024

Cod. 08000200 - EAN 8422248358699


- Continuous power regulation
- 4 cooking areas: 4 zones of 215x190mm. 2 modular zones of 215x380mm
- Slider Touch control panel
- It has three temperature functions
- 9 adjustable power levels + Booster
- AUTO cooking function
- Timer function for each area
- Countdown alarm
- Safety lock
- Frontal bevel
- Installation height 17cm
- Power management, max. 7.4kW



IAS 6024

Cod. 08000206 - EAN 8422248358705


- Continuous power regulation
- 4 cooking areas: 4 zones of 215x190mm. 2 modular zones of 215x380mm
- Slider Touch control panel
- It has three temperature functions
- 9 adjustable power levels + Booster
- AUTO cooking function
- Timer function for each area
- Countdown alarm
- Safety lock
- Frontal bevel
- Installation height 17cm
- Power management, max. 7.4kW



IAS 6003

Cod. 08000203 - EAN 8422248373289

- Continuous power regulation
- 3 cooking areas: 1 zone of Ø240mm, 1 zone of Ø180mm, 1 zone of Ø160mm
- Slider Touch control panel
- It has three temperature functions
- 9 adjustable power levels + Booster
- AUTO cooking function
- Timer function for each area
- Countdown alarm
- Safety lock
- Frontal bevel
- Installation height 17cm
- Power management, max. 6.5kW



	02890001 DUCTING SET SL1 222X89
	02890002 COMPACT BEND 90° 222X89
	02890003 BEND 90° 222X89
	02890004 PIPE HOLDER 222X89
	02890005 CONNECTOR 222X89
	02890006 FLAT DUCT 0,5M 222X89
	02890007 ROUND-FLAT ADAPTER 150/222X89
	02890008 FLEXIBLE FLAT DUCT 0,5M 222X89
	02890009 HORIZONTAL BEND 90° 222X89
	02890010 HORIZONTAL BEND 15° 222X89
	02890011 WALL DEFLECTOR SL1
	02890014 CERAMIC CARBON FILTERS SET SL1
	02890015 PLEATED CARBON FILTERS SET SL1







INSB 9012 BK

Cod. 08024402 - EAN 8422248109413


- 5 cooking areas: 4 zones of 210x200mm, 1 zone of Ø300mm. 2 modular zones of 210x400mm
- Slider Touch Control for each area
- It has three temperature functions
- 9 adjustable power levels + Booster
- Pause Function
- Timer function for each area
- Countdown alarm
- Automatic pan detection
- Safety lock
- Frontal bevel
- Total power 9kW



INSB 8021 BK

Cod. 08081401 - EAN 8422248109536

- 4 cooking areas: 2 zones of 210x200mm, 1 zone of Ø300mm, 1 zone of Ø180mm. 1 modular zone of 210x400mm
- Slider Touch Control for each area
- It has three temperature functions
- 9 adjustable power levels + Booster
- Pause Function
- Timer function for each area
- Countdown alarm
- Automatic pan detection
- Safety lock
- Frontal bevel
- Total power 7.2kW




INSB 6532 MB

Cod. 08063415 - EAN 8422248390125

NEW

- **Continuous power regulation**
- 4 cooking areas: 4 zones of 210x200mm. 2 modular zones of 210x400mm
- Slider Touch Control for each area
- It has three temperature functions
- AUTO 2 connectivity for automatic control of the CATA hoods with AUTO 2
- 9 adjustable power levels + Booster
- Pause Function
- Timer function for each area
- Countdown alarm
- Automatic pan detection
- Safety lock
- **Matt black glass**
- Power management, max. 6.5kW. **Ecodesign optimized**




INSB 6532 BK

Cod. 08063414 - EAN 8422248383639

NEW


- **Continuous power regulation**
- 4 cooking areas: 4 zones of 210x200mm. 2 modular zones of 210x400mm
- Slider Touch Control for each area
- It has three temperature functions
- AUTO 2 connectivity for automatic control of the CATA hoods with AUTO 2
- 9 adjustable power levels + Booster
- Pause Function. Timer function for each area
- Countdown alarm
- Automatic pan detection
- Safety lock
- Frontal bevel
- Power management, max. 6.5kW. **Ecodesign optimized**



INSB 6030 WH

Cod. 08053000 - EAN 8422248108607


- **Continuous power regulation**
- 3 cooking areas: 1 zone of Ø300/180mm, 1 zone of Ø210mm, 1 zone of Ø160mm
- Slider Touch Control for each area
- It has three temperature functions
- AUTO connectivity for automatic control of the CATA AUTO hoods
- 9 adjustable power levels + Booster
- Pause Function. Timer function for each area
- Countdown alarm
- Automatic pan detection
- Safety lock
- Frontal bevel
- Power management, max. 7.1kW



INSB 6028 BK

Cod. 08063500 - EAN 8422248108577

- **Continuous power regulation**
- 3 cooking areas: 1 zone of Ø280/180mm, 1 zone of Ø210mm, 1 zone of Ø160mm
- Slider Touch Control for each area
- It has three temperature functions
- AUTO 2 connectivity for automatic control of the CATA hoods with AUTO 2
- 9 adjustable power levels + Booster
- Pause Function. Timer function for each area
- Countdown alarm
- Automatic pan detection
- Safety lock
- Frontal bevel
- Power management, max. 7.1kW






INSB 6003 E2 BK

Cod. 08063128 - EAN 8422248386418


- 3 cooking areas: 1 zone of Ø300mm, 1 zone of Ø230mm, 1 zone of Ø180mm
- Slider Touch Control for each area
- It has three temperature functions
- 9 adjustable power levels + Booster
- Pause Function. Timer function for each area
- Countdown alarm
- Automatic pan detection
- Safety lock
- Frontal bevel
- Installation without front ventilation slot
- Power management, max. 7.1kW



INSB 6003 E2 WH

Cod. 08063124 - EAN 8422248386401


- 3 cooking areas: 1 zone of Ø300mm, 1 zone of Ø230mm, 1 zone of Ø180mm
- Slider Touch Control for each area
- It has three temperature functions
- 9 adjustable power levels + Booster
- Pause Function. Timer function for each area
- Automatic pan detection
- Safety lock
- Frontal bevel
- Installation without front ventilation slot
- Power management, max. 7.1kW



IBS 6303 E2

Cod. 08063116 - EAN 8422248351836


- 3 cooking areas: 1 zone of Ø280mm, 1 zone of Ø210mm, 1 zone of Ø160mm
- Slider Touch Control for each area
- It has three temperature functions
- 9 adjustable power levels + Booster
- Timer function for each area
- Automatic pan detection
- Safety lock
- Installation without front ventilation slot
- Power management, max. 7.1kW



IB 6303 E2 BK

Cod. 08063120 - EAN 8422248355919



- 3 cooking areas: 1 zone of Ø280mm, 1 zone of Ø210mm, 1 zone of Ø160mm
- Touch Control with acoustic warning
- It has three temperature functions
- 9 adjustable power levels + Booster
- Timer function for each area
- Automatic pan detection
- Safety lock
- Installation without front ventilation slot
- Power management, max. 7.1kW



IB 5003 BK

Cod. 08074007 - EAN 8422248094191


- 3 cooking areas: 1 zone of Ø280mm, 1 zone of Ø180mm, 1 zone of Ø160mm
- Touch Control with acoustic warning
- 9 adjustable power levels + Booster
- Timer function for each area
- Automatic pan detection
- Safety lock
- Total power 6.5kW



IFSB 6460 MB

Cod. 08061208 - EAN 8422248390132

- 4 cooking areas: 4 zones of 210x200mm. 2 modular zones of 210x400mm
- Slider Touch Control for each area
- It has three temperature functions
- AUTO 2 connectivity for automatic control of the CATA hoods with AUTO 2
- 9 adjustable power levels + Booster
- Pause Function
- Timer function for each area
- Countdown alarm
- Automatic pan detection
- Safety lock
- **Matt black glass**
- Total power 7.2kW






IFSB 6460 BK

Cod. 08061207 - EAN 8422248375122

NEW


- 4 cooking areas: 4 zones of 210x200mm. 2 modular zones of 210x400mm
- Slider Touch Control for each area
- It has three temperature functions
- AUTO 2 connectivity for automatic control of the CATA hoods with AUTO 2
- 9 adjustable power levels + Booster
- Pause Function. Timer function for each area
- Countdown alarm
- Automatic pan detection
- Safety lock
- Frontal bevel
- Total power 7.2kW



INSB 6004 BK

Cod. 08040406 - EAN 8422248079594

- 4 cooking areas: 1 zone of Ø225mm, 1 zone of Ø200mm, 2 zones of Ø180mm
- Slider Touch Control for each area
- AUTO 2 connectivity for automatic control of the CATA hoods with AUTO 2
- 9 adjustable power levels + Booster
- Timer function for each area
- Countdown alarm
- Automatic pan detection
- Safety lock
- Total power 7.2kW




INSB 6430 BK

Cod. 08061206 - EAN 8422248375115

NEW


- 4 cooking areas: 2 zones of Ø210mm, 2 zones of Ø160mm
- Slider Touch Control for each area
- It has three temperature functions
- 9 adjustable power levels + Booster
- Pause Function. Timer function for each area
- Countdown alarm
- Automatic pan detection
- Safety lock
- Frontal bevel
- Total power 7.2kW



IB 6304 E2 BK

Cod. 08001206 - EAN 8422248355278


- 4 cooking areas: 2 zone of Ø180mm, 2 zones of Ø160mm
- Touch Control with acoustic warning
- 9 adjustable power levels + Booster
- Timer function for each area
- Countdown alarm
- Automatic pan detection
- Safety lock
- Installation without front ventilation slot
- Power management, max. 7kW



IB 753 BK

Cod. 08081202 - EAN 8422248054478


- 3 cooking areas: 1 zone of Ø270mm, 1 zone of Ø220mm, 1 zone of Ø180mm
- Touch Control with acoustic warning
- 9 adjustable power levels + Booster
- Timer function for each area
- Countdown alarm
- Automatic pan detection
- Safety lock
- Total power 6.7kW



IB 073 BK

Cod. 08081100 - EAN 8422248075473

- 3 cooking areas: 1 zone of Ø270mm, 1 zone of Ø220mm, 1 zone of Ø180mm
- Slider Touch Control with acoustic warning
- 9 adjustable power levels + Booster
- Timer function for each area
- Countdown alarm
- Automatic pan detection
- Safety lock
- Frontal bevel
- Total power 6.7kW






IB 6324 E2 BK

Cod. 08063119 - EAN 8422248355704


- 4 cooking areas: 1 zone of Ø210mm, 1 zone of Ø180mm, 2 zones of Ø160mm
- Touch Control with acoustic warning
- It has three temperature functions
- AUTO 2 connectivity for automatic control of the CATA hoods with AUTO 2
- 9 adjustable power levels + Booster
- Timer function for each area
- Countdown alarm
- Automatic pan detection
- Safety lock
- Installation without front ventilation slot
- Power management, max. 7kW



IB 853 BK

Cod. 08081210 - EAN 8422248109529


- 3 cooking areas: 1 zone of Ø270mm, 1 zone of Ø220mm, 1 zone of Ø180mm
- Touch Control with acoustic warning
- 9 adjustable power levels + Booster
- Timer function for each area
- Frontal bevel
- Total power 6.7kW



IB 772

Cod. 08027206 - EAN 8422248091787


- 2 cooking areas: 1 zone of Ø270mm, 1 zone of Ø200mm
- Slider Touch Control with acoustic warning
- 9 adjustable power levels + Booster
- Timer function for each area
- Countdown alarm
- Automatic pan detection
- Safety lock
- Frontal bevel
- Total power 6kW



IB 2 PLUS BK

Cod. 08027208 - EAN 8422248109420


- 2 cooking areas: 1 zone of Ø220mm, 1 zone of Ø180mm
- Slider Touch Control with acoustic warning
- 9 adjustable power levels + Booster
- Timer function for each area
- Countdown alarm
- Automatic pan detection
- Safety lock
- Frontal bevel
- Total power 3.5kW



ISB 3102 BK

Cod. 08003405 - EAN 8422248109314

- 2 cooking areas: 1 zone of Ø220mm, 1 zone of Ø180mm
- Slider Touch Control with acoustic warning
- 9 adjustable power levels + Booster
- Timer function for each area
- Countdown alarm
- Automatic pan detection
- Safety lock
- Total power 3.5kW




IFB 4003 BK

Cod. 08060011 - EAN 8422248392433


NEW

- 3 cooking areas: 2 zones of 180x190mm (1 modular zone of 180x386mm), 1 zone of Ø210mm
- Mono Touch Control with acoustic warning
- Adjustable power levels + Booster
- Pause Function
- Countdown alarm
- Automatic pan detection
- Safety lock
- Total power 6.1kW





**TTS 6032****Cod.** 08063214 - **EAN** 8422248373142

- 3 cooking areas: 1 zone of Ø320/240/170mm, 1 zone of Ø180mm, 1 zone of Ø140mm
- Slider Touch Control with acoustic warning
- 9 adjustable power levels
- Timer function for each area
- Automatic safety switch-off
- Safety lock
- Frontal bevel
- Total power 7.2kW





POWER AND
PRECISION IN
EVERY RECIPE:


**32 cm zone with triple flame,
independent slider control
and 9 power levels to cook with
total freedom and speed.**

**TDM 6003****Cod.** 08063413 - **EAN** 8422248357357


- 3 cooking areas: 1 zone of Ø280/200mm, 1 zone of Ø180mm, 1 zone of Ø140mm
- Slider Touch Control for each area
- 9 adjustable power levels
- Timer function for each area
- Automatic safety switch-off
- Safety lock
- Total power 5.4kW


**TT 6004****Cod.** 08063215 - **EAN** 8422248373159

- 4 cooking areas: 1 zone of Ø210/140mm, 1 zone of Ø180mm, 2 zones of Ø140mm
- Slider Touch Control with acoustic warning
- 9 adjustable power levels
- Timer function for each area
- Automatic safety switch-off
- Safety lock
- Total power 6.4kW

**TN 604****Cod.** 08040011 - **EAN** 8422248109321

- 4 cooking areas: 2 zone of Ø180mm, 2 zone of Ø140mm
- Touch Control with acoustic warning
- 9 adjustable power levels
- Automatic safety switch-off
- Safety lock
- Total power 6kW






604 HVI

Cod. 08072203 - EAN 8422248382083

NEW


- 4 High Light cooking areas: 2 zone of Ø200mm, 2 zone of Ø165mm
- Mechanical controls
- 9 adjustable power levels
- Total power 6kW



TT 6003

Cod. 08063212 - EAN 8422248109475


- 3 High Light cooking areas: 1 zone of Ø280/220/155mm, 1 zone of Ø185mm, 1 zone of Ø155mm
- Touch Control with acoustic warning
- 9 adjustable power levels
- Automatic safety switch-off
- Safety lock
- Total power 5.7kW



TD 6003 BK

Cod. 08063411 - EAN 8422248109499


- 3 cooking areas: 1 zone of ø270/210mm, 1 zone of Ø180mm, 1 zone of Ø140mm
- Touch Control with acoustic warning
- 9 adjustable power levels
- Automatic safety switch-off
- Safety lock
- Total power 5.4kW



TT 5003

Cod. 08077001 - EAN 8422248109512


- 3 High Light cooking areas: 1 zone of Ø280/220/155mm, 1 zone of Ø185mm, 1 zone of Ø150mm
- Touch Control with acoustic warning
- 9 adjustable power levels
- Safety lock
- Total power 5.7kW



TD 3002 BK

Cod. 08060405 - EAN 8422248109444


- 2 High Light cooking areas: 1 zone of Ø190/120mm, 1 zone of Ø155mm
- Touch Control with acoustic warning
- 9 adjustable power levels
- Automatic safety switch-off
- Safety lock
- Total power 3.2kW



VI 302

Cod. 08049007 - EAN 8422248109437


- 2 High Light cooking areas: 1 zone of Ø195, 1 zone of Ø160mm
- Mechanical control
- 9 adjustable power levels
- Total power 3kW



**LCI 9041 BK**


Cod. 08005404 - **EAN** 8422248081924

- 5 gas burners:
Rear Left: 1 semi-fast of 1.75kW
Front Left: 1 semi-fast of 1.75kW
Center: 1 triple ring of 3.5kW
Rear Right: 1 fast of 3kW
Front Right: 1 auxiliary of 1kW
- One hand automatic ignition
- Flame failure gas cut off safety system
- Cast iron Grids/burners
- Suitable for city gas
- LPG nozzles included in the box
- Total Power 11KW

**L-7005 CI**




Cod. 08046410 - **EAN** 8422248081962


- 5 gas burners:
Rear Left: 1 auxiliary of 1kW
Front Left: 1 semi-fast of 1.75kW
Center: 1 triple ring of 3.5kW
Rear Right: 1 fast of 3kW
Front Right: 1 semi-fast of 1,75kW
- One hand automatic ignition
- Flame failure gas cut off safety system
- Cast iron Grids/burners
- Suitable for city gas
- LPG nozzles included in the box
- Total Power 11KW

**LCI 6031 WH**

Cod. 08041100 - **EAN** 8422248072557

- 4 gas burners:
Rear: 1 fast of 3kW
Front: 1 semi-fast of 1.75kW
Right: 1 triple ring of 3.5kW
Left: 1 auxiliary of 1kW
- One hand automatic ignition
- Flame failure gas cut off safety system
- Cast iron Grids/burners
- Suitable for city gas
- LPG nozzles included in the box
- Total Power 9,25KW






LCI 6031 BK

Cod. 08041500 - **EAN** 8422248072724


- 4 gas burners:
Rear: 1 fast of 3kW
Front: 1 semi-fast of 1.75kW
Right: 1 triple ring of 3.5kW
Left: 1 auxiliary of 1kW
- One hand automatic ignition
- Flame failure gas cut off safety system
- Cast iron Grids/burners
- Suitable for city gas
- LPG nozzles included in the box
- Total Power 9,25KW



LCIB 6031 BK

Cod. 08041503 - **EAN** 8422248078788



- 4 gas burners:
Rear: 1 fast of 3kW
Front: 1 semi-fast of 1.75kW
Right: 1 triple ring of 3.5kW
Left: 1 auxiliary of 1kW
- One hand automatic ignition
- Flame failure gas cut off safety system
- Cast iron Grids/burners
- Exclusive Use for LPG Gas
- Total Power 9,25KW



CCI 6031 BK

Cod. 08041501 - **EAN** 8422248073691


- 4 gas burners:
Rear Left: 1 semi-fast of 1.75kW
Front Left: 1 triple ring of 3.5kW
Rear Right: 1 semi-fast of 1.75kW
Front Right: 1 auxiliary of 1kW
- One hand automatic ignition
- Flame failure gas cut off safety system
- Cast iron Grids/burners
- Suitable for city gas
- LPG nozzles included in the box
- Total power 8kW



CI 631 BK

Cod. 08041412 - **EAN** 8422248058681


- 4 gas burners:
Rear Left: 1 semi-fast of 1.75kW
Front Left: 1 triple ring of 3.5kW
Rear Right: 1 semi-fast of 1.75kW
Front Right: 1 auxiliary of 1kW
- One hand automatic ignition
- Flame failure gas cut off safety system
- Enamelled Grids/burners
- Suitable for city gas
- LPG nozzles included in the box
- Total power 8kW



CIB 6031 BK

Cod. 08068400 - **EAN** 8422248068352


- 4 gas burners:
Rear Left: 1 semi-fast of 1.75kW
Front Left: 1 triple ring of 3.5kW
Rear Right: 1 semi-fast of 1.75kW
Front Right: 1 auxiliary of 1kW
- One hand automatic ignition
- Flame failure gas cut off safety system
- Enamelled Grids/burners
- Exclusive Use for LPG Gas
- Total power 8kW



LCI 6021 BK

Cod. 08068401 - **EAN** 8422248068376

- 3 gas burners:
Rear Right: 1 semi-fast of 1.75kW
Front Right: 1 auxiliary of 1kW
Left: 1 triple ring of 3.5kW
- One hand automatic ignition
- Flame failure gas cut off safety system
- Cast iron Grids/burners
- Suitable for city gas
- LPG nozzles included in the box
- Total power 6.25kW







LCIB 6021 BK

Cod. 08068403 - **EAN** 8422248078795


- 3 gas burners:
Rear Right: 1 semi-fast of 1.75kW
Front Right: 1 auxiliary of 1kW
Left: 1 triple ring of 3.5kW
- One hand automatic ignition
- Flame failure gas cut off safety system
- Cast iron Grids/burners
- Exclusive Use for LPG Gas
- Total power 6.25kW



SCI 6021 BK

Cod. 08068405 - **EAN** 8422248112642



- 3 gas burners:
Rear Right: 1 semi-fast of 1.75kW
Front Right: 1 auxiliary of 1kW
Left: 1 triple ring of 3.5kW
- One hand automatic ignition
- Flame failure gas cut off safety system
- Cast iron Grids/burners
- Suitable for city gas
- LPG nozzles included in the box
- Total power 6.25kW



CCI 6021 BK

Cod. 08068501 - **EAN** 8422248073707



- 3 gas burners:
Rear Right: 1 semi-fast of 1.75kW
Front Right: 1 auxiliary of 1kW
Left: 1 triple ring of 3.5kW
- One hand automatic ignition
- Flame failure gas cut off safety system
- Cast iron Grids/burners
- Suitable for city gas
- LPG nozzles included in the box
- Total power 6.25kW



CI 6021 BK

Cod. 08068309 - **EAN** 8422248067355


- 3 gas burners:
Rear Right: 1 semi-fast of 1.75kW
Front Right: 1 auxiliary of 1kW
Left: 1 triple ring of 3.5kW
- One hand automatic ignition
- Flame failure gas cut off safety system
- Enamelled Grids/burners
- Suitable for city gas
- LPG nozzles included in the box
- Total power 6.25kW



CIB 6021 BK

Cod. 08068402 - **EAN** 8422248073677


- 3 gas burners:
Rear Right: 1 semi-fast of 1.75kW
Front Right: 1 auxiliary of 1kW
Left: 1 triple ring of 3.5kW
- One hand automatic ignition
- Flame failure gas cut off safety system
- Enamelled Grids/burners
- Exclusive Use for LPG Gas
- Total power 6.25kW




CCI 5003 BK

Cod. 08041505 - **EAN** 8422248094269

- 3 gas burners:
Rear Right: 1 semi-fast of 1.75kW
Front Right: 1 auxiliary of 1kW
Left: 1 triple ring of 3.5kW
- One hand automatic ignition
- Flame failure gas cut off safety system
- Cast iron Grids/burners
- Suitable for city gas
- LPG nozzles included in the box
- Total power 6.25kW







SCI 3002 BK

Cod. 08047410 - EAN 8422248093743

- 2 gas burners:
Rear: 1 fast of 3kW
Front: 1 auxiliary of 1kW
- One hand automatic ignition
- Flame failure gas cut off safety system
- Cast iron Grids/burners
- Suitable for city gas
- LPG nozzles included in the box
- Total Power 4kW



GLASS
GAS
RUSTIC




GAS-ON-GLASS Hobs



RCI 631 BK

Cod. 08028403 - EAN 8422248055024

- 4 gas burners:
Rear Left: 1 triple ring of 3.5kW
Front Left: 1 semi-fast of 1.75kW
Rear Right: 1 semi-fast of 1.75kW
Front Right: 1 auxiliary of 1kW
- One hand automatic ignition
- Flame failure gas cut off safety system
- Cast iron Grids/burners
- Suitable for city gas
- LPG nozzles included in the box
- Total power 8kW




5
GAS
BURNERS



LGI 9041 X

Cod. 08005350 - EAN 8422248081948


- 5 gas burners:
Rear Left: 1 fast of 3kW
Front Left: 1 semi-fast of 1.75kW
Center: 1 triple ring of 3.5kW
Rear Right: 1 semi-fast of 1.75kW
Front Right: 1 auxiliary of 1kW
- One hand automatic ignition
- Flame failure gas cut off safety system
- Cast iron Grids/burners
- Suitable for city gas
- LPG nozzles included in the box
- Total Power 11KW



LGI 7041 X


Cod. 08045305 - EAN 8422248108812

- 5 gas burners:
Rear Left: 1 Semi-fast 1.75 kW
Front Left: 1 auxiliary 1 kW
Center: 1 triple ring, 3.5kW
Rear Right: 1 fast 3 kW
Front Right: 1 semi-fast, 1.75kW
- One hand automatic ignition
- Flame failure gas cut off safety system
- Cast iron Grids/burners
- Suitable for city gas
- LPG nozzles included in the box
- Total Power 11KW




**LGD 631 X****Cod.** 08066002 - **EAN** 8422248058735


- 4 gas burners:
Rear: 1 semi-fast, 1.75kW
Front: 1 auxiliary, 1kW
Right: 1 triple ring, 3.5kW
Left: 1 fast, 3kW
- One hand automatic ignition
- Flame failure gas cut off safety system
- Cast Iron Grids/burners
- Suitable for city gas
- LPG nozzles included in the box
- Total Power 9.25kW

**GI 6031 X****Cod.** 08066011 - **EAN** 8422248067331


- 4 gas burners:
Rear Left: 1 semi-fast, 1.75kW
Front Left: 1 triple ring of 3.5kW
Rear Right: 1 semi-fast, 1.75kW
Front Right: 1 auxiliary, 1kW
- One hand automatic ignition
- Flame failure gas cut off safety system
- Enamelled Grids/burners
- Suitable for city gas
- LPG nozzles included in the box
- Total power 8kW

**GI 6004 X****Cod.** 08066600 - **EAN** 8422248067775


- 4 gas burners:
Rear Left: 1 semi-fast, 1.75kW
Front Left: 1 fast, 3kW
Rear Right: 1 semi-fast, 1.75kW
Front Right: 1 auxiliary, 1kW
- One hand automatic ignition
- Flame failure gas cut off safety system
- Enamelled Grids/burners
- Suitable for city gas
- LPG nozzles included in the box
- Total power 7.5kW

**GIB 6004 X****Cod.** 08066312 - **EAN** 8422248068369


- 4 gas burners:
Rear Left: 1 semi-fast, 1.75kW
Front Left: 1 fast, 3kW
Rear Right: 1 semi-fast, 1.75kW
Front Right: 1 auxiliary, 1kW
- One hand automatic ignition
- Flame failure gas cut off safety system
- Enamelled Grids/burners
- Exclusive Use for LPG Gas
- Total power 7.5kW

**LGI 6031 X****Cod.** 08006301 - **EAN** 8422248093767

- 4 gas burners:
Rear Left: 1 semi-fast, 1.75kW
Front Left: 1 triple ring of 3.5kW
Rear Right: 1 semi-fast, 1.75kW
Front Right: 1 auxiliary, 1kW
- One hand automatic ignition
- Flame failure gas cut off safety system
- Cast iron Grids/burners
- Suitable for city gas
- LPG nozzles included in the box
- Total power 8kW

**LGI 6004 X****Cod.** 08066607 - **EAN** 8422248067775

- 4 gas burners:
Rear Left: 1 semi-fast, 1.75kW
Front Left: 1 fast, 3kW
Rear Right: 1 semi-fast, 1.75kW
Front Right: 1 auxiliary, 1kW
- One hand automatic ignition
- Flame failure gas cut off safety system
- Cast iron Grids/burners
- Suitable for city gas
- LPG nozzles included in the box
- Total power 7.5kW






GI 6021 X

Cod. 08068308 - EAN 8422248067348


- 3 gas burners:
Left: 1 triple ring, 3.5kW
Rear: 1 semi-fast, 1.75kW
Front: 1 auxiliary, 1kW
- One hand automatic ignition
- Flame failure gas cut off safety system
- Enamelled Grids/burners
- Suitable for city gas
- LPG nozzles included in the box
- Total power 6.25kW



GIB 6021 X

Cod. 08068310 - EAN 8422248073684


- 3 gas burners:
Left: 1 triple ring, 3.5kW
Rear: 1 semi-fast, 1.75kW
Front: 1 auxiliary, 1kW
- One hand automatic ignition
- Flame failure gas cut off safety system
- Enamelled Grids/burners
- Exclusive Use for LPG Gas
- Total power 6.25kW



GI 3002 X

Cod. 08039600 - EAN 8422248108829


- 2 gas burners:
Rear: 1 fast of 3kW
Front: 1 auxiliary of 1kW
- One hand automatic ignition
- Flame failure gas cut off safety system
- Enamelled Grids/burners
- Suitable for city gas
- LPG nozzles included in the box
- Total Power 4kW



LGI 3002 X

Cod. 08039601 - EAN 8422248108829

- 2 gas burners:
Rear: 1 fast of 3kW
Front: 1 auxiliary of 1kW
- One hand automatic ignition
- Flame failure gas cut off safety system
- Cast iron Grids/burners
- Suitable for city gas
- LPG nozzles included in the box
- Total Power 4kW



CAST IRON GRILL

Cod. 03017400 - EAN 8422248082563

- Suitable for induction.
- Enamelled Cast Iron. Grill.
- Nonstick surface
- Ideal for: searing meat and fish with minimum of fat. Grilling vegetables and fruit.
- Good heat retention and temperature stability.
- Robust and durable.
- Easy to clean

