


CATA SINKS

Tailored design in a wide range of formats and sizes.

**CB-2 40-40 R10**



Cod. 02625035 - **EAN** 8422248370929

- 10mm radius double square bowl
- Installation in 90-cm unit
- Dimensions: 86 x 44 cm
- Bowl depth 24cm
- Noise absorber foam
- Anti condensation coating
- Stainless steel AISI 304 18/8
- Hidden basket valve 3 1/2"
- Thickness 1,2mm

**CB 50-40 R10**


Cod. 02625006 - **EAN** 8422248108652

- Square bowl
- Installation in 60-cm unit
- Bowl depth 20cm
- Noise absorber foam
- Anti condensation coating
- Stainless steel AISI 304 18/10
- Basket valve 3 1/2"
- Thickness 1,2mm

**CB 45-40 R10**

Cod. 02621006 - **EAN** 8422248108645

- Square bowl
- Installation in 60-cm unit
- Bowl depth 20cm
- Noise absorber foam
- Anti condensation coating
- Stainless steel AISI 304 18/10
- Basket valve 3 1/2"
- Thickness 1,2mm







CB 40-40 P R10

Cod. 02624006 - **EAN** 8422248108669


- Square bowl
- Installation in 50-cm unit
- Bowl depth 25cm
- Noise absorber foam
- Anti condensation coating
- Stainless steel AISI 304 18/10
- Basket valve 3 1/2"
- Thickness 1,2mm



CB 40-40 R10

Cod. 02624016 - **EAN** 8422248108638


- Square bowl
- Installation in 50-cm unit
- Bowl depth 20cm
- Noise absorber foam
- Anti condensation coating
- Stainless steel AISI 304 18/10
- Basket valve 3 1/2"
- Thickness 1,2mm



CB 18-40 R15

Cod. 02625007 - **EAN** 8422248369565


- 15mm radius square bowl
- Installation in 30-cm unit
- Dimensions: 22 x 44 cm
- Bowl depth 15cm
- Noise absorber foam
- Stainless steel AISI 304 18/8
- Basket valve 3 1/2"
- Thickness 1mm



CB-2

Cod. 02625008 - **EAN** 8422248369572


- Double square bowl
- Installation in 90-cm unit
- Dimensions: 79 x 46 cm
- Bowl depth 20cm
- Noise absorber foam
- Stainless steel AISI 304 18/8
- Basket valve 3 1/2"
- Thickness 0,9mm



CB 50-40

Cod. 02625014 - **EAN** 8422248373043


- Square bowl
- Installation in 60-cm unit
- Dimensions: 54,5 x 44,5 cm
- Bowl depth 18cm
- Noise absorber foam
- Stainless steel AISI 304 18/8
- Basket valve 3 1/2"
- Thickness 0,8mm



CBP 50-40

Cod. 02625009 - **EAN** 8422248369589

- Square bowl
- Installation in 60-cm unit
- Dimensions: 54,5 x 44,5 cm
- Bowl depth 20cm
- Noise absorber foam
- Stainless steel AISI 304 18/8
- Basket valve 3 1/2"
- Thickness 0,8mm






CB 45-40

Cod. 02625010 - **EAN** 8422248369596


- Square bowl
- Installation in 60-cm unit
- Dimensions: 49,5 x 44,5 cm
- Bowl depth 18cm
- Noise absorber foam
- Stainless steel AISI 304 18/8
- Basket valve 3 1/2"
- Thickness 0,8mm



CBP 45-40

Cod. 02625011 - **EAN** 8422248369602


- Square bowl
- Installation in 60-cm unit
- Dimensions: 49,5 x 44,5 cm
- Bowl depth 20cm
- Noise absorber foam
- Stainless steel AISI 304 18/8
- Basket valve 3 1/2"
- Thickness 0,8mm



CB 40-40

Cod. 02625012 - **EAN** 8422248369619


- Square bowl
- Installation in 50-cm unit
- Dimensions: 44,5 x 44,5 cm
- Bowl depth 18cm
- Noise absorber foam
- Stainless steel AISI 304
- Basket valve 3 1/2"
- Thickness 0,8mm



CBP 40-40

Cod. 02625013 - **EAN** 8422248369671


- Square bowl
- Installation in 50-cm unit
- Dimensions: 44,5 x 44,5 cm
- Bowl depth 20cm
- Noise absorber foam
- Stainless steel AISI 304
- Basket valve 3 1/2"
- Thickness 0,8mm



CDC 75-40 SBK

Cod. 02625037 - **EAN** 8422248371117

- Square bowl
- Installation in 80-cm unit
- Dimensions: 75 x 45 cm
- Bowl depth 20cm
- Waterfall curtain
- Faucet, glasswasher, soap dispenser, cutting board and multifunctional drainer included
- Stainless steel AISI 304
- Basket valve 3 1/2"
- Thickness 3-0,8mm







CBS-140-40 D R10

Cod. 02624008 - EAN 8422248109024


- 1 square bowl with draining board
- Installation in 45-cm unit
- Bowl depth 20cm
- Dimensions: 86 x 51 cm
- Noise absorber foam
- Anti condensation coating
- Stainless steel AISI 304
- Basket valve 3 1/2"
- Thickness 1,2mm



CBS-240-40 R10

Cod. 02624009 - EAN 8422248109031


- Double square bowl
- Installation in 90-cm unit
- Bowl depth 20cm
- Dimensions: 86 x 51 cm
- Noise absorber foam
- Anti condensation coating
- Stainless steel AISI 304
- Basket valve 3 1/2"
- Thickness 1,2mm



CBS-154-40 R10

Cod. 02624010 - EAN 8422248109048


- Square bowl
- Installation in 60-cm unit
- Bowl depth 20cm
- Dimensions: 59 x 51 cm
- Noise absorber foam
- Anti condensation coating
- Stainless steel AISI 304
- Basket valve 3 1/2"
- Thickness 1,2mm



CDL-1 REV

Cod. 02625002 - EAN 8422248369688


- 1 square bowl with reversible drainer
- Installation in 45-cm unit
- Dimensions: 79 x 50 cm
- Bowl depth 18cm
- Noise absorber foam
- Stainless steel AISI 304 18/8
- Basket valve 3 1/2"
- Thickness 0,8mm



CDL-1 EI

Cod. 02625015 - EAN 8422248369695


- 1 square bowl with draining board
- Installation in 45-cm unit
- Dimensions: 79 x 50 cm
- Bowl depth 18cm
- Noise absorber foam
- Stainless steel AISI 304 18/8
- Basket valve 3 1/2"
- Thickness 0,8mm



CDL-1 ED


Cod. 02625016 - EAN 8422248369701

- 1 square bowl with draining board
- Installation in 45-cm unit
- Dimensions: 79 x 50 cm
- Bowl depth 18cm
- Noise absorber foam
- Stainless steel AISI 304 18/8
- Basket valve 3 1/2"
- Thickness 0,8mm




**CDP-1 REV****Cod.** 02625017 - **EAN** 8422248369718


- 1 square bowl with reversible drainer
- Installation in 45-cm unit
- Dimensions: 86 x 50 cm
- Bowl depth 18cm
- Noise absorber foam
- Stainless steel AISI 304 18/10
- Basket valve 3 1/2"
- Thickness 0,8mm

**CDP-1 EI****Cod.** 02625018 - **EAN** 8422248369725


- 1 square bowl with draining board
- Installation in 45-cm unit
- Dimensions: 86 x 50 cm
- Bowl depth 18cm
- Noise absorber foam
- Stainless steel AISI 304 18/10
- Basket valve 3 1/2"
- Thickness 0,8mm

**CDP-1 ED****Cod.** 02625019 - **EAN** 8422248369732


- 1 square bowl with draining board
- Installation in 45-cm unit
- Dimensions: 86 x 50 cm
- Bowl depth 18cm
- Noise absorber foam
- Stainless steel AISI 304 18/10
- Basket valve 3 1/2"
- Thickness 0,8mm

**CDS-1 REV****Cod.** 02625021 - **EAN** 8422248369763


- 1 square bowl with reversible drainer
- Installation in 45-cm unit
- Dimensions: 76 x 43,5 cm
- Bowl depth 15cm
- Noise absorber foam
- Stainless steel AISI 304 18/10
- Basket valve 3 1/2"
- Thickness 0,5mm

**CDS-1 EI****Cod.** 02625022 - **EAN** 8422248369770

- 1 square bowl with draining board
- Installation in 45-cm unit
- Dimensions: 76 x 43,5 cm
- Bowl depth 15cm
- Noise absorber foam
- Stainless steel AISI 304 18/10
- Basket valve 3 1/2"
- Thickness 0,5mm

**CDS-1 ED****Cod.** 02625023 - **EAN** 8422248369787

- 1 square bowl with draining board
- Installation in 45-cm unit
- Dimensions: 76 x 43,5 cm
- Bowl depth 15cm
- Noise absorber foam
- Stainless steel AISI 304 18/10
- Basket valve 3 1/2"
- Thickness 0,5mm






C-2 AG

Cod. 02625024 - EAN 8422248369800


- 2 square bowl
- Installation in 80-cm unit
- Dimensions: 79 x 50 cm
- Bowl depth 20cm
- Noise absorber foam
- Stainless steel AISI 304 18/8
- Basket valve 3 1/2"
- Thickness 0,8mm



CSS60-1

Cod. 02625026 - EAN 8422248369824


- Square bowl
- Installation in 60-cm unit
- Bowl depth 23cm
- Noise absorber foam
- Stainless steel AISI 304 18/8
- Basket valve 3 1/2"
- Thickness 0,7mm



CSS-1

Cod. 02625027 - EAN 8422248369831


- Square bowl
- Installation in 50-cm unit
- Dimensions: 50 x 40 cm
- Bowl depth 15cm
- Noise absorber foam
- Stainless steel AISI 304 18/8
- Basket valve 3 1/2"
- Thickness 0,6mm



CS-1

Cod. 02625038 - EAN 8422248371131


- Square bowl
- Installation in 45-cm unit
- Dimensions: 48 x 48 cm
- Bowl depth 16,5cm
- Noise absorber foam
- Stainless steel AISI 304 18/8
- Basket valve 3 1/2"
- Thickness 0,8mm



RS-1

Cod. 02602100 - EAN 8422248108997

- Round bowl
- Installation in 45-cm unit
- Dimensions: Ø48,5 cm
- Bowl depth 16cm
- Noise absorber foam
- Stainless steel AISI 304 18/8
- Basket valve 3 1/2"
- Thickness 0,7mm





Choose CATA
A collection of
taps designed
for you.



NPB

Cod. 02500404 - EAN 8422248375740




- Stainless Steel tap
- Ceramic cartridge
- Cold start
- Removable stem, Revolving stem 360°
- Anti scale areator with 5/min flow limit
- Satin finish
- Shower function
- Stabiliser triangle
- M10x13/8" certified flexible inlet pipes



CSE

Cod. 02500402 - EAN 8422248371926

- Brass tap
- Ceramic cartridge
- Cold start
- Removable stem, Revolving stem 360°
- Anti scale areator with 5/min flow limit
- Chrome finish
- Shower function
- Stabiliser triangle
- M10x1x3/8" certified flexible inlet pipes





Cod. 02500603 - EAN 8422248392280

NEW

- Brass tap
- Ceramic cartridge
- Cold start
- Removable stem
- Revolving stem 360°
- Anti scale areator with 5/min flow limit
- Black finish
- Shower function
- Stabiliser triangle
- M10x1x3/8" certified flexible inlet pipes



Cod. 02503401 - EAN 8422248371957

- Brass tap
- Ceramic cartridge
- Cold start
- Revolving stem 360°
- Anti scale areator with 5/min flow limit
- Chrome finish
- Stabiliser triangle
- M10x1x3/8" certified flexible inlet pipes




**Black single-lever
tap with pull-out
spout and
limescale
protection.
More cleaning,
less effort.**



CSA

Cod. 02500403 - EAN 8422248371933

- Brass tap
- Ceramic cartridge
- Cold start
- Revolving stem 360°
- Anti scale areator with 5/min flow limit
- Chrome finish
- Stabiliser triangle
- M10x1x3/8" certified flexible inlet pipes

**CMA**


Cod. 02503401 - EAN 8422248371957

- Brass tap
- Ceramic cartridge
- Cold start
- Revolving stem 360°
- Anti scale areator with 5/min flow limit
- Chrome finish
- Stabiliser triangle
- M10x1x3/8" certified flexible inlet pipes

**CMA INOX**

Cod. 02503402 - EAN 8422248373241


- Stainless Steel tap
- Ceramic cartridge
- Cold start
- Revolving stem 360°
- Anti scale areator with 5/min flow limit
- Satin finish
- Stabiliser triangle
- M10x1x3/8" certified flexible inlet pipes



CMA NEGRO


Cod. 02503403 - EAN 8422248378017

- Stainless Steel tap
- Ceramic cartridge
- Cold start
- Revolving stem 360°
- Anti scale areator with 5/min flow limit
- Black finish
- Stabiliser triangle
- M10x1x3/8" certified flexible inlet pipes




**BSA NEGRO****Cod.** 02503404 - **EAN** 8422248378024

- Stainless Steel tap
- Ceramic cartridge
- Cold start
- Revolving stem 360°
- Anti scale areator with 5/min flow limit
- Black finish
- Stabiliser triangle
- M10x1x3/8" certified flexible inlet pipes

**CBA****Cod.** 02502401 - **EAN** 8422248371964

- Brass tap
- Ceramic cartridge
- Cold start
- Revolving stem 360°
- Anti scale areator with 5/min flow limit
- Chrome finish
- Stabiliser triangle
- M10x1x3/8" certified flexible inlet pipes

**CBB****Cod.** 02501402 - **EAN** 8422248371971

- Brass tap
- Ceramic cartridge
- Cold start
- Revolving stem 360°
- Anti scale areator with 5/min flow limit
- Chrome finish
- Stabiliser triangle
- M10x1x3/8" certified flexible inlet pipes

