



# FLOW-IN


Hob with  
built-in Hood

SUPER SLIM  
17 cm


- ✓ 5 extraction levels + 1 TURBO
- ✓ Extra quiet brushless motor
- ✓ Carbon filter included, prepared for recirculation installation
- ✓ Dishwasher-safe filters and easy-to-install system



Direct outside outlet installation



Under the plinth interior outlet installation



Under the plinth to-the-room outlet installation

# FLOW-IN, ELEGANCE THAT INSPIRES

Integrated extraction  
and exclusive design  
for a sophisticated  
kitchen.





A+

## IAS 7024

Cod. 08000200 - EAN 8422248358699

- Slider Control Panel with timer and cleaning filters indicator
- 6 extraction levels, 5 + 1 TURBO
- Extraction power: 69.5m³/h - 232.5m³/h
- Sound power: 50dB(A), maximum: 69dB(A)
- BRUSHLESS motor. Ultra silent. Maximum energy consumption 165W
- Carbon filter included
- **SUPER SLIM: 17 cm**
- Active Charcoal Filter: 02890014/●




A+

## IAS 6024

Cod. 08000206 - EAN 8422248358705

- Slider Control Panel with timer and cleaning filters indicator
- 6 extraction levels, 5 + 1 TURBO
- Extraction power: 673.2m³/h - 238.2m³/h
- Sound power: 51dB(A), maximum: 68dB(A)
- BRUSHLESS motor. Ultra silent. Maximum energy consumption 165W
- Carbon filter included
- **SUPER SLIM: 17 cm**
- Active Charcoal Filter: 02890014/●




A+

## IAS 6003

Cod. 08000203 - EAN 8422248373289

- Slider Control Panel with timer and cleaning filters indicator
- 6 extraction levels, 5 + 1 TURBO
- Extraction power: 673.2m³/h - 238.2m³/h
- Sound power: 51dB(A), maximum: 68dB(A)
- BRUSHLESS motor. Ultra silent. Maximum energy consumption 165W
- Carbon filter included
- **SUPER SLIM: 17 cm**
- Active Charcoal Filter: 02890014/●



|  |                                           |
|--|-------------------------------------------|
|  | 02890001   DUCTING SET SL1 222X89         |
|  | 02890002   COMPACT BEND 90° 222X89        |
|  | 02890003   BEND 90° 222X89                |
|  | 02890004   PIPE HOLDER 222X89             |
|  | 02890005   CONNECTOR 222X89               |
|  | 02890006   FLAT DUCT 0,5M 222X89          |
|  | 02890007   ROUND-FLAT ADAPTER 150/222X89  |
|  | 02890008   FLEXIBLE FLAT DUCT 0,5M 222X89 |
|  | 02890009   HORIZONTAL BEND 90° 222X89     |
|  | 02890010   HORIZONTAL BEND 15° 222X89     |
|  | 02890011   WALL DEFLECTOR SL1             |
|  | 02890014   CERAMIC CARBON FILTERS SET SL1 |
|  | 02890015   PLEATED CARBON FILTERS SET SL1 |

# RENOVA PURE AIR


**The new Renova Pure Air range guarantees air quality in your home. It goes beyond delivering clean air with its advanced odour filtration system; it ensures that the air is free from harmful substances produced by pollution or generated within your own home.**



**VNV90 XGBK**

**Cod. 02159420 - EAN 8422248343077**

- Recirculation hood with integrated air purifier. Eliminates odors with an efficiency of 98% and purifies 100% of dust, bacteria, viruses and volatile organic compounds.
- 6 extraction levels, 5 + 1 TURBO
- Maintenance-free self-regeneratable carbon filter
- Air purification function
- AUTO 2 connectivity for control of the CATA AUTO 2 hobs
- BRUSHLESS motor.
- Motor maximum airflow free outlet: 1400m<sup>3</sup>/h
- Sound power: 46dB(A), maximum: 64dB(A)
- Metal Filter: 02800209+02800927/●




## RENOVA PURE AIR Hoods



**MNV90 GWH**

**Cod. 02189020 - EAN 8422248344692**

- Recirculation hood with integrated air purifier. Eliminates odors with an efficiency of 98% and purifies 100% of dust, bacteria, viruses and volatile organic compounds.
- 6 extraction levels, 5 + 1 TURBO
- Maintenance-free self-regeneratable carbon filter
- Air purification function
- AUTO 2 connectivity for control of the CATA AUTO 2 hobs
- BRUSHLESS motor.
- Motor maximum airflow free outlet: 1400m<sup>3</sup>/h
- Sound power: 46dB(A), maximum: 64dB(A)
- Metal Filter: 02811006/●






### MAGRABA ISLAND

Cod. 02119207 - EAN 8422248069342


- Electronic Control Panel with automatic shut-down timer
- 3 extraction levels
- Extraction power: 645m³/h - 300m³/h
- Sound power: 48dB(A), maximum: 63dB(A)
- BT2 motor. Extra silent. Maximum energy consumption 200W
- High efficiency LED lighting
- Recirculation operation
- Energy Class: C
- DUAL Filter (metal + active charcoal): 02800922/●



### MOON ISLAND

Cod. 02119203 - EAN 8422248062084

- Touch Control Panel with automatic shut-down timer and cleaning filters indicator
- 3 extraction levels
- Extraction power: 645m³/h - 300m³/h
- Sound power: 48dB(A), maximum: 63dB(A)
- BT2 motor. Extra silent. Maximum energy consumption 200W
- High efficiency LED lighting, adjustable intensity
- Recirculation operation
- Energy Class: C
- DUAL Filter (metal + active charcoal): 02811003/●




A+++

### FARO SE X ISLAND

Cod. 02019101 - EAN 8422248394949

NEW

- Electronic control Panel
- 4 extraction levels, 3 + 1 TURBO
- Extraction power: 735m³/h - 183m³/h
- Sound power: 54dB(A), maximum: 61dB(A)
- Extra silent motor. Maximum energy consumption 200W
- High efficiency compact STRIP LED lighting
- Active Charcoal Filter: 02890551/O. Metal Filter: 02890550/●




A+++

### FARO SE BK ISLAND

Cod. 02019401 - EAN 8422248394956

NEW

- Electronic control Panel
- 4 extraction levels, 3 + 1 TURBO
- Extraction power: 735m³/h - 183m³/h
- Sound power: 54dB(A), maximum: 61dB(A)
- Extra silent motor. Maximum energy consumption 200W
- High efficiency compact STRIP LED lighting
- Active Charcoal Filter: 02890552/O. Metal Filter: 02890550/●




A+

### BENNU SLIM 1200 X ISLAND

Cod. 02111309 - EAN 8422248112642

- Touch Control Panel with automatic shut-down timer and cleaning filters indicator + remote control
- 6 extraction levels, 5 + 1 TURBO
- Extraction power: 570m³/h - 260/h
- Sound power: 50dB(A), maximum: 65dB(A)
- S6 motor. Extra silent. Maximum energy consumption 90W
- High-efficiency lighting by intensity-adjustable two-tone warm/natural LED STRIP
- AUTO 2 connectivity with automatic control from the CATA hob
- Metal Filter: 02800930/●
- DUAL Filter (metal + active charcoal): 02800922/O




A+

### BENNU SLIM 900 X ISLAND

Cod. 02111308 - EAN 8422248110891

- Touch Control Panel with automatic shut-down timer and cleaning filters indicator + remote control
- 6 extraction levels, 5 + 1 TURBO
- Extraction power: 570m³/h - 260/h
- Sound power: 50dB(A), maximum: 65dB(A)
- S6 motor. Extra silent. Maximum energy consumption 90W
- High-efficiency lighting by intensity-adjustable two-tone warm/natural LED STRIP
- AUTO 2 connectivity with automatic control from the CATA hob
- Metal Filter: 02800930/●
- DUAL Filter (metal + active charcoal): 02800922/O




**A**
**SIRIN 1000 GWH ISLAND**
**Cod.** 02111002 - **EAN** 8422248097437




- Touch Control Panel with automatic shut-down timer and cleaning filters indicator + remote control
- 4 extraction levels, 3 + 1 TURBO
- Extraction power: 850m³/h - 340m³/h
- Sound power: 50dB(A), maximum: 65dB(A)
- BT3 motor. Extra silent. Maximum energy consumption 280W
- High efficiency LED lighting, adjustable intensity
- Active Charcoal Filter: 02859398/O. Metal Filter: 02800905/●. Metal Filter MAX PRO: 02800917/O


**A**
**SIRIN 1000 WH ISLAND**
**Cod.** 02111001 - **EAN** 8422248077750

- Touch Control Panel with automatic shut-down timer and cleaning filters indicator + remote control
- 4 extraction levels, 3 + 1 TURBO
- Extraction power: 850m³/h - 340m³/h
- Sound power: 50dB(A), maximum: 65dB(A)
- BT3 motor. Extra silent. Maximum energy consumption 280W
- High efficiency LED lighting, adjustable intensity
- Active Charcoal Filter: 02859398/O. Metal Filter: 02800905/●. Metal Filter MAX PRO: 02800917/O


**A**
**FENIX 1000 X ISLAND**
**Cod.** 02111305 - **EAN** 8422248077798

- Touch Control Panel with automatic shut-down timer and cleaning filters indicator + remote control
- 4 extraction levels, 3 + 1 TURBO
- Extraction power: 850m³/h - 340m³/h
- Sound power: 50dB(A), maximum: 65dB(A)
- BT3 motor. Extra silent. Maximum energy consumption 280W
- High efficiency LED lighting, adjustable intensity
- Active Charcoal Filter: 02859398/O. Metal Filter: 02800905/●. Metal Filter MAX PRO: 02800917/O


**A++**
**LEGEND 9010 XGBK ISLAND**
**Cod.** 02075443 - **EAN** 8422248384261

**NEW**

- Touch Control Panel with timer and cleaning filters indicator
- 3 extraction levels, 2 + 1 TURBO
- Extraction power: 860m³/h - 252m³/h
- Sound power: 46dB(A), maximum: 69dB(A)
- BRUSHLESS motor. Ultra silent. Maximum energy consumption 145W
- High efficiency LED lighting, adjustable intensity
- Active Charcoal Filter: 02800056/O. Metal Filter: 02800049/●


**A++**
**SYGMA 9010 X ISLAND**
**Cod.** 02075444 - **EAN** 8422248384278




**NEW**

- Touch Control Panel with timer and cleaning filters indicator
- 3 extraction levels, 2 + 1 TURBO
- Extraction power: 860m³/h - 252m³/h
- Sound power: 46dB(A), maximum: 69dB(A)
- BRUSHLESS motor. Ultra silent. Maximum energy consumption 145W
- High efficiency LED lighting, adjustable intensity
- Active Charcoal Filter: 02800056/O. Metal Filter: 02800049/●


**A++**
**GAMMA 9010 X ISLAND**
**Cod.** 02075445 - **EAN** 8422248384285

**NEW**

- Touch Control Panel with timer and cleaning filters indicator
- 3 extraction levels, 2 + 1 TURBO
- Extraction power: 818m³/h - 237m³/h
- Sound power: 47dB(A), maximum: 70dB(A)
- BRUSHLESS motor. Ultra silent. Maximum energy consumption 145W
- High efficiency LED lighting, adjustable intensity
- Active Charcoal Filter: 02800056/O. Metal Filter: 02800050/●






A

### VEGA X ISLAND

Cod. 02119311 - EAN 8422248077743

- Electronic Control Panel with automatic shut down timer
- 3 extraction levels, 2 + 1 TURBO
- Extraction power: 850m³/h - 340m³/h
- Sound power: 50dB(A), maximum: 65dB(A)
- BT3 motor. Extra silent. Maximum energy consumption 280W
- High efficiency LED lighting
- Active Charcoal Filter: 02859398/O. Metal Filter: 02800200/●. Metal Filter MAX PRO: 02800917/O



## Decorative Corner

The touch that turns a corner into pure design and power.

## CORNER Hoods




A

### ANGOLO BOX 1000 X

Cod. 02195309 - EAN 8422248077774

- Electronic Control Panel with automatic shut down timer
- 3 extraction levels, 2 + 1 TURBO
- Extraction power: 850m³/h - 340m³/h
- Sound power: 50dB(A), maximum: 65dB(A)
- BT3 motor. Extra silent. Maximum energy consumption 280W
- High efficiency strip LED lighting
- Easy-to-install system
- Finished in Stainless steel
- Metal Filter: 02800200/●. Metal Filter MAX PRO: 02800917/O




A

### ANGOLO X

Cod. 02195310 - EAN 8422248077781

- Electronic Control Panel with automatic shut down timer
- 3 extraction levels, 2 + 1 TURBO
- Extraction power: 850m³/h - 340m³/h
- Sound power: 50dB(A), maximum: 65dB(A)
- BT3 motor. Extra silent. Maximum energy consumption 280W
- High efficiency strip LED lighting
- Easy-to-install system
- Finished in Stainless steel
- Active Charcoal Filter: 02859398/O. Metal Filter: 02800300/●




A

### GALA 900 L

Cod. 02169304 - EAN 8422248355575

- Electronic Control Panel with automatic shut down timer
- 4 extraction levels, 3 + 1 TURBO
- Extraction power: 802m³/h - 340m³/h
- Sound power: 50dB(A), maximum: 65dB(A)
- BT3 motor. Extra silent. Maximum energy consumption 280W
- High-efficiency lighting by intensity-adjustable two-tone warm/natural LED STRIP
- Easy-to-install system
- Finished in Stainless steel
- Active Charcoal Filter: 02859398/O. Metal Filter: 02800206/●. Metal Filter MAX PRO: 02800917/O




A

### GALA 900 R

Cod. 02166304 - EAN 8422248355582

- Electronic Control Panel with automatic shut down timer
- 4 extraction levels, 3 + 1 TURBO
- Extraction power: 802m³/h - 340m³/h
- Sound power: 50dB(A), maximum: 65dB(A)
- BT3 motor. Extra silent. Maximum energy consumption 280W
- High-efficiency lighting by intensity-adjustable two-tone warm/natural LED STRIP
- Easy-to-install system
- Finished in Stainless steel
- Active Charcoal Filter: 02859398/O. Metal Filter: 02800206/●. Metal Filter MAX PRO: 02800917/O




A++



### THALASSA EVO NO DRIP 900 GBK

Cod. 02139409 - EAN 8422248356473

- Touch Control Panel with digital display, automatic shut-down timer and cleaning filters indicator
- 6 extraction levels, 4 + 2 TURBO
- Extraction power: 1017m³/h - 300m³/h
- Sound power: 45dB(A), maximum: 62dB(A)
- BT5 DC BRUSHLESS motor. Ultra silent. Maximum energy consumption 250W
- High-efficiency lighting by intensity-adjustable two-tone warm/natural LED STRIP
- AUTO 2 connectivity with automatic control from the CATA AUTO 2 hob
- Fresh function
- Pneumatic opening
- Active Charcoal Filter: 02859398/O. Metal Filter: 02801004/●




A++



### THALASSA EVO NO DRIP 700 GBK

Cod. 02137409 - EAN 8422248356480


- Touch Control Panel with digital display, automatic shut-down timer and cleaning filters indicator
- 6 extraction levels, 4 + 2 TURBO
- Extraction power: 1017m³/h - 300m³/h
- Sound power: 45dB(A), maximum: 62dB(A)
- BT5 DC BRUSHLESS motor. Ultra silent. Maximum energy consumption 250W
- High-efficiency lighting by intensity-adjustable two-tone warm/natural LED STRIP
- AUTO 2 connectivity with automatic control from the CATA AUTO 2 hob
- Fresh function
- Pneumatic opening
- Active Charcoal Filter: 02859398/O. Metal Filter: 02801004/●



## THALASSA EVO NO DRIP


Glass front panel with  
pneumatic opening system

- ✓ Extraction power suitable for intensive use
- ✓ Air purification function
- ✓ Anti-condensation glass system
- ✓ Condensation collection area in filters
- ✓ Dishwasher-safe filters
- ✓ Energy efficiency A++





**A++**
**THALASSA EVO 900 GBK**
**Cod. 02039408 - EAN 8422248392860**
**NEW**



- Touch Control Panel with digital display, automatic shut-down timer and cleaning filters indicator
- 6 extraction levels, 4 + 2 TURBO
- Extraction power: 1017m³/h - 300m³/h
- Sound power: 47dB(A), maximum: 64dB(A)
- BT5 DC BRUSHLESS motor. Ultra silent. Maximum energy consumption 250W
- High-efficiency lighting by intensity-adjustable two-tone warm/natural LED STRIP
- AUTO 2 connectivity with automatic control from the CATA AUTO 2 hob
- Fresh function. Pneumatic opening
- Active Charcoal Filter: 02859398/O. Metal Filter: 02890542 + 02890543/●


**A++**
**THALASSA EVO 800 GBK**
**Cod. 02038408 - EAN 8422248392952**
**NEW**


- Touch Control Panel with digital display, automatic shut-down timer and cleaning filters indicator
- 6 extraction levels, 4 + 2 TURBO
- Extraction power: 1017m³/h - 300m³/h
- Sound power: 47dB(A), maximum: 64dB(A)
- BT5 DC BRUSHLESS motor. Ultra silent. Maximum energy consumption 250W
- High-efficiency lighting by intensity-adjustable two-tone warm/natural LED STRIP
- AUTO 2 connectivity with automatic control from the CATA AUTO 2 hob
- Fresh function. Pneumatic opening
- Active Charcoal Filter: 02859398/O. Metal Filter: 02890542 + 02890543/●


**A++**
**THALASSA EVO 700 GBK**
**Cod. 02037408 - EAN 8422248392877**
**NEW**


- Touch Control Panel with digital display, automatic shut-down timer and cleaning filters indicator
- 6 extraction levels, 4 + 2 TURBO
- Extraction power: 1017m³/h - 300m³/h
- Sound power: 47dB(A), maximum: 64dB(A)
- BT5 DC BRUSHLESS motor. Ultra silent. Maximum energy consumption 250W
- High-efficiency lighting by intensity-adjustable two-tone warm/natural LED STRIP
- AUTO 2 connectivity with automatic control from the CATA AUTO 2 hob
- Fresh function. Pneumatic opening
- Active Charcoal Filter: 02859398/O. Metal Filter: 02890542 + 02890543/●


**A++**
**THALASSA EVO 600 GBK**
**Cod. 02036408 - EAN 8422248393027**
**NEW**


- Touch Control Panel with digital display, automatic shut-down timer and cleaning filters indicator
- 6 extraction levels, 4 + 2 TURBO
- Extraction power: 1017m³/h - 300m³/h
- Sound power: 47dB(A), maximum: 64dB(A)
- BT5 DC BRUSHLESS motor. Ultra silent. Maximum energy consumption 250W
- High-efficiency lighting by intensity-adjustable two-tone warm/natural LED STRIP
- AUTO 2 connectivity with automatic control from the CATA AUTO 2 hob
- Fresh function. Pneumatic opening
- Active Charcoal Filter: 02859398/O. Metal Filter: 02890542 + 02890543/●


**A++**
**THALASSA EVO 900 GWH**
**Cod. 02039009 - EAN 8422248392990**
**NEW**

- Touch Control Panel with digital display, automatic shut-down timer and cleaning filters indicator
- 6 extraction levels, 4 + 2 TURBO
- Extraction power: 1017m³/h - 300m³/h
- Sound power: 47dB(A), maximum: 64dB(A)
- BT5 DC BRUSHLESS motor. Ultra silent. Maximum energy consumption 250W
- High-efficiency lighting by intensity-adjustable two-tone warm/natural LED STRIP
- AUTO 2 connectivity with automatic control from the CATA AUTO 2 hob
- Fresh function. Pneumatic opening
- Active Charcoal Filter: 02859398/O. Metal Filter: 02890542 + 02890543/●



**A++**
**THALASSA EVO 800 GWH**
**Cod. 02038008 - EAN 8422248393133**
**NEW**

- Touch Control Panel with digital display, automatic shut-down timer and cleaning filters indicator
- 6 extraction levels, 4 + 2 TURBO
- Extraction power: 1017m³/h - 300m³/h
- Sound power: 47dB(A), maximum: 64dB(A)
- BT5 DC BRUSHLESS motor. Ultra silent. Maximum energy consumption 250W
- High-efficiency lighting by intensity-adjustable two-tone warm/natural LED STRIP
- AUTO 2 connectivity with automatic control from the CATA AUTO 2 hob
- Fresh function. Pneumatic opening
- Active Charcoal Filter: 02859398/O. Metal Filter: 02890542 + 02890543/●





**A++**
**THALASSA EVO 700 GWH**
**Cod. 02037008 - EAN 8422248393119**
**NEW**


- Touch Control Panel with digital display, automatic shut-down timer and cleaning filters indicator
- 6 extraction levels, 4 + 2 TURBO
- Extraction power: 1017m³/h - 300m³/h
- Sound power: 47dB(A), maximum: 64dB(A)
- BT5 DC BRUSHLESS motor. Ultra silent. Maximum energy consumption 250W
- High-efficiency lighting by intensity-adjustable two-tone warm/natural LED STRIP
- AUTO 2 connectivity with automatic control from the CATA AUTO 2 hob
- Fresh function. Pneumatic opening
- Active Charcoal Filter: 02859398/O. Metal Filter: 02890542 + 02890543/●


**A++**
**THALASSA EVO 600 GWH**
**Cod. 02036008 - EAN 8422248393140**
**NEW**


- Touch Control Panel with digital display, automatic shut-down timer and cleaning filters indicator
- 6 extraction levels, 4 + 2 TURBO
- Extraction power: 1017m³/h - 300m³/h
- Sound power: 47dB(A), maximum: 64dB(A)
- BT5 DC BRUSHLESS motor. Ultra silent. Maximum energy consumption 250W
- High-efficiency lighting by intensity-adjustable two-tone warm/natural LED STRIP
- AUTO 2 connectivity with automatic control from the CATA AUTO 2 hob
- Fresh function. Pneumatic opening
- Active Charcoal Filter: 02859398/O. Metal Filter: 02890542 + 02890543/●


**A+++**
**THALASSA PRO 1200 GBK**
**Cod. 02031407 - EAN 8422248393157**
**NEW**


- 6 extraction levels, 5 + 1 TURBO
- Extraction power: 842m³/h - 283m³/h
- Sound power: 46dB(A), maximum: 64dB(A)
- BRUSHLESS motor. Ultra silent. Maximum energy consumption 135W
- High-efficiency lighting by intensity-adjustable two-tone warm/natural LED STRIP
- AUTO 2 connectivity with automatic control from the CATA AUTO 2 hob
- Fresh function
- Pneumatic opening
- Active Charcoal Filter: 02859318/O. Metal Filter: 02890542 + 02890543/●


**A+++**
**THALASSA PRO 900 GBK**
**Cod. 02039407 - EAN 8422248392747**
**NEW**


- 6 extraction levels, 5 + 1 TURBO
- Extraction power: 842m³/h - 283m³/h
- Sound power: 46dB(A), maximum: 64dB(A)
- BRUSHLESS motor. Ultra silent. Maximum energy consumption 135W
- High-efficiency lighting by intensity-adjustable two-tone warm/natural LED STRIP
- AUTO 2 connectivity with automatic control from the CATA AUTO 2 hob
- Fresh function
- Pneumatic opening
- Active Charcoal Filter: 02859318/O. Metal Filter: 02890542 + 02890543/●


**A+++**
**THALASSA PRO 800 GBK**
**Cod. 02038407 - EAN 8422248392839**
**NEW**

- 6 extraction levels, 5 + 1 TURBO
- Extraction power: 842m³/h - 283m³/h
- Sound power: 46dB(A), maximum: 64dB(A)
- BRUSHLESS motor. Ultra silent. Maximum energy consumption 135W
- High-efficiency lighting by intensity-adjustable two-tone warm/natural LED STRIP
- AUTO 2 connectivity with automatic control from the CATA AUTO 2 hob
- Fresh function
- Pneumatic opening
- Active Charcoal Filter: 02859318/O. Metal Filter: 02890542 + 02890543/●



**A+++**
**THALASSA PRO 700 GBK**
**Cod. 02037407 - EAN 8422248392761**
**NEW**

- 6 extraction levels, 5 + 1 TURBO
- Extraction power: 842m³/h - 283m³/h
- Sound power: 46dB(A), maximum: 64dB(A)
- BRUSHLESS motor. Ultra silent. Maximum energy consumption 135W
- High-efficiency lighting by intensity-adjustable two-tone warm/natural LED STRIP
- AUTO 2 connectivity with automatic control from the CATA AUTO 2 hob
- Fresh function
- Pneumatic opening
- Active Charcoal Filter: 02859318/O. Metal Filter: 02890542 + 02890543/●





**A+++**
**THALASSA PRO 600 GBK**
**Cod. 02036407 - EAN 8422248392938**
**NEW**


- 6 extraction levels, 5 + 1 TURBO
- Extraction power: 842m³/h - 283m³/h
- Sound power: 46dB(A), maximum: 64dB(A)
- BRUSHLESS motor. Ultra silent. Maximum energy consumption 135W
- High-efficiency lighting by intensity-adjustable two-tone warm/natural LED STRIP
- AUTO 2 connectivity with automatic control from the CATA AUTO 2 hob
- Fresh function
- Pneumatic opening
- Active Charcoal Filter: 02859318/O. Metal Filter: 02890542 + 02890543/●


**A+++**
**THALASSA PRO 900 GWH**
**Cod. 02039107 - EAN 8422248392785**
**NEW**


- 6 extraction levels, 5 + 1 TURBO
- Extraction power: 842m³/h - 283m³/h
- Sound power: 46dB(A), maximum: 64dB(A)
- BRUSHLESS motor. Ultra silent. Maximum energy consumption 135W
- High-efficiency lighting by intensity-adjustable two-tone warm/natural LED STRIP
- AUTO 2 connectivity with automatic control from the CATA AUTO 2 hob
- Fresh function
- Pneumatic opening
- Active Charcoal Filter: 02859318/O. Metal Filter: 02890542 + 02890543/●


**A+++**
**THALASSA PRO 800 GWH**
**Cod. 02038007 - EAN 8422248393003**
**NEW**


- 6 extraction levels, 5 + 1 TURBO
- Extraction power: 842m³/h - 283m³/h
- Sound power: 46dB(A), maximum: 64dB(A)
- BRUSHLESS motor. Ultra silent. Maximum energy consumption 135W
- High-efficiency lighting by intensity-adjustable two-tone warm/natural LED STRIP
- AUTO 2 connectivity with automatic control from the CATA AUTO 2 hob
- Fresh function
- Pneumatic opening
- Active Charcoal Filter: 02859318/O. Metal Filter: 02890542 + 02890543/●


**A+++**
**THALASSA PRO 700 GWH**
**Cod. 02037007 - EAN 8422248392822**
**NEW**


- 6 extraction levels, 5 + 1 TURBO
- Extraction power: 842m³/h - 283m³/h
- Sound power: 46dB(A), maximum: 64dB(A)
- BRUSHLESS motor. Ultra silent. Maximum energy consumption 135W
- High-efficiency lighting by intensity-adjustable two-tone warm/natural LED STRIP
- AUTO 2 connectivity with automatic control from the CATA AUTO 2 hob
- Fresh function
- Pneumatic opening
- Active Charcoal Filter: 02859318/O. Metal Filter: 02890542 + 02890543/●


**A+++**
**THALASSA PRO 600 GWH**
**Cod. 02036007 - EAN 8422248393010**
**NEW**

- 6 extraction levels, 5 + 1 TURBO
- Extraction power: 842m³/h - 283m³/h
- Sound power: 46dB(A), maximum: 64dB(A)
- BRUSHLESS motor. Ultra silent. Maximum energy consumption 135W
- High-efficiency lighting by intensity-adjustable two-tone warm/natural LED STRIP
- AUTO 2 connectivity with automatic control from the CATA AUTO 2 hob
- Fresh function
- Pneumatic opening
- Active Charcoal Filter: 02859318/O. Metal Filter: 02890542 + 02890543/●


**A+++**
**THALASSA PRO 900 GGR**
**Cod. 02039507 - EAN 8422248393171**
**NEW**


- 6 extraction levels, 5 + 1 TURBO
- Extraction power: 842m³/h - 283m³/h
- Sound power: 46dB(A), maximum: 64dB(A)
- BRUSHLESS motor. Ultra silent. Maximum energy consumption 135W
- High-efficiency lighting by intensity-adjustable two-tone warm/natural LED STRIP
- AUTO 2 connectivity with automatic control from the CATA AUTO 2 hob
- Fresh function
- Pneumatic opening
- Active Charcoal Filter: 02859318/O. Metal Filter: 02890542 + 02890543/●



**A+++**


**THALASSA PRO 800 GGR**
**Cod. 02038507 - EAN 8422248393188**
**NEW**

- 6 extraction levels, 5 + 1 TURBO
- Extraction power: 842m³/h - 283m³/h
- Sound power: 46dB(A), maximum: 64dB(A)
- BRUSHLESS motor. Ultra silent. Maximum energy consumption 135W
- High-efficiency lighting by intensity-adjustable two-tone warm/natural LED STRIP
- AUTO 2 connectivity with automatic control from the CATA AUTO 2 hob
- Fresh function
- Pneumatic opening
- Active Charcoal Filter: 02859318 / O. Metal Filter: 02890542 + 02890543/●


**A**


**THALASSA 900 GBK**
**Cod. 02039406 - EAN 8422248393041**
**NEW**

- Electronic Control Panel with digital display, automatic shut-down timer and cleaning filters indicator
- 4 extraction levels, 3 + 1 TURBO
- Extraction power: 811m³/h - 346m³/h
- Sound power: 46dB(A), maximum: 64dB(A)
- BT3 motor. Extra silent. Maximum energy consumption 280W
- High-efficiency lighting by intensity-adjustable two-tone warm/natural LED STRIP
- Fresh function
- Pneumatic opening
- Active Charcoal Filter: 02859398 / O. Metal Filter: 02890542 + 02890543/●


**A**


**THALASSA 700GBK**
**Cod. 02037406 - EAN 8422248392846**
**NEW**

- Electronic Control Panel with digital display, automatic shut-down timer and cleaning filters indicator
- 4 extraction levels, 3 + 1 TURBO
- Extraction power: 811m³/h - 346m³/h
- Sound power: 46dB(A), maximum: 64dB(A)
- BT3 motor. Extra silent. Maximum energy consumption 280W
- High-efficiency lighting by intensity-adjustable two-tone warm/natural LED STRIP
- Fresh function
- Pneumatic opening
- Active Charcoal Filter: 02859398 / O. Metal Filter: 02890542 + 02890543/●


**A**


**THALASSA 600GBK**
**Cod. 02036406 - EAN 8422248392853**
**NEW**

- Electronic Control Panel with digital display, automatic shut-down timer and cleaning filters indicator
- 4 extraction levels, 3 + 1 TURBO
- Extraction power: 811m³/h - 346m³/h
- Sound power: 46dB(A), maximum: 64dB(A)
- BT3 motor. Extra silent. Maximum energy consumption 280W
- High-efficiency lighting by intensity-adjustable two-tone warm/natural LED STRIP
- Fresh function
- Pneumatic opening
- Active Charcoal Filter: 02859398 / O. Metal Filter: 02890542 + 02890543/●


**A**


**THALASSA 900GWH**
**Cod. 02039106 - EAN 8422248392945**
**NEW**

- Electronic Control Panel with digital display, automatic shut-down timer and cleaning filters indicator
- 4 extraction levels, 3 + 1 TURBO
- Extraction power: 811m³/h - 346m³/h
- Sound power: 46dB(A), maximum: 64dB(A)
- BT3 motor. Extra silent. Maximum energy consumption 280W
- High-efficiency lighting by intensity-adjustable two-tone warm/natural LED STRIP
- Fresh function
- Pneumatic opening
- Active Charcoal Filter: 02859398 / O. Metal Filter: 02890542 + 02890543/●


**A**

**THALASSA 700GWH**
**Cod. 02037006 - EAN 8422248393034**
**NEW**


- Electronic Control Panel with digital display, automatic shut-down timer and cleaning filters indicator
- 4 extraction levels, 3 + 1 TURBO
- Extraction power: 811m³/h - 346m³/h
- Sound power: 46dB(A), maximum: 64dB(A)
- BT3 motor. Extra silent. Maximum energy consumption 280W
- High-efficiency lighting by intensity-adjustable two-tone warm/natural LED STRIP
- Fresh function
- Pneumatic opening
- Active Charcoal Filter: 02859398 / O. Metal Filter: 02890542 + 02890543/●





**A**
**THALASSA 600GWH**
**Cod.** 02036006 - **EAN** 8422248393126

**NEW**


- Electronic Control Panel with digital display, automatic shut-down timer and cleaning filters indicator
- 4 extraction levels, 3 + 1 TURBO
- Extraction power: 811m³/h - 346m³/h
- Sound power: 46dB(A), maximum: 64dB(A)
- BT3 motor. Extra silent. Maximum energy consumption 280W
- High-efficiency lighting by intensity-adjustable two-tone warm/natural LED STRIP
- Fresh function
- Pneumatic opening
- Active Charcoal Filter: 02859398 / O. Metal Filter: 02890542 + 02890543/●


**A+**
**JUNO+ 9000 GBK**
**Cod.** 02059701 - **EAN** 8422248355643


- Touch Control Panel with digital display, automatic shut-down timer and cleaning filters indicator
- 6 extraction levels, 5 + 1 TURBO
- Extraction power: 548m³/h - 212m³/h
- Sound power: 50dB(A), máximo: 64dB(A)
- Brushless motor. Extra silent. Maximum energy consumption 95W
- High efficiency Strip LED lighting, adjustable intensity
- AUTO 2 connectivity with automatic control from the CATA AUTO 2 hob
- Pneumatic opening
- Active Charcoal Filter: 02859394 O. Metal Filter: 02800915 + 02800949/●


**A+**
**JUNO+ 7000 GBK**
**Cod.** 02078701 - **EAN** 8422248355636


- Touch Control Panel with digital display, automatic shut-down timer and cleaning filters indicator
- 6 extraction levels, 5 + 1 TURBO
- Extraction power: 548m³/h - 212m³/h
- Sound power: 50dB(A), máximo: 64dB(A)
- Brushless motor. Extra silent. Maximum energy consumption 95W
- High efficiency Strip LED lighting, adjustable intensity
- AUTO 2 connectivity with automatic control from the CATA AUTO 2 hob
- Pneumatic opening
- Active Charcoal Filter: 02859394 O. Metal Filter: 02800915 + 02800949/●


**A+**
**JUNO+ 6000 GBK**
**Cod.** 02027701 - **EAN** 8422248355629


- Touch Control Panel with digital display, automatic shut-down timer and cleaning filters indicator
- 6 extraction levels, 5 + 1 TURBO
- Extraction power: 548m³/h - 212m³/h
- Sound power: 50dB(A), máximo: 64dB(A)
- Brushless motor. Extra silent. Maximum energy consumption 95W
- High efficiency Strip LED lighting, adjustable intensity
- AUTO 2 connectivity with automatic control from the CATA AUTO 2 hob
- Pneumatic opening
- Active Charcoal Filter: 02859394 O. Metal Filter: 02800915 + 02800949/●


**A+**
**JUNO+ 9000 GWH**
**Cod.** 02059801 - **EAN** 8422248355674

- Touch Control Panel with digital display, automatic shut-down timer and cleaning filters indicator
- 6 extraction levels, 5 + 1 TURBO
- Extraction power: 548m³/h - 212m³/h
- Sound power: 50dB(A), máximo: 64dB(A)
- Brushless motor. Extra silent. Maximum energy consumption 95W
- High efficiency Strip LED lighting, adjustable intensity
- AUTO 2 connectivity with automatic control from the CATA AUTO 2 hob
- Pneumatic opening
- Active Charcoal Filter: 02859394 O. Metal Filter: 02800915 + 02800949/●


**A+**
**JUNO+ 7000 GWH**
**Cod.** 02078801 - **EAN** 8422248355667

- Touch Control Panel with digital display, automatic shut-down timer and cleaning filters indicator
- 6 extraction levels, 5 + 1 TURBO
- Extraction power: 548m³/h - 212m³/h
- Sound power: 50dB(A), máximo: 64dB(A)
- Brushless motor. Extra silent. Maximum energy consumption 95W
- High efficiency Strip LED lighting, adjustable intensity
- AUTO 2 connectivity with automatic control from the CATA AUTO 2 hob
- Pneumatic opening
- Active Charcoal Filter: 02859394 O. Metal Filter: 02800915 + 02800949/●






A<sup>+</sup>

### JUNO+ 6000 GWH

Cod. 02027801 - EAN 8422248355650

- Touch Control Panel with digital display, automatic shut-down timer and cleaning filters indicator
- 6 extraction levels, 5 + 1 TURBO
- Extraction power: 548m³/h - 212m³/h
- Sound power: 50dB(A), máximo: 64dB(A)
- Brushless motor. Extra silent. Maximum energy consumption 95W
- High efficiency Strip LED lighting, adjustable intensity
- AUTO 2 connectivity with automatic control from the CATA AUTO 2 hob
- Pneumatic opening
- Active Charcoal Filter: 02859394 O. Metal Filter: 02800915 + 02800949/●




A<sup>+</sup>

### JUNO 9000 GBK

Cod. 02059700 - EAN 8422248355612

- Touch Control Panel with digital display, automatic shut-down timer and cleaning filters indicator
- 6 extraction levels, 5 + 1 TURBO
- Extraction power: 424m³/h - 185m³/h
- Sound power: 45dB(A), máximo: 61dB(A)
- Brushless motor. Extra silent. Maximum energy consumption 73W
- High efficiency Compact Strip LED lighting, adjustable intensity
- AUTO 2 connectivity with automatic control from the CATA AUTO 2 hob
- Active Charcoal Filter: 02859488/O. Metal Filter: 02800915/●




A<sup>+</sup>

### JUNO 7000 GBK

Cod. 02078700 - EAN 8422248355605

- Touch Control Panel with digital display, automatic shut-down timer and cleaning filters indicator
- 6 extraction levels, 5 + 1 TURBO
- Extraction power: 424m³/h - 185m³/h
- Sound power: 45dB(A), máximo: 61dB(A)
- Brushless motor. Extra silent. Maximum energy consumption 73W
- High efficiency Compact Strip LED lighting, adjustable intensity
- AUTO 2 connectivity with automatic control from the CATA AUTO 2 hob
- Active Charcoal Filter: 02859488/O. Metal Filter: 02800915/●




A<sup>+</sup>

### JUNO 6000 GBK

Cod. 02027700 - EAN 8422248355599

- Touch Control Panel with digital display, automatic shut-down timer and cleaning filters indicator
- 6 extraction levels, 5 + 1 TURBO
- Extraction power: 424m³/h - 185m³/h
- Sound power: 45dB(A), máximo: 61dB(A)
- Brushless motor. Extra silent. Maximum energy consumption 73W
- High efficiency Compact Strip LED lighting, adjustable intensity
- AUTO 2 connectivity with automatic control from the CATA AUTO 2 hob
- Active Charcoal Filter: 02859488/O. Metal Filter: 02800915/●




A

### HESTIA 600 GBK

Cod. 02012610 - EAN 8422248360395

- Mechanical Control Panel
- 3 extraction levels
- Extraction power: 358m³/h - 192m³/h
- Motor maximum airflow free outlet: 470 m³/h
- Sound power: 51dB(A), maximum: 67dB(A)
- K9C motor. Maximum energy consumption 90W
- High efficiency compact Strip LED lighting
- Max. Pressure: 240 Pa
- 120 mm outlet diameter



CATA  
WANDA  
hood

modern design,  
efficient  
extraction and  
LED lighting.

## DECORATIVE Hoods




A++

### WANDA 900 XGBK

Cod. 02059405 - EAN 8422248102308

- Touch Control Panel with automatic shut-down timer
- 9 extraction levels
- Extraction power: 525m³/h - 235m³/h
- Sound power: 35dB(A), maximum: 65dB(A)
- BRUSHLESS motor. Ultra silent. Maximum energy consumption 70W
- High efficiency LED lighting
- Active Charcoal Filter: 028594892/O. Metal Filter: 02800963/●




A++

### WANDA 700 XGBK

Cod. 02078405 - EAN 8422248102315

- Touch Control Panel with automatic shut-down timer
- 9 extraction levels
- Extraction power: 525m³/h - 235m³/h
- Sound power: 35dB(A), maximum: 65dB(A)
- BRUSHLESS motor. Ultra silent. Maximum energy consumption 70W
- High efficiency LED lighting
- Active Charcoal Filter: 028594892/O. Metal Filter: 02800963/●




A++

### WANDA 600 XGBK

Cod. 02027210 - EAN 8422248102322

- Touch Control Panel with automatic shut-down timer
- 9 extraction levels
- Extraction power: 525m³/h - 235m³/h
- Sound power: 35dB(A), maximum: 65dB(A)
- BRUSHLESS motor. Ultra silent. Maximum energy consumption 70W
- High efficiency LED lighting
- Active Charcoal Filter: 028594892/O. Metal Filter: 02800963/●




A++

### WANDA 900 XGWH

Cod. 02059010 - EAN 8422248102339

- Touch Control Panel with automatic shut-down timer
- 9 extraction levels
- Extraction power: 525m³/h - 235m³/h
- Sound power: 35dB(A), maximum: 65dB(A)
- BRUSHLESS motor. Ultra silent. Maximum energy consumption 70W
- High efficiency LED lighting
- Active Charcoal Filter: 028594892/O. Metal Filter: 02800963/●




A++

### WANDA 700 XGWH

Cod. 02078006 - EAN 8422248102346

- Touch Control Panel with automatic shut-down timer
- 9 extraction levels
- Extraction power: 525m³/h - 235m³/h
- Sound power: 35dB(A), maximum: 65dB(A)
- BRUSHLESS motor. Ultra silent. Maximum energy consumption 70W
- High efficiency LED lighting
- Active Charcoal Filter: 028594892/O. Metal Filter: 02800963/●




A++

### WANDA 600 XGWH

Cod. 02027012 - EAN 8422248102353

- Touch Control Panel with automatic shut-down timer
- 9 extraction levels
- Extraction power: 525m³/h - 235m³/h
- Sound power: 35dB(A), maximum: 65dB(A)
- BRUSHLESS motor. Ultra silent. Maximum energy consumption 70W
- High efficiency LED lighting
- Active Charcoal Filter: 028594892/O. Metal Filter: 02800963/●






B

### LENA 900 XGBK

Cod. 02059403 - EAN 8422248108089

- Electronic Control Panel with automatic shut down timer
- 3 extraction levels
- Extraction power: 500m³/h - 310m³/h
- Sound power: 45dB(A), maximum: 63dB(A)
- 1 motor. Maximum energy consumption 120W
- High efficiency LED lighting
- Active Charcoal Filter: 028594892/O. Metal Filter: 02800963/●




B

### LENA 600XGBK

Cod. 02032205 - EAN 8422248102292

- Electronic control Panel with automatic shut down timer
- 3 extraction levels
- Extraction power: 500m³/h - 310m³/h
- Sound power: 45dB(A), maximum: 63dB(A)
- 1 motor. Maximum energy consumption 120W
- High efficiency LED lighting
- Active Charcoal Filter: 028594892/O. Metal Filter: 02800963/●




B

### LENA 500XGBK

Cod. 02032206 - EAN 8422248102377

- Electronic Control Panel with automatic shut down timer
- 3 extraction levels
- Extraction power: 500m³/h - 310m³/h
- Sound power: 45dB(A), maximum: 63dB(A)
- 1 motor. Maximum energy consumption 120W
- High efficiency LED lighting
- Active Charcoal Filter: 028594892/O. Metal Filter: 02800963/●




B

### LENA 600 XGWH

Cod. 02032005 - EAN 8422248102285

- Electronic Control Panel with automatic shut down timer
- 3 extraction levels
- Extraction power: 500m³/h - 310m³/h
- Sound power: 45dB(A), maximum: 63dB(A)
- 1 motor. Maximum energy consumption 120W
- High efficiency LED lighting
- Active Charcoal Filter: 028594892/O. Metal Filter: 02800963/●




B

### LENA 500XGWH

Cod. 02032006 - EAN 8422248102360

- Electronic Control Panel with automatic shut down timer
- 3 extraction levels
- Extraction power: 500m³/h - 310m³/h
- Sound power: 45dB(A), maximum: 63dB(A)
- 1 motor. Maximum energy consumption 120W
- High efficiency LED lighting
- Active Charcoal Filter: 028594892/O. Metal Filter: 02800963/●






A++

### LEGEND 9000 XGBK

Cod. 02029207 - EAN 8422248101493

- Touch Control Panel with automatic shut-down timer and cleaning filters indicator
- 9 extraction levels
- Extraction power: 640m³/h - 236m³/h
- Sound power: 44dB(A), maximum: 65dB(A)
- BRUSHLESS motor. Ultra silent. Maximum energy consumption 70W
- High efficiency Strip LED lighting
- Active Charcoal Filter: 02859492/O. Metal Filter: 02800974/●




A++

### LEGEND 7000 XGBK

Cod. 02021202 - EAN 8422248101509

- Touch Control Panel with automatic shut-down timer and cleaning filters indicator
- 9 extraction levels
- Extraction power: 640m³/h - 240m³/h
- Sound power: 42dB(A), maximum: 63dB(A)
- BRUSHLESS motor. Ultra silent. Maximum energy consumption 70W
- High efficiency Strip LED lighting
- Active Charcoal Filter: 02859492/O. Metal Filter: 02800973/●




A++

### LEGEND 6000 XGBK

Cod. 02060208 - EAN 8422248102544

- Touch Control Panel with automatic shut-down timer and cleaning filters indicator
- 9 extraction levels
- Extraction power: 530m³/h - 190m³/h
- Sound power: 42dB(A), maximum: 59dB(A)
- BRUSHLESS motor. Ultra silent. Maximum energy consumption 70W
- High efficiency Strip LED lighting
- Active Charcoal Filter: 02859492/O. Metal Filter: 02800975/●




A++

### LEGEND 9010 X

Cod. 02029306 - EAN 8422248110037

- Electronic Control Panel with digital display, automatic shut-down timer and cleaning filters indicator
- 6 extraction levels, 5 + 1 TURBO
- Extraction power: 831m³/h - 210m³/h
- Sound power: 40dB(A), máximo: 64dB(A)
- BT5DC motor. Extra silent. Maximum energy consumption 140W
- High efficiency strip LED lighting, adjustable intensity
- Active Charcoal Filter: 02859398/O. Metal Filter: 02800043/●




A++

### LEGEND 7010 X

Cod. 02021308 - EAN 8422248110044

- Electronic Control Panel with digital display, automatic shut-down timer and cleaning filters indicator
- 7 extraction levels, 5 + 1 TURBO
- Extraction power: 831m³/h - 210m³/h
- Sound power: 40dB(A), máximo: 64dB(A)
- BT5DC motor. Extra silent. Maximum energy consumption 140W
- High efficiency strip LED lighting, adjustable intensity
- Active Charcoal Filter: 02859398/O. Metal Filter: 02800043/●




A

### SYGMA 12010 X

Cod. 02132305 - EAN 8422248073035

- Electronic Control Panel with automatic shut down timer
- 4 extraction levels, 3 + 1 TURBO
- Extraction power: 802m³/h - 340m³/h
- Sound power: 50dB(A), maximum: 67dB(A)
- BT3 motor. Extra silent. Maximum energy consumption 280W
- High efficiency strip LED lighting, adjustable intensity
- Active Charcoal Filter: 02859398/O. Metal Filter: 02800004/●






A

### SYGMA 9010 X

Cod. 02075305 - EAN 8422248110051

- Electronic Control Panel with automatic shut down timer
- 4 extraction levels, 3 + 1 TURBO
- Extraction power: 802m³/h - 340m³/h
- Sound power: 50dB(A), maximum: 67dB(A)
- BT3 motor. Extra silent. Maximum energy consumption 280W
- High efficiency strip LED lighting, adjustable intensity
- Active Charcoal Filter: 02859398/O. Metal Filter: 02800213/●




A

### SYGMA 7010 X

Cod. 02021310 - EAN 8422248110068

- Electronic Control Panel with automatic shut down timer
- 4 extraction levels, 3 + 1 TURBO
- Extraction power: 802m³/h - 340m³/h
- Sound power: 50dB(A), maximum: 67dB(A)
- BT3 motor. Extra silent. Maximum energy consumption 280W
- High efficiency strip LED lighting, adjustable intensity
- Active Charcoal Filter: 02859398/O. Metal Filter: 02800213/●




A

### SYGMA 6010 X

Cod. 02060310 - EAN 8422248110075

- Electronic Control Panel with automatic shut down timer
- 4 extraction levels, 3 + 1 TURBO
- Extraction power: 802m³/h - 340m³/h
- Sound power: 50dB(A), maximum: 67dB(A)
- BT3 motor. Extra silent. Maximum energy consumption 280W
- High efficiency strip LED lighting, adjustable intensity
- Active Charcoal Filter: 02859398/O. Metal Filter: 02800213/●




A

### SYGMA 9010 BK

Cod. 02075401 - EAN 8422248110082

- Electronic Control Panel with automatic shut down timer
- 4 extraction levels, 3 + 1 TURBO
- Extraction power: 802m³/h - 340m³/h
- Sound power: 50dB(A), maximum: 67dB(A)
- BT3 motor. Extra silent. Maximum energy consumption 280W
- High efficiency strip LED lighting, adjustable intensity
- Active Charcoal Filter: 02859398/O. Metal Filter: 02800213/●




A

### SYGMA 7010 BK

Cod. 02021400 - EAN 8422248357272

- Electronic Control Panel with automatic shut down timer
- 4 extraction levels, 3 + 1 TURBO
- Extraction power: 802m³/h - 340m³/h
- Sound power: 50dB(A), maximum: 67dB(A)
- BT3 motor. Extra silent. Maximum energy consumption 280W
- High efficiency strip LED lighting, adjustable intensity
- Active Charcoal Filter: 02859398/O. Metal Filter: 02800213/●




A

### SYGMA 6010 BK

Cod. 02060400 - EAN 8422248357289

- Electronic Control Panel with automatic shut down timer
- 4 extraction levels, 3 + 1 TURBO
- Extraction power: 802m³/h - 340m³/h
- Sound power: 50dB(A), maximum: 67dB(A)
- BT3 motor. Extra silent. Maximum energy consumption 280W
- High efficiency strip LED lighting, adjustable intensity
- Active Charcoal Filter: 02859398/O. Metal Filter: 02800213/●






A

### SPRO 9000 X

Cod. 02075410 - EAN 8422248371421

- Electronic Control Panel with digital display, automatic shut-down timer
- 3 extraction levels, 2 + 1 TURBO
- Extraction power: 1027m³/h - 419m³/h
- Sound power: 64dB(A), máximo: 76dB(A)
- A1000 motor. Extra silent. Maximum energy consumption 380W
- High efficiency LED lighting
- Active Charcoal Filter: 02800054/O. Metal Filter: 02800708 /●




A

### SPRO 7000 X

Cod. 02075411 - EAN 8422248371438

- Electronic Control Panel with digital display, automatic shut-down timer
- 3 extraction levels, 2 + 1 TURBO
- Extraction power: 1027m³/h - 419m³/h
- Sound power: 64dB(A), máximo: 76dB(A)
- A1000 motor. Extra silent. Maximum energy consumption 380W
- High efficiency LED lighting
- Active Charcoal Filter: 02800054/O. Metal Filter: 02800707/●




A

### SPRO 6000 X

Cod. 02075412 - EAN 8422248371445

- Electronic Control Panel with digital display, automatic shut-down timer
- 3 extraction levels, 2 + 1 TURBO
- Extraction power: 1027m³/h - 419m³/h
- Sound power: 64dB(A), máximo: 76dB(A)
- A1000 motor. Extra silent. Maximum energy consumption 380W
- High efficiency LED lighting
- Active Charcoal Filter: 02800054/O. Metal Filter: 02800705/●




A+

### SPRO 9000 BK

Cod. 02075413 - EAN 8422248371452

- Electronic Control Panel with digital display, automatic shut-down timer
- 3 extraction levels, 2 + 1 TURBO
- Extraction power: 1027m³/h - 419m³/h
- Sound power: 64dB(A), máximo: 76dB(A)
- A1000 motor. Extra silent. Maximum energy consumption 380W
- High efficiency LED lighting
- Active Charcoal Filter: 02800054/O. Metal Filter: 02800708/●




A

### SPRO 7000 BK

Cod. 02075414 - EAN 8422248371476

- Electronic Control Panel with digital display, automatic shut-down timer
- 3 extraction levels, 2 + 1 TURBO
- Extraction power: 1027m³/h - 419m³/h
- Sound power: 64dB(A), máximo: 76dB(A)
- A1000 motor. Extra silent. Maximum energy consumption 380W
- High efficiency LED lighting
- Active Charcoal Filter: 02800054/O. Metal Filter: 02800707/●




A

### SPRO 6000 BK


Cod. 02075415 - EAN 8422248371506

- Electronic Control Panel with digital display, automatic shut-down timer
- 3 extraction levels, 2 + 1 TURBO
- Extraction power: 1027m³/h - 419m³/h
- Sound power: 64dB(A), máximo: 76dB(A)
- A1000 motor. Extra silent. Maximum energy consumption 380W
- High efficiency LED lighting
- Active Charcoal Filter: 02800054/O. Metal Filter: 02800705/●





**S PLUS 9010 X**
**Cod.** 02029602 - **EAN** 8422248093422


- Mechanical Control Panel
- 3 extraction levels
- Extraction power: 637m<sup>3</sup>/h - 361m<sup>3</sup>/h
- Sound power: 69dB(A), maximum: 74dB(A)
- Motor M3R. Extra silent. Maximum energy consumption 270W
- High efficiency Strip LED lighting
- Energy Class: C
- Active Charcoal Filter: 02859398/O. Metal Filter: 02800930/●


**S PLUS 7010 X**
**Cod.** 02021602 - **EAN** 8422248093446

- Mechanical Control Panel
- 3 extraction levels
- Extraction power: 637m<sup>3</sup>/h - 361m<sup>3</sup>/h
- Sound power: 69dB(A), maximum: 74dB(A)
- Motor M3R. Extra silent. Maximum energy consumption 270W
- High efficiency Strip LED lighting
- Energy Class: C
- Active Charcoal Filter: 02859398/O. Metal Filter: 02800930/●



**S PLUS 6010 X**
**Cod.** 02060602 - **EAN** 8422248093453

- Mechanical Control Panel
- 3 extraction levels
- Extraction power: 637m<sup>3</sup>/h - 361m<sup>3</sup>/h
- Sound power: 69dB(A), maximum: 74dB(A)
- Motor M3R. Extra silent. Maximum energy consumption 270W
- High efficiency Strip LED lighting
- Energy Class: C
- Active Charcoal Filter: 02859398/O. Metal Filter: 02800930/●


**ST-9010 X**
**Cod.** 02075446 - **EAN** 8422248384292


**NEW**

- Mechanical Control Panel
- 3 extraction levels
- Extraction power: 299m<sup>3</sup>/h - 223m<sup>3</sup>/h
- Sound power: 60dB(A), maximum: 67dB(A)
- Maximum energy consumption 67W
- High efficiency Strip LED lighting
- Energy Class: B
- Active Charcoal Filter: 02800221/O. Metal Filter: 02800708/●


**ST-7010 X**
**Cod.** 02075447 - **EAN** 8422248384308


**NEW**

- Mechanical Control Panel
- 3 extraction levels
- Extraction power: 362m<sup>3</sup>/h - 236m<sup>3</sup>/h
- Sound power: 58dB(A), maximum: 64dB(A)
- Maximum energy consumption 67W
- High efficiency Strip LED lighting
- Energy Class: B
- Active Charcoal Filter: 02800058/O. Metal Filter: 02800707/●


**ST-6010 X**
**Cod.** 02075448 - **EAN** 8422248384315

**NEW**

- Mechanical Control Panel
- 3 extraction levels
- Extraction power: 301m<sup>3</sup>/h - 230m<sup>3</sup>/h
- Sound power: 61dB(A), maximum: 68dB(A)
- Maximum energy consumption 67W
- High efficiency Strip LED lighting
- Energy Class: B
- Active Charcoal Filter: 02800223/O. Metal Filter: 02800705/●






A

### SK 6000 X

Cod. 02060609 - EAN 8422248356978

- Mechanical Control Panel
- 3 extraction levels
- Extraction power: 453m<sup>3</sup>/h - 184m<sup>3</sup>/h
- Sound power: 50dB(A), maximum: 57dB(A)
- K10 motor. Maximum energy consumption 110W
- High efficiency LED's lighting
- Active Charcoal Filter: 02859489/O. Metal Filter: 02800905/●. Metal Filter MAX PRO: 02800917/O




A

### CK 9000 X

Cod. 02008107 - EAN 8422248356992

- Mechanical Control Panel
- 3 extraction levels
- Extraction power: 443m<sup>3</sup>/h - 185m<sup>3</sup>/h
- Sound power: 51dB(A), maximum: 58dB(A)
- K10 motor. Maximum energy consumption 110W
- High efficiency LED's lighting
- Active Charcoal Filter: 02859489/O. Metal Filter: 02819000/●




A

### CK 6000 X

Cod. 02005107 - EAN 8422248356985

- Mechanical Control Panel
- 3 extraction levels
- Extraction power: 443m<sup>3</sup>/h - 185m<sup>3</sup>/h
- Sound power: 51dB(A), maximum: 68dB(A)
- K10 motor. Maximum energy consumption 110W
- High efficiency LED's lighting
- Active Charcoal Filter: 02859489/O. Metal Filter: 02800905/●




A

### CK 6000 BK

Cod. 02005407 - EAN 8422248357005


- Mechanical Control Panel
- 3 extraction levels
- Extraction power: 443m<sup>3</sup>/h - 185m<sup>3</sup>/h
- Sound power: 51dB(A), maximum: 68dB(A)
- K10 motor. Maximum energy consumption 110W
- High efficiency compact Strip LED lighting
- Active Charcoal Filter: 02859489/O. Metal Filter: 02800905/●.



### CG5-T900 X

Cod. 02008299 - EAN 8422248108102


- Mechanical Control Panel
- 3 extraction levels
- Extraction power: 495m<sup>3</sup>/h - 300m<sup>3</sup>/h
- Sound power: 45dB(A), maximum: 66dB(A)
- Maximum energy consumption 120W
- High efficiency LED lighting
- Energy Class: B
- Active Charcoal Filter: 02859501/O. Metal Filter: 02800963/●



### CG5-T600 X

Cod. 02005299 - EAN 8422248097413

- Mechanical Control Panel
- 4 extraction levels
- Extraction power: 495m<sup>3</sup>/h - 300m<sup>3</sup>/h
- Sound power: 45dB(A), maximum: 66dB(A)
- Maximum energy consumption 120W
- High efficiency LED lighting
- Energy Class: B
- Active Charcoal Filter: 02859501/O. Metal Filter: 02800963/●





A

**BETA PRO 9000 X****Cod.** 02075416 - **EAN** 8422248371513

- Electronic Control Panel with digital display, automatic shut-down timer and cleaning filters indicator
- 3 extraction levels, 2 + 1 TURBO
- Extraction power: 1027m³/h - 419m³/h
- Sound power: 64dB(A), máximo: 76dB(A)
- A1000 motor. Extra silent.
- Maximum energy consumption 380W
- High efficiency LED lighting
- Active Charcoal Filter: 02800054/O. Metal Filter: 02800708/●



A

**BETA PRO 7000 X****Cod.** 02075417 - **EAN** 8422248371520




- Electronic Control Panel with digital display, automatic shut-down timer and cleaning filters indicator
- 3 extraction levels, 2 + 1 TURBO
- Extraction power: 1027m³/h - 419m³/h
- Sound power: 64dB(A), máximo: 76dB(A)
- A1000 motor. Extra silent.
- Maximum energy consumption 380W
- High efficiency LED lighting
- Active Charcoal Filter: 02800054/O. Metal Filter: 02800707/●



A

**BETA PRO 6000 X****Cod.** 02075418 - **EAN** 8422248371537

- Electronic Control Panel with digital display, automatic shut-down timer and cleaning filters indicator
- 3 extraction levels, 2 + 1 TURBO
- Extraction power: 1027m³/h - 419m³/h
- Sound power: 64dB(A), máximo: 76dB(A)
- A1000 motor. Extra silent.
- Maximum energy consumption 380W
- High efficiency LED lighting
- Active Charcoal Filter: 02800054/O. Metal Filter: 02800705/●



# BETA PRO.

Professional power, perfectly adapted to you.


**Available in three sizes, BETA PRO delivers powerful extraction, silent operation, and electronic control with a digital display. Robust design and efficiency to suit any kitchen.**



A

**BETA PRO 9000 BK****Cod.** 02075419 - **EAN** 8422248371544


- Electronic Control Panel with digital display, automatic shut-down timer and cleaning filters indicator
- 3 extraction levels, 2 + 1 TURBO
- Extraction power: 1027m³/h - 419m³/h
- Sound power: 64dB(A), máximo: 76dB(A)
- A1000 motor. Extra silent.
- Maximum energy consumption 380W
- High efficiency LED lighting
- Active Charcoal Filter: 02800054/O. Metal Filter: 02800708 /●



A

**BETA PRO 7000 BK****Cod.** 02075420 - **EAN** 8422248371551


- Electronic Control Panel with digital display, automatic shut-down timer and cleaning filters indicator
- 3 extraction levels, 2 + 1 TURBO
- Extraction power: 1027m³/h - 419m³/h
- Sound power: 64dB(A), máximo: 76dB(A)
- A1000 motor. Extra silent.
- Maximum energy consumption 380W
- High efficiency LED lighting
- Active Charcoal Filter: 02800054/O. Metal Filter: 02800707/●



A

**BETA PRO 6000 BK****Cod.** 02075421 - **EAN** 8422248371568

- Electronic Control Panel with digital display, automatic shut-down timer and cleaning filters indicator
- 3 extraction levels, 2 + 1 TURBO
- Extraction power: 1027m³/h - 419m³/h
- Sound power: 64dB(A), máximo: 76dB(A)
- A1000 motor. Extra silent.
- Maximum energy consumption 380W
- High efficiency LED lighting
- Active Charcoal Filter: 02800054/O. Metal Filter: 02800705/●






### OMEGA 900 X

Cod. 02004310 - EAN 8422248190596

- Mechanical Control Panel
- 3 extraction levels
- Extraction power: 645m³/h - 385m³/h
- Sound power: 58dB(A), maximum: 72dB(A)
- M3R motor. Extra silent. Maximum energy consumption 270W
- High efficiency Compact Strip LED lighting
- Energy Class: C
- Active Charcoal Filter: 02859391/O. Metal Filter: 02800905/●. Metal Filter MAX PRO: 02800917/O




A

### OMEGA 7500 X

Cod. 02003307 - EAN 8422248101615



- Mechanical Control Panel
- 3 extraction levels
- Extraction power: 595m³/h - 410m³/h
- Sound power: 58dB(A), maximum: 68dB(A)
- 1 motor. Maximum energy consumption 200W
- High efficiency Compact Strip LED lighting
- Active Charcoal Filter: 02859492/O. Metal Filter: 02800976/●



### OMEGA 700 X

Cod. 02003310 - EAN 8422248190602


- Mechanical Control Panel
- 3 extraction levels
- Extraction power: 645m³/h - 385m³/h
- Sound power: 58dB(A), maximum: 72dB(A)
- M3R motor. Extra silent. Maximum energy consumption 270W
- High efficiency Compact Strip LED lighting
- Energy Class: C
- Active Charcoal Filter: 02859391/O. Metal Filter: 02800905/●. Metal Filter MAX PRO: 02800917/O



### OMEGA 600 X

Cod. 02002310 - EAN 8422248109826


- Mechanical Control Panel
- 3 extraction levels
- Extraction power: 645m³/h - 385m³/h
- Sound power: 58dB(A), maximum: 72dB(A)
- M3R motor. Extra silent. Maximum energy consumption 270W
- High efficiency Compact Strip LED lighting
- Energy Class: C
- Active Charcoal Filter: 02859391/O. Metal Filter: 02800905/●. Metal Filter MAX PRO: 02800917/O



### OMEGA 900 BK


Cod. 02004410 - EAN 8422248190633

- Mechanical Control Panel
- 3 extraction levels
- Extraction power: 645m³/h - 385m³/h
- Sound power: 58dB(A), maximum: 72dB(A)
- M3R motor. Extra silent. Maximum energy consumption 270W
- High efficiency Compact Strip LED lighting
- Energy Class: C
- Active Charcoal Filter: 02859391/O. Metal Filter: 02800905/●. Metal Filter MAX PRO: 02800917/O





**OMEGA 600 BK**
**Cod.** 02002410 - **EAN** 8422248109833


- Mechanical Control Panel
- 3 extraction levels
- Extraction power: 645m³/h - 385m³/h
- Sound power: 58dB(A), maximum: 72dB(A)
- M3R motor. Extra silent. Maximum energy consumption 270W
- High efficiency Compact Strip LED lighting
- Energy Class: C
- Active Charcoal Filter: 02859391/O. Metal Filter: 02800905/●. Metal Filter MAX PRO: 02800917/O


**OMEGA 900 WH**
**Cod.** 02004010 - **EAN** 8422248190619



- Mechanical Control Panel
- 3 extraction levels
- Extraction power: 645m³/h - 385m³/h
- Sound power: 58dB(A), maximum: 72dB(A)
- M3R motor. Extra silent. Maximum energy consumption 270W
- High efficiency Compact Strip LED lighting
- Energy Class: C
- Active Charcoal Filter: 02859391/O. Metal Filter: 02800905/●. Metal Filter MAX PRO: 02800917/O


**OMEGA 700 WH**
**Cod.** 02003010 - **EAN** 8422248190626


- Mechanical Control Panel
- 3 extraction levels
- Extraction power: 645m³/h - 385m³/h
- Sound power: 58dB(A), maximum: 72dB(A)
- M3R motor. Extra silent. Maximum energy consumption 270W
- High efficiency Compact Strip LED lighting
- Energy Class: C
- Active Charcoal Filter: 02859391/O. Metal Filter: 02800905/●. Metal Filter MAX PRO: 02800917/O


**OMEGA 600 WH**
**Cod.** 02002010 - **EAN** 8422248109819


- Mechanical Control Panel
- 3 extraction levels
- Extraction power: 645m³/h - 385m³/h
- Sound power: 58dB(A), maximum: 72dB(A)
- M3R motor. Extra silent. Maximum energy consumption 270W
- High efficiency Compact Strip LED lighting
- Energy Class: C
- Active Charcoal Filter: 02859391/O. Metal Filter: 02800905/●. Metal Filter MAX PRO: 02800917/O


**VK 9000 X**
**Cod.** 02063603 - **EAN** 8422248371186

- Mechanical Control Panel
- 3 extraction levels
- Extraction power: 480m³/h - 175m³/h
- Sound power: 56dB(A), maximum: 69dB(A)
- K10 motor. Maximum energy consumption 110W
- High efficiency compact Strip LED lighting
- Active Charcoal Filter: 02859489/O. Metal Filter: 02800905/●. Metal Filter MAX PRO: 02800917/O


**VK 7000 X**
**Cod.** 02085602 - **EAN** 8422248371193

- Mechanical Control Panel
- 3 extraction levels
- Extraction power: 480m³/h - 175m³/h
- Sound power: 56dB(A), maximum: 69dB(A)
- K10 motor. Maximum energy consumption 110W
- High efficiency compact Strip LED lighting
- Active Charcoal Filter: 02859489/O. Metal Filter: 02800905/●. Metal Filter MAX PRO: 02800917/O




A

### VK 6000 X

Cod. 02061606 - EAN 8422248357012

- Mechanical Control Panel
- 3 extraction levels
- Extraction power: 480m<sup>3</sup>/h - 175m<sup>3</sup>/h
- Motor maximum airflow free outlet: 650m<sup>3</sup>/h
- Sound power: 56dB(A), maximum: 69dB(A)
- K10 motor. Maximum energy consumption 110W
- High efficiency compact Strip LED lighting
- Active Charcoal Filter: 02859489/O. Metal Filter: 02800905/●.
- Metal Filter MAX PRO: 02800917/O




A

### VK 6000 X +FCA

Cod. 02061608 - EAN 8422248371209

- Mechanical Control Panel
- 3 extraction levels
- Extraction power: 480m<sup>3</sup>/h - 175m<sup>3</sup>/h
- Motor maximum airflow free outlet: 650m<sup>3</sup>/h
- Sound power: 56dB(A), maximum: 69dB(A)
- K10 motor. Maximum energy consumption 110W
- High efficiency compact Strip LED lighting
- Carbon filter included
- Active Charcoal Filter: 02859489/●. Metal Filter: 02800905/●.
- Metal Filter MAX PRO: 02800917/O




A

### VK 6000 WH

Cod. 02061105 - EAN 8422248357081

- Mechanical Control Panel
- 3 extraction levels
- Extraction power: 480m<sup>3</sup>/h - 175m<sup>3</sup>/h
- Motor maximum airflow free outlet: 650m<sup>3</sup>/h
- Sound power: 56dB(A), maximum: 69dB(A)
- K10 motor. Maximum energy consumption 110W
- High efficiency compact Strip LED lighting
- Active Charcoal Filter: 02859489/O. Metal Filter: 02800905/●.
- Metal Filter MAX PRO: 02800917/O




A

### VK 6000 BK

Cod. 02061405 - EAN 8422248357074

- Mechanical Control Panel
- 3 extraction levels
- Extraction power: 480m<sup>3</sup>/h - 175m<sup>3</sup>/h
- Motor maximum airflow free outlet: 650m<sup>3</sup>/h
- Sound power: 56dB(A), maximum: 69dB(A)
- K10 motor. Maximum energy consumption 110W
- High efficiency compact Strip LED lighting
- Active Charcoal Filter: 02859489/O. Metal Filter: 02800905/●.
- Metal Filter MAX PRO: 02800917/O




A

### VK 5000 X

Cod. 02088307 - EAN 8422248371216

- Mechanical Control Panel
- 3 extraction levels
- Extraction power: 480m<sup>3</sup>/h - 175m<sup>3</sup>/h
- Motor maximum airflow free outlet: 650m<sup>3</sup>/h
- Sound power: 56dB(A), maximum: 69dB(A)
- K10 motor. Maximum energy consumption 110W
- High efficiency compact Strip LED lighting
- Active Charcoal Filter: 02859489/O. Metal Filter: 02813501/●



Designed  
for every-  
day use

Intuitive mecha-  
nical controls,  
quiet operation  
and efficient LED  
lighting.



B

### V3-T900 X

Cod. 02063399 - EAN 8422248095303

- Mechanical control panel
- 3 extraction levels
- Extraction power: 335m³/h - 166m³/h
- Motor maximum airflow free outlet: 360m³/h
- Sound power: 51dB(A), maximum: 66dB(A)
- 1 motor. Extra silent.
- Maximum energy consumption 65W
- High efficiency Compact STRIP LED lighting
- Active Charcoal Filter: 02859495/O. Metal Filter: 02800995 /●



B

### V3-T600 X

Cod. 02061399 - EAN 8422248095273

- Mechanical control panel
- 3 extraction levels
- Extraction power: 335m³/h - 166m³/h
- Motor maximum airflow free outlet: 360m³/h
- Sound power: 51dB(A), maximum: 66dB(A)
- 1 motor. Extra silent.
- Maximum energy consumption 65W
- High efficiency Compact STRIP LED lighting
- Active Charcoal Filter: 02859495/O. Metal Filter: 02800995 /●






C

### V3-T600 WH

Cod. 02061799 - EAN 8422248110198

- Mechanical control panel
- 3 extraction levels
- Extraction power: 335m³/h - 166m³/h
- Motor maximum airflow free outlet: 360m³/h
- Sound power: 51dB(A), maximum: 66dB(A)
- 1 motor. Extra silent.
- Maximum energy consumption 65W
- High efficiency Compact STRIP LED lighting
- Active Charcoal Filter: 02859495/O. Metal Filter: 02800995 /●



### QA-7790 BK

Cod. 02049402 - EAN 8422248394918

NEW

- Mechanical control Panel
- 3 extraction levels
- Extraction power: 649m³/h - 394m³/h
- Sound power: 58dB(A), maximum: 68dB(A)
- Extra silent. Maximum energy consumption 190W
- High efficiency LED lighting
- Energy Class: B
- Active Charcoal Filter: 02800054/O. Metal Filter: 02800705/●



### QA-7760 BK

Cod. 02048402 - EAN 8422248394925

NEW




- Mechanical control Panel
- 3 extraction levels
- Extraction power: 614m³/h - 364m³/h
- Sound power: 61dB(A), maximum: 71dB(A)
- Extra silent. Maximum energy consumption 190W
- High efficiency LED lighting
- Energy Class: B
- Active Charcoal Filter: 02800054/O. Metal Filter: 02800705/●



### CHORUS XBK

Cod. 02165201 - EAN 8422248055529

- Mechanical Control Panel
- 3 extraction levels
- Extraction power: 400m³/h - 210m³/h
- Sound power: 50dB(A), maximum: 62dB(A)
- Motor K7 PLUS. Extra silent. Maximum energy consumption 95W
- High efficiency LED lighting
- Energy Class: C
- Active Charcoal Filter: 02859394/O. Metal Filter: 02800905 /●
- MICROWAVE FEATURES: 20 litre microwave
- Simultaneous 1,000 W quartz grill, 5 power levels, 700 W output
- Revolving dish ø255 mm
- Timer from 0 to 95 minutes
- Automatic defrosting by time and weight
- 9 automatic access menus
- Fast start button. Safety lock





## CORONA NO DRIP

Electronic touch  
control,  
4 power levels

Energy efficiency A

Efficient LED lighting

Powerful extraction  
capacity

Quiet operation,  
great balance between  
power and noise




A

### CORONA X NO DRIP 120

Cod. 02081311 - EAN 8422248393300

NEW

- Electronic Control Panel with digital display, automatic shut-down timer and cleaning filters indicator
- 4 extraction levels, 3 + 1 TURBO
- Extraction power: 766m³/h - 272m³/h
- Sound power: 54dB(A), maximum: 69dB(A)
- BT5 AC 800 motor. Ultra silent.
- Maximum energy consumption 280W
- AUTO 2 connectivity for control of the CATA AUTO 2 hobs
- Air purification function
- Non-condensation filter and filter condensation collection zone
- High efficiency strip LED lighting, adjustable intensity
- Active Charcoal Filter: 02859398/O. Metal Filter: 02890544/●




A

### CORONA X NO DRIP 90

Cod. 02089312 - EAN 8422248392884

NEW

- Electronic Control Panel with digital display, automatic shut-down timer and cleaning filters indicator
- 4 extraction levels, 3 + 1 TURBO
- Extraction power: 766m³/h - 272m³/h
- Sound power: 54dB(A), maximum: 69dB(A)
- BT5 AC 800 motor. Ultra silent.
- Maximum energy consumption 280W
- AUTO 2 connectivity for control of the CATA AUTO 2 hobs
- Air purification function
- Non-condensation filter and filter condensation collection zone
- High efficiency strip LED lighting, adjustable intensity
- Active Charcoal Filter: 02859398/O. Metal Filter: 02890544/●




A

### CORONA X NO DRIP 80

Cod. 02088311 - EAN 8422248393287

NEW

- Electronic Control Panel with digital display, automatic shut-down timer and cleaning filters indicator
- 4 extraction levels, 3 + 1 TURBO
- Extraction power: 766m³/h - 272m³/h
- Sound power: 54dB(A), maximum: 69dB(A)
- BT5 AC 800 motor. Ultra silent.
- Maximum energy consumption 280W
- AUTO 2 connectivity for control of the CATA AUTO 2 hobs
- Air purification function
- Non-condensation filter and filter condensation collection zone
- High efficiency strip LED lighting, adjustable intensity
- Active Charcoal Filter: 02859398/O. Metal Filter: 02890544/●




A

### CORONA X NO DRIP 60

Cod. 02086311 - EAN 8422248392891


NEW

- Electronic Control Panel with digital display, automatic shut-down timer and cleaning filters indicator
- 4 extraction levels, 3 + 1 TURBO
- Extraction power: 766m³/h - 272m³/h
- Sound power: 54dB(A), maximum: 69dB(A)
- BT5 AC 800 motor. Ultra silent.
- Maximum energy consumption 280W
- AUTO 2 connectivity for control of the CATA AUTO 2 hobs
- Air purification function
- Non-condensation filter and filter condensation collection zone
- High efficiency strip LED lighting, adjustable intensity
- Active Charcoal Filter: 02859398/O. Metal Filter: 02890544/●





**A**
**CORONA X 120**
**Cod. 02081309 - EAN 8422248393263**
**NEW**


- Electronic Control Panel with automatic shut-down timer
- 4 extraction levels, 3 + 1 TURBO
- Extraction power: 850m³/h - 340m³/h
- Motor maximum airflow free outlet: 1350m³/h
- Sound power: 54dB(A), maximum: 69dB(A)
- BT5 AC 800 motor. Ultra silent.
- Maximum energy consumption 280W
- High efficiency strip LED lighting, adjustable intensity
- Active Charcoal Filter: 02859398/O. Metal Filter: 02890545/●


**A**
**CORONA X 100**
**Cod. 02080313 - EAN 8422248392907**
**NEW**


- Electronic Control Panel with automatic shut-down timer
- 4 extraction levels, 3 + 1 TURBO
- Extraction power: 850m³/h - 340m³/h
- Motor maximum airflow free outlet: 1350m³/h
- Sound power: 54dB(A), maximum: 69dB(A)
- BT5 AC 800 motor. Ultra silent.
- Maximum energy consumption 280W
- High efficiency strip LED lighting, adjustable intensity
- Active Charcoal Filter: 02859398/O. Metal Filter: 02890545/●


**A**
**CORONA X 90**
**Cod. 02089313 - EAN 8422248392631**
**NEW**


- Electronic Control Panel with automatic shut-down timer
- 4 extraction levels, 3 + 1 TURBO
- Extraction power: 850m³/h - 340m³/h
- Motor maximum airflow free outlet: 1350m³/h
- Sound power: 54dB(A), maximum: 69dB(A)
- BT5 AC 800 motor. Ultra silent.
- Maximum energy consumption 280W
- High efficiency strip LED lighting, adjustable intensity
- Active Charcoal Filter: 02859398/O. Metal Filter: 02890545/●


**A**
**CORONA X 80**
**Cod. 02088313 - EAN 8422248392655**
**NEW**


- Electronic Control Panel with automatic shut-down timer
- 4 extraction levels, 3 + 1 TURBO
- Extraction power: 850m³/h - 340m³/h
- Motor maximum airflow free outlet: 1350m³/h
- Sound power: 54dB(A), maximum: 69dB(A)
- BT5 AC 800 motor. Ultra silent.
- Maximum energy consumption 280W
- High efficiency strip LED lighting, adjustable intensity
- Active Charcoal Filter: 02859398/O. Metal Filter: 02890545/●


**A**
**CORONA X 70**
**Cod. 02187313 - EAN 8422248392693**
**NEW**

- Electronic Control Panel with automatic shut-down timer
- 4 extraction levels, 3 + 1 TURBO
- Extraction power: 850m³/h - 340m³/h
- Motor maximum airflow free outlet: 1350m³/h
- Sound power: 54dB(A), maximum: 69dB(A)
- BT5 AC 800 motor. Ultra silent.
- Maximum energy consumption 280W
- High efficiency strip LED lighting, adjustable intensity
- Active Charcoal Filter: 02859398/O. Metal Filter: 02890545/●



**A**
**CORONA X 60**
**Cod. 02086313 - EAN 8422248392624**
**NEW**

- Electronic Control Panel with automatic shut-down timer
- 4 extraction levels, 3 + 1 TURBO
- Extraction power: 850m³/h - 340m³/h
- Motor maximum airflow free outlet: 1350m³/h
- Sound power: 54dB(A), maximum: 69dB(A)
- BT5 AC 800 motor. Ultra silent.
- Maximum energy consumption 280W
- High efficiency strip LED lighting, adjustable intensity
- Active Charcoal Filter: 02859398/O. Metal Filter: 02890545/●




# CORONA ACCESSORY

Available in stainless steel and black



Cod. 02861306



Cod. 02861307

Multi-position hinge



Premium panelled filters with large suction and protection surface



A

## CORONA BK 90

Cod. 02089401 - EAN 8422248392914

**NEW**

- Electronic Control Panel with automatic shut-down timer
- 4 extraction levels, 3 + 1 TURBO
- Extraction power: 850m³/h - 340m³/h
- Motor maximum airflow free outlet: 1350m³/h
- Sound power: 54dB(A), maximum: 69dB(A)
- BT5 AC 800 motor. Ultra silent.
- Maximum energy consumption 280W
- High efficiency strip LED lighting, adjustable intensity
- Active Charcoal Filter: 02859398/O. Metal Filter: 02890545/●



A

## CORONA BK 60

Cod. 02086401 - EAN 8422248392921

**NEW**

- Electronic Control Panel with automatic shut-down timer
- 4 extraction levels, 3 + 1 TURBO
- Extraction power: 850m³/h - 340m³/h
- Motor maximum airflow free outlet: 1350m³/h
- Sound power: 54dB(A), maximum: 69dB(A)
- BT5 AC 800 motor. Ultra silent.
- Maximum energy consumption 280W
- High efficiency strip LED lighting, adjustable intensity
- Active Charcoal Filter: 02859398/O. Metal Filter: 02890545/●






A

## CORONA WH 60

Cod. 02086011 - EAN 8422248393294

**NEW**

- Electronic Control Panel with automatic shut-down timer
- 4 extraction levels, 3 + 1 TURBO
- Extraction power: 850m³/h - 340m³/h
- Motor maximum airflow free outlet: 1350m³/h
- Sound power: 54dB(A), maximum: 69dB(A)
- BT5 AC 800 motor. Ultra silent.
- Maximum energy consumption 280W
- High efficiency strip LED lighting, adjustable intensity
- Active Charcoal Filter: 02859398/O. Metal Filter: 02890545/●






**A++**

### ARONA 90 X

Cod. 02089512 - EAN 8422248392983

**NEW**

- Electronic Control Panel with digital display, automatic shut-down timer and cleaning filters indicator
- 6 extraction levels, 5 + 1 TURBO
- Extraction power: 766m³/h - 272m³/h
- Sound power: 50dB(A), maximum: 67dB(A)
- Brushless motor. Ultra silent. Maximum energy consumption 280W
- AUTO 2 connectivity for control of the CATA AUTO 2 hobs
- Air purification function
- Bicolor LED strip lighting with adjustable intensity
- Active Charcoal Filter: 02859398/O. Metal Filter: 02890546/●




**A++**

### ARONA 60 X

Cod. 02086511 - EAN 8422248392815

**NEW**

- Electronic Control Panel with digital display, automatic shut-down timer and cleaning filters indicator
- 6 extraction levels, 5 + 1 TURBO
- Extraction power: 766m³/h - 272m³/h
- Sound power: 50dB(A), maximum: 67dB(A)
- Brushless motor. Ultra silent. Maximum energy consumption 280W
- AUTO 2 connectivity for control of the CATA AUTO 2 hobs
- Air purification function
- Bicolor LED strip lighting with adjustable intensity
- Active Charcoal Filter: 02859398/O. Metal Filter: 02890546/●




**A++**

### ARONA 90 BK

Cod. 02089411 - EAN 8422248392976

**NEW**

- Electronic Control Panel with digital display, automatic shut-down timer and cleaning filters indicator
- 6 extraction levels, 5 + 1 TURBO
- Extraction power: 766m³/h - 272m³/h
- Sound power: 50dB(A), maximum: 67dB(A)
- Brushless motor. Ultra silent. Maximum energy consumption 280W
- AUTO 2 connectivity for control of the CATA AUTO 2 hobs
- Air purification function
- Bicolor LED strip lighting with adjustable intensity
- Active Charcoal Filter: 02859398/O. Metal Filter: 02890546/●




**A++**

### ARONA 60 BK

Cod. 02086411 - EAN 8422248393102

**NEW**

- Electronic Control Panel with digital display, automatic shut-down timer and cleaning filters indicator
- 6 extraction levels, 5 + 1 TURBO
- Extraction power: 766m³/h - 272m³/h
- Sound power: 50dB(A), maximum: 67dB(A)
- Brushless motor. Ultra silent. Maximum energy consumption 280W
- AUTO 2 connectivity for control of the CATA AUTO 2 hobs
- Air purification function
- Bicolor LED strip lighting with adjustable intensity
- Active Charcoal Filter: 02859398/O. Metal Filter: 02890546/●




**A**

### ARMONIA 90 X

Cod. 02089309 - EAN 8422248392730

**NEW**

- Mechanical Control Panel
- 3 extraction levels
- Extraction power: 645m³/h - 385m³/h
- Motor maximum airflow free outlet: 1150m³/h
- Sound power: 55dB(A), maximum: 69dB(A)
- BT5 AC 800 motor. Extra silent. Maximum energy consumption 280W
- High efficiency compact STRIP LED lighting
- Active Charcoal Filter: 02859398/O. Metal Filter: 02890547/●






**A**

**ARMONIA 80 X**

Cod. 02088309 - EAN 8422248392754

**NEW**

- Mechanical Control Panel
- 3 extraction levels
- Extraction power: 645m<sup>3</sup>/h - 385m<sup>3</sup>/h
- Motor maximum airflow free outlet: 1150m<sup>3</sup>/h
- Sound power: 55dB(A), maximum: 69dB(A)
- BT5 AC 800 motor. Extra silent.
- Maximum energy consumption 280W
- High efficiency compact STRIP LED lighting
- Active Charcoal Filter: 02859398/O. Metal Filter: 02890547/●




**A**

**ARMONIA 70 X**

Cod. 02087309 - EAN 8422248392778

**NEW**

- Mechanical Control Panel
- 3 extraction levels
- Extraction power: 645m<sup>3</sup>/h - 385m<sup>3</sup>/h
- Motor maximum airflow free outlet: 1150m<sup>3</sup>/h
- Sound power: 55dB(A), maximum: 69dB(A)
- BT5 AC 800 motor. Extra silent.
- Maximum energy consumption 280W
- High efficiency compact STRIP LED lighting
- Active Charcoal Filter: 02859398/O. Metal Filter: 02890547/●




**A**

**ARMONIA 60 X**

Cod. 02086309 - EAN 8422248392617

**NEW**

- Mechanical Control Panel
- 3 extraction levels
- Extraction power: 645m<sup>3</sup>/h - 385m<sup>3</sup>/h
- Motor maximum airflow free outlet: 1150m<sup>3</sup>/h
- Sound power: 55dB(A), maximum: 69dB(A)
- BT5 AC 800 motor. Extra silent.
- Maximum energy consumption 280W
- High efficiency compact STRIP LED lighting
- Active Charcoal Filter: 02859398/O. Metal Filter: 02890547/●




**A**

**ARMONIA 45 X**

Cod. 02084309 - EAN 8422248393096

**NEW**

- Mechanical Control Panel
- 3 extraction levels
- Extraction power: 645m<sup>3</sup>/h - 385m<sup>3</sup>/h
- Motor maximum airflow free outlet: 1150m<sup>3</sup>/h
- Sound power: 55dB(A), maximum: 69dB(A)
- BT5 AC 800 motor. Extra silent.
- Maximum energy consumption 280W
- High efficiency compact STRIP LED lighting
- Active Charcoal Filter: 02859398/O. Metal Filter: 02890547/●




**A**

**ARMONIA 70 BK**

Cod. 02087409 - EAN 8422248393072

**NEW**

- Mechanical Control Panel
- 3 extraction levels
- Extraction power: 645m<sup>3</sup>/h - 385m<sup>3</sup>/h
- Motor maximum airflow free outlet: 1150m<sup>3</sup>/h
- Sound power: 55dB(A), maximum: 69dB(A)
- BT5 AC 800 motor. Extra silent.
- Maximum energy consumption 280W
- High efficiency compact STRIP LED lighting
- Active Charcoal Filter: 02859398/O. Metal Filter: 02890547/●




**A**

**ARMONIA 60 BK**

Cod. 02086409 - EAN 8422248392792

**NEW**

- Mechanical Control Panel
- 3 extraction levels
- Extraction power: 645m<sup>3</sup>/h - 385m<sup>3</sup>/h
- Motor maximum airflow free outlet: 1150m<sup>3</sup>/h
- Sound power: 55dB(A), maximum: 69dB(A)
- BT5 AC 800 motor. Extra silent.
- Maximum energy consumption 280W
- High efficiency compact STRIP LED lighting
- Active Charcoal Filter: 02859398/O. Metal Filter: 02890547/●






A

**RITMA 90 X**

Cod. 02089315 - EAN 8422248392679

**NEW**

- Mechanical control Panel
- 3 extraction levels
- Extraction power: 480m<sup>3</sup>/h - 221m<sup>3</sup>/h
- Sound power: 53dB(A), máximo: 70dB(A)
- K10 motor. Maximum energy consumption 110W
- High efficiency compact Strip LED lighting
- Energy Class: A




A

**RITMA 60 X**

Cod. 02086316 - EAN 8422248392662

**NEW**

- Mechanical control Panel
- 3 extraction levels
- Extraction power: 480m<sup>3</sup>/h - 221m<sup>3</sup>/h
- Sound power: 53dB(A), máximo: 70dB(A)
- K10 motor. Maximum energy consumption 110W
- High efficiency compact Strip LED lighting
- Energy Class: A




A

**RITMA 45 X**

Cod. 02084316 - EAN 8422248393270

**NEW**

- Mechanical control Panel
- 3 extraction levels
- Extraction power: 480m<sup>3</sup>/h - 221m<sup>3</sup>/h
- Sound power: 53dB(A), máximo: 70dB(A)
- K10 motor. Maximum energy consumption 110W
- High efficiency compact Strip LED lighting
- Energy Class: A




Mechanical control panel

High-efficiency LED lighting


Easy installation with 3 extraction levels


**A**
**GC DUAL 75 BK**
**Cod. 02031208 - EAN 8422248392709**
**NEW**


- Touch control panel with automatic shut-down timer and cleaning filters indicator
- 5 extraction levels, 4 + 1 TURBO
- Extraction power: 820m³/h - 340m³/h
- Motor maximum airflow free outlet: 1350m³/h
- Sound power: 50dB(A), maximum: 68dB(A)
- BT5 AC 800 motor. Extra silent.
- Maximum energy consumption 280W
- High efficiency LED lighting, adjustable intensity
- Active Charcoal Filter: 02859398/O. Metal Filter: 02890548/●


**A**
**GC DUAL 45 BK**
**Cod. 02030209 - EAN 8422248392648**
**NEW**


- Touch control panel with automatic shut-down timer and cleaning filters indicator
- 5 extraction levels, 4 + 1 TURBO
- Extraction power: 820m³/h - 340m³/h
- Motor maximum airflow free outlet: 1350m³/h
- Sound power: 50dB(A), maximum: 68dB(A)
- BT5 AC 800 motor. Extra silent.
- Maximum energy consumption 280W
- High efficiency LED lighting, adjustable intensity
- Active Charcoal Filter: 02859398/O. Metal Filter: 02890548/●


**A**
**GC DUAL 75 WH**
**Cod. 02031209 - EAN 8422248392723**
**NEW**


- Touch control panel with automatic shut-down timer and cleaning filters indicator
- 5 extraction levels, 4 + 1 TURBO
- Extraction power: 820m³/h - 340m³/h
- Motor maximum airflow free outlet: 1350m³/h
- Sound power: 50dB(A), maximum: 68dB(A)
- BT5 AC 800 motor. Extra silent.
- Maximum energy consumption 280W
- High efficiency LED lighting, adjustable intensity
- Active Charcoal Filter: 02859398/O. Metal Filter: 02890548/●


**A**
**GC DUAL 45 WH**
**Cod. 02030210 - EAN 8422248392686**
**NEW**


- Touch control panel with automatic shut-down timer and cleaning filters indicator
- 5 extraction levels, 4 + 1 TURBO
- Extraction power: 820m³/h - 340m³/h
- Motor maximum airflow free outlet: 1350m³/h
- Sound power: 50dB(A), maximum: 68dB(A)
- BT5 AC 800 motor. Extra silent.
- Maximum energy consumption 280W
- High efficiency LED lighting, adjustable intensity
- Active Charcoal Filter: 02859398/O. Metal Filter: 02890548/●


**A++**
**GA DUAL 90 BK**
**Cod. 02075433 - EAN 8422248379267**
**NEW**

- Touch Control Panel with automatic shut-down timer and cleaning filters indicator
- 3 extraction levels, 2 + 1 TURBO
- Extraction power: 805m³/h - 229m³/h
- Sound power: 45dB(A), maximum: 69dB(A)
- BRUSHLESS motor. Ultra silent. Maximum energy consumption 145W
- High efficiency LED lighting, adjustable intensity
- Active Charcoal Filter: 02800055/O. Metal Filter: 02800051/●


**A++**
**GA DUAL 60 BK**
**Cod. 02075434 - EAN 8422248379274**
**NEW**

- Touch Control Panel with automatic shut-down timer and cleaning filters indicator
- 3 extraction levels, 2 + 1 TURBO
- Extraction power: 737m³/h - 212m³/h
- Sound power: 46dB(A), maximum: 69dB(A)
- BRUSHLESS motor. Ultra silent. Maximum energy consumption 145W
- High efficiency LED lighting, adjustable intensity
- Active Charcoal Filter: 02800055/O. Metal Filter: 02800052/●






A<sup>++</sup>

### GA DUAL 90 WH

Cod. 02075435 - EAN 8422248379281

NEW

- Touch Control Panel with automatic shut-down timer and cleaning filters indicator
- 3 extraction levels, 2 + 1 TURBO
- Extraction power: 805m<sup>3</sup>/h - 229m<sup>3</sup>/h
- Sound power: 45dB(A), maximum: 69dB(A)
- BRUSHLESS motor. Ultra silent. Maximum energy consumption 145W
- High efficiency LED lighting, adjustable intensity
- Active Charcoal Filter: 02800055/O. Metal Filter: 02800051/●




A<sup>++</sup>

### GA DUAL 60 WH

Cod. 02075436 - EAN 8422248379298

NEW

- Touch Control Panel with automatic shut-down timer and cleaning filters indicator
- 3 extraction levels, 2 + 1 TURBO
- Extraction power: 737m<sup>3</sup>/h - 212m<sup>3</sup>/h
- Sound power: 46dB(A), maximum: 69dB(A)
- BRUSHLESS motor. Ultra silent. Maximum energy consumption 145W
- High efficiency LED lighting, adjustable intensity
- Active Charcoal Filter: 02800055/O. Metal Filter: 02800052/●




A

### GCX 83 SD

Cod. 02031308 - EAN 8422248103589

- Touch Control Panel with automatic shut-down timer and cleaning filters indicator
- 4 extraction levels, 3 + 1 TURBO
- Extraction power: 750m<sup>3</sup>/h - 340m<sup>3</sup>/h
- Sound power: 50dB(A), maximum: 65dB(A)
- BT3 motor. Extra silent. Maximum energy consumption 280W
- High efficiency strip LED lighting
- Active Charcoal Filter: 02859392/O. Metal Filter: 65300315/●




A

### GCX 53 SD


Cod. 02030308 - EAN 8422248103572

- Touch Control Panel with automatic shut-down timer and cleaning filters indicator
- 4 extraction levels, 3 + 1 TURBO
- Extraction power: 750m<sup>3</sup>/h - 340m<sup>3</sup>/h
- Sound power: 50dB(A), maximum: 65dB(A)
- BT3 motor. Extra silent. Maximum energy consumption 280W
- High efficiency strip LED lighting
- Active Charcoal Filter: 02859392/O. Metal Filter: 65300310/●





**A**
**GL 75 X**
**Cod.** 02031302 - **EAN** 8422248190411

- Touch Control Panel with automatic shut-down timer and cleaning filters indicator
- 4 extraction levels, 3 + 1 TURBO
- Extraction power: 850m³/h - 340m³/h
- Sound power: 50dB(A), maximum: 65dB(A)
- BT3 motor. Extra silent. Maximum energy consumption 280W
- High efficiency LED lighting, adjustable intensity
- Active Charcoal Filter: 02859398/O. Metal Filter: 02800996/●


**A**
**GL 45 X**
**Cod.** 02030305 - **EAN** 8422248077842


- Touch Control Panel with automatic shut-down timer and cleaning filters indicator
- 4 extraction levels, 3 + 1 TURBO
- Extraction power: 850m³/h - 340m³/h
- Sound power: 50dB(A), maximum: 65dB(A)
- BT3 motor. Extra silent. Maximum energy consumption 280W
- High efficiency LED lighting, adjustable intensity
- Active Charcoal Filter: 02859398/O. Metal Filter: 02811000/●




# Easy Installation System


**GT-PLUS 75 X**
**Cod.** 02031301 - **EAN** 8422248190381


- Mechanical Control Panel
- 3 extraction levels
- Extraction power: 645m³/h - 300m³/h
- Sound power: 50dB(A), maximum: 65dB(A)
- BT2 motor. Extra silent. Maximum energy consumption 200W
- High efficiency Strip LED lighting
- Energy Class: C
- Active Charcoal Filter: 02859398/O. Metal Filter: 02811000/●


**GT-PLUS 45 X**
**Cod.** 02030309 - **EAN** 8422248190374

- Mechanical Control Panel
- 3 extraction levels
- Extraction power: 645m³/h - 300m³/h
- Sound power: 50dB(A), maximum: 65dB(A)
- BT2 motor. Extra silent. Maximum energy consumption 200W
- High efficiency Strip LED lighting
- Energy Class: C
- Active Charcoal Filter: 02859398/O. Metal Filter: 02811000/●


**GT-PLUS 45 BK**
**Cod.** 02030408 - **EAN** 8422248190404

- Mechanical Control Panel
- 3 extraction levels
- Extraction power: 645m³/h - 300m³/h
- Sound power: 50dB(A), maximum: 65dB(A)
- BT2 motor. Extra silent. Maximum energy consumption 200W
- High efficiency Strip LED lighting
- Energy Class: C
- Active Charcoal Filter: 02859398/O. Metal Filter: 02811000/●






### GT-PLUS 45 WH

Cod. 02030005 - EAN 8422248190398


- Mechanical Control Panel
- 3 extraction levels
- Extraction power: 645m<sup>3</sup>/h - 300m<sup>3</sup>/h
- Sound power: 50dB(A), maximum: 65dB(A)
- BT2 motor. Extra silent. Maximum energy consumption 200W
- High efficiency Strip LED lighting
- Energy Class: C
- Active Charcoal Filter: 02859398/O. Metal Filter: 02811000/●



### GCB 73 X

Cod. 02031300 - EAN 8422248108461


- Mechanical Control Panel
- 3 extraction levels
- Extraction power: 355m<sup>3</sup>/h - 219m<sup>3</sup>/h
- Sound power: 49dB(A), maximum: 64dB(A)
- Motor extra silent. Maximum energy consumption 123W
- High efficiency Strip LED lighting
- Energy Class: C
- Active Charcoal Filter: 02859500/O. Metal Filter: 02800988/●



### GCB 55 X

Cod. 02030300 - EAN 8422248108454


- Mechanical Control Panel
- 3 extraction levels
- Extraction power: 351m<sup>3</sup>/h - 216m<sup>3</sup>/h
- Sound power: 49dB(A), maximum: 63dB(A)
- Motor extra silent. Maximum energy consumption 123W
- High efficiency Strip LED lighting
- Energy Class: C
- Active Charcoal Filter: 02859500/O. Metal Filter: 02800987/●



### GK 4500 X

Cod. 02039306 - EAN 8422248357135



- Slider Control Panel
- 2 extraction levels
- Extraction power: 360m<sup>3</sup>/h - 190m<sup>3</sup>/h
- Motor maximum airflow free outlet: 620m<sup>3</sup>/h
- Sound power: 56dB(A), maximum: 67dB(A)
- K11 motor. Extra silent. Maximum energy consumption 90W
- Iluminación LED E-14
- Energy Class: B
- Active Charcoal Filter: 02859489/O. Metal Filter: 02808000/●



### GK 4500 X+FCA

Cod. 02039308 - EAN 8422248371278


- Slider Control Panel
- 2 extraction levels
- Extraction power: 360m<sup>3</sup>/h - 190m<sup>3</sup>/h
- Motor maximum airflow free outlet: 620m<sup>3</sup>/h
- Sound power: 56dB(A), maximum: 67dB(A)
- K11 motor. Extra silent. Maximum energy consumption 90W
- Iluminación LED E-14
- Carbon filter included
- Energy Class: B
- Active Charcoal Filter: 02859489/●. Metal Filter: 02808000/●



### GK 4500 WH

Cod. 02039007 - EAN 8422248357142

- Slider Control Panel
- 2 extraction levels
- Extraction power: 360m<sup>3</sup>/h - 190m<sup>3</sup>/h
- Motor maximum airflow free outlet: 620m<sup>3</sup>/h
- Sound power: 56dB(A), maximum: 67dB(A)
- K11 motor. Extra silent. Maximum energy consumption 90W
- Iluminación LED E-14
- Energy Class: B
- Active Charcoal Filter: 02859489/O. Metal Filter: 02808000/●




A

### GA 52 LUX

Cod. 02030315 - EAN 8422248394932

NEW

- Mechanical ControlPanel
- 3 extraction levels
- Extraction power: 403m<sup>3</sup>/h - 217m<sup>3</sup>/h
- Sound power: 56dB(A), maximum: 67dB(A)
- Brushless motor. Extra silent. Maximum energy consumption 50W
- High efficiency Strip LED lighting
- Active Charcoal Filter: 02800063/O. Metal Filter: 02800061/●




### GKA 5200 X

Cod. 02075437 - EAN 8422248379304

NEW

- Slider Control Panel
- 3 extraction levels
- Extraction power: 315m<sup>3</sup>/h - 208m<sup>3</sup>/h
- Sound power: 57dB(A), maximum: 62dB(A)
- Maximum energy consumption 65,W
- High efficiency LED lighting
- Energy Class: B
- Active Charcoal Filter: 02800058/O. Metal Filter: 02800053/●




### GKA 5200 X +FCA

Cod. 02075467 - EAN 8422248397513

NEW


- Slider ControlPanel
- 3 extraction levels
- Extraction power: 315m<sup>3</sup>/h - 208m<sup>3</sup>/h
- Sound power: 57dB(A), maximum: 62dB(A)
- Maximum energy consumption 65,W
- High efficiency LED lighting
- Carbon filter included
- Energy Class: B
- Active Charcoal Filter: 02800058/●. Metal Filter: 02800053/●



### GK 4500 BK

Cod. 02039008 - EAN 8422248375139

- Slider Control Panel
- 2 extraction levels
- Extraction power: 360m<sup>3</sup>/h - 190m<sup>3</sup>/h
- Motor maximum airflow free outlet: 620m<sup>3</sup>/h
- Sound power: 56dB(A), maximum: 67dB(A)
- K11 motor. Extra silent. Maximum energy consumption 90W
- Iluminación LED E-14
- Energy Class: B
- Active Charcoal Filter: 02859489/O. Metal Filter: 02808000/●




### GKA 5200 WH

Cod. 02075457 - EAN 8422248384407

NEW


- Slider Control Panel
- 3 extraction levels
- Extraction power: 315m<sup>3</sup>/h - 208m<sup>3</sup>/h
- Sound power: 57dB(A), maximum: 62dB(A)
- Maximum energy consumption 65,W
- High efficiency LED lighting
- Energy Class: B
- Active Charcoal Filter: 02800058/O. Metal Filter: 02800053/●



## Grease filtering efficiency

Intuitive touch control that simplifies daily use

Built-in telescopic hood

**TFH 9830 X**

Cod. 02094307 - EAN 8422248371285

- Touch Control Panel with digital display, automatic shut-down timer and cleaning filters indicator
- 6 extraction levels, 5 + 1 TURBO
- Extraction power: 795m³/h - 291m³/h
- Sound power: 46dB(A), maximum: 64dB(A)
- BRUSHLESS motor. Ultra silent. Maximum energy consumption 135W
- High efficiency Strip LED lighting adjustable intensity
- Active Charcoal Filter: 02859318/O. Metal Filter: 02800064/●

**TFH 7430 GBK**




Cod. 02089307 - EAN 8422248371292

- Touch Control Panel with digital display, automatic shut-down timer and cleaning filters indicator
- 6 extraction levels, 5 + 1 TURBO
- Extraction power: 391m³/h - 164m³/h
- Sound power: 44dB(A), maximum: 62dB(A)
- BRUSHLESS motor. Ultra silent. Maximum energy consumption 55W
- High efficiency Strip LED lighting adjustable intensity
- Active Charcoal Filter: 02859488/O. Metal Filter: 02800065/●

**TFH-6830 X**

Cod. 02010601 - EAN 8422248112741

- Touch Control Panel with automatic shut-down timer and cleaning filters indicator
- 6 extraction levels, 5 + 1 TURBO
- Extraction power: 773m³/h - 267m³/h
- Motor maximum airflow free outlet: 1200m³/h
- Sound power: 45dB(A), maximum: 61dB(A)
- BRUSHLESS motor. Extra silent. Maximum energy consumption 135W
- High efficiency STRIP LED lighting, adjustable intensity
- Active Charcoal Filter: 02859318/O. Metal Filter: 02825279/●




**A+++**
**TFH-6830 GWH**
**Cod.** 02010101 - **EAN** 8422248112758




- Touch Control Panel with automatic shut-down timer and cleaning filters indicator
- 6 extraction levels, 5 + 1 TURBO
- Extraction power: 773m³/h - 267m³/h
- Motor maximum airflow free outlet: 1200m³/h
- Sound power: 45dB(A), maximum: 61dB(A)
- BRUSHLESS motor. Extra silent. Maximum energy consumption 135W
- High efficiency STRIP LED lighting, adjustable intensity
- Active Charcoal Filter: 02859318/O. Metal Filter: 02825279/●


**A+++**
**TFH-6830 GBK**
**Cod.** 02010404 - **EAN** 8422248357364

- Touch Control Panel with automatic shut-down timer and cleaning filters indicator
- 6 extraction levels, 5 + 1 TURBO
- Extraction power: 773m³/h - 267m³/h
- Motor maximum airflow free outlet: 1200m³/h
- Sound power: 45dB(A), maximum: 61dB(A)
- BRUSHLESS motor. Extra silent. Maximum energy consumption 135W
- High efficiency STRIP LED lighting, adjustable intensity
- Active Charcoal Filter: 02859318/O. Metal Filter: 02825279/●


**A+++**
**TFH 6630 X**
**Cod.** 02010300 - **EAN** 8422248082365

- Touch Control Panel with digital display, automatic shut-down timer and cleaning filters indicator
- 6 extraction levels, 5 + 1 TURBO
- Extraction power: 585m³/h - 210m³/h
- Motor maximum airflow free outlet: 1000m³/h
- Sound power: 47dB(A), maximum: 64dB(A)
- BRUSHLESS motor. Extra silent. Maximum energy consumption 90W
- High efficiency STRIP LED lighting, adjustable intensity
- Active Charcoal Filter: 02859394/O. Metal Filter: 02825279/●


**A+**
**TFH 6630 BK**
**Cod.** 02010302 - **EAN** 8422248082402




- Touch Control Panel with digital display, automatic shut-down timer and cleaning filters indicator
- 6 extraction levels, 5 + 1 TURBO
- Extraction power: 585m³/h - 210m³/h
- Motor maximum airflow free outlet: 1000m³/h
- Sound power: 47dB(A), maximum: 64dB(A)
- BRUSHLESS motor. Extra silent. Maximum energy consumption 90W
- High efficiency STRIP LED lighting, adjustable intensity
- Active Charcoal Filter: 02859394/O. Metal Filter: 02825279/●


**A+**
**TFH 6630 WH**
**Cod.** 02010301 - **EAN** 8422248082396

- Touch Control Panel with digital display, automatic shut-down timer and cleaning filters indicator
- 6 extraction levels, 5 + 1 TURBO
- Extraction power: 585m³/h - 210m³/h
- Motor maximum airflow free outlet: 1000m³/h
- Sound power: 47dB(A), maximum: 64dB(A)
- BRUSHLESS motor. Extra silent. Maximum energy consumption 90W
- High efficiency STRIP LED lighting, adjustable intensity
- Active Charcoal Filter: 02859394/O. Metal Filter: 02825279/●


**A+**
**TFH 6430 X**
**Cod.** 02010609 - **EAN** 8422248343626

- Touch Control Panel with digital display, automatic shut-down timer and cleaning filters indicator
- 4 extraction levels, 3 + 1 TURBO
- Extraction power: 391m³/h - 164m³/h
- Motor maximum airflow free outlet: 1000m³/h
- Sound power: 44dB(A), maximum: 62dB(A)
- BRUSHLESS motor. Extra silent. Maximum energy consumption 50W
- High efficiency STRIP LED lighting adjustable intensity
- Active Charcoal Filter: 02859488/O. Metal Filter: 02825279/●






A<sup>+</sup>

### TFH 6430 GBK

Cod. 02010409 - EAN 8422248343602

- Touch Control Panel with digital display, automatic shut-down timer and cleaning filters indicator
- 4 extraction levels, 3 + 1 TURBO
- Extraction power: 391m³/h - 164m³/h
- Motor maximum airflow free outlet: 1000m³/h
- Sound power: 44dB(A), máximo: 62dB(A)
- BRUSHLESS motor. Extra silent. Maximum energy consumption 50W
- High efficiency STRIP LED lighting adjustable intensity
- Active Charcoal Filter: 02859488/O. Metal Filter: 02825279/●




A<sup>+</sup>

### TFH 6430 GWH

Cod. 02010009 - EAN 8422248343619


- Touch Control Panel with digital display, automatic shut-down timer and cleaning filters indicator
- 4 extraction levels, 3 + 1 TURBO
- Extraction power: 391m³/h - 164m³/h
- Motor maximum airflow free outlet: 1000m³/h
- Sound power: 44dB(A), máximo: 62dB(A)
- BRUSHLESS motor. Extra silent. Maximum energy consumption 50W
- High efficiency STRIP LED lighting adjustable intensity
- Active Charcoal Filter: 02859488/O. Metal Filter: 02825279/●



### TF-2003 600 GBK

Cod. 02017203 - EAN 8422248062015


- Mechanical control panel
- 2 extraction levels
- Extraction power: 390m³/h - 150m³/h
- Motor maximum airflow free outlet: 600m³/h
- Sound power: 45dB(A), maximum: 57dB(A)
- Tangential motor. Extra silent. Maximum energy consumption 100W
- High efficiency LED lighting
- Energy Class: C
- Active Charcoal Filter: 02825263/O. Metal Filter: 02825272/●




### TF-2003 600 GWH

Cod. 02017202 - EAN 8422248062008

- Mechanical control panel
- 2 extraction levels
- Extraction power: 390m³/h - 150m³/h
- Motor maximum airflow free outlet: 600m³/h
- Sound power: 45dB(A), maximum: 57dB(A)
- Tangential motor. Extra silent. Maximum energy consumption 100W
- High efficiency LED lighting
- Energy Class: C
- Active Charcoal Filter: 02825263/O. Metal Filter: 02825272/●






### EXTENDER 900

**Cod.** 02094306 - **EAN** 8422248110310


- Mechanical control Panel
- 2 extraction levels
- Extraction power: 390m<sup>3</sup>/h - 150m<sup>3</sup>/h
- Sound power: 45.5dB(A), maximum: 57dB(A)
- Tangential motor. Extra silent. Maximum energy consumption 100W
- High efficiency LED lighting
- Energy Class: C
- Active Charcoal Filter: 02825263/O. Metal Filter: 02825278/●



### EXTENDER 700

**Cod.** 02089306 - **EAN** 8422248110327


- Mechanical control Panel
- 2 extraction levels
- Extraction power: 390m<sup>3</sup>/h - 150m<sup>3</sup>/h
- Sound power: 45.5dB(A), maximum: 57dB(A)
- Tangential motor. Extra silent. Maximum energy consumption 100W
- High efficiency LED lighting
- Energy Class: C
- Active Charcoal Filter: 02825263/O. Metal Filter: 02825277/●



### EXTENDER 600

**Cod.** 02017606 - **EAN** 8422248110334


- Mechanical control Panel
- 2 extraction levels
- Extraction power: 390m<sup>3</sup>/h - 150m<sup>3</sup>/h
- Sound power: 45.5dB(A), maximum: 57dB(A)
- Tangential motor. Extra silent. Maximum energy consumption 100W
- High efficiency LED lighting
- Energy Class: C
- Active Charcoal Filter: 02825263/O. Metal Filter: 02825276/●



### TF-2003 DURALUM 900

**Cod.** 02094305 - **EAN** 8422248061964


- Mechanical control panel
- 2 extraction levels
- Extraction power: 390m<sup>3</sup>/h - 150m<sup>3</sup>/h
- Motor maximum airflow free outlet: 600m<sup>3</sup>/h
- Sound power: 45dB(A), maximum: 57dB(A)
- Tangential motor. Extra silent. Maximum energy consumption 100W
- Replaceable handrail
- Easy-to-clean inner panel
- High efficiency LED lighting
- Energy Class: C
- Active Charcoal Filter: 02825263/O. Metal Filter: 02825273/●



### TF-2003 DURALUM 700

**Cod.** 02089305 - **EAN** 8422248061971


- Mechanical control panel
- 2 extraction levels
- Extraction power: 390m<sup>3</sup>/h - 150m<sup>3</sup>/h
- Motor maximum airflow free outlet: 600m<sup>3</sup>/h
- Sound power: 45dB(A), maximum: 57dB(A)
- Tangential motor. Extra silent. Maximum energy consumption 100W
- Replaceable handrail
- Easy-to-clean inner panel
- High efficiency LED lighting
- Energy Class: C
- Active Charcoal Filter: 02825263/O. Metal Filter: 02825274/●



### TF-2003 DURALUM 600

**Cod.** 02017305 - **EAN** 8422248061988

- Mechanical control panel
- 2 extraction levels
- Extraction power: 390m<sup>3</sup>/h - 150m<sup>3</sup>/h
- Motor maximum airflow free outlet: 600m<sup>3</sup>/h
- Sound power: 45dB(A), maximum: 57dB(A)
- Tangential motor. Extra silent. Maximum energy consumption 100W
- Replaceable handrail
- Easy-to-clean inner panel
- High efficiency LED lighting
- Energy Class: C
- Active Charcoal Filter: 02825263/O. Metal Filter: 02825272/●






### TF-5260 X

Cod. 02034310 - EAN 8422248082129


- Sliding Control Panel
- 3 extraction levels
- Extraction power: 325m³/h - 150m³/h (EU Model)
- Motor maximum airflow free outlet: 350m³/h
- Sound power: 54dB(A), maximum: 68dB(A)
- 2 Motor. Maximum energy consumption 2 x 65W
- LED E-14 lighting
- Energy Class: D
- Active Charcoal Filter: 02846762/O. Metal Filter: 02825270/●



### TF-5260 WH

Cod. 02034501 - EAN 8422248082136


- Sliding Control Panel
- 3 extraction levels
- Extraction power: 325m³/h - 150m³/h (EU Model)
- Motor maximum airflow free outlet: 350m³/h
- Sound power: 54dB(A), maximum: 68dB(A)
- 2 Motor. Maximum energy consumption 2 x 65W
- LED E-14 lighting
- Energy Class: D
- Active Charcoal Filter: 02846762/O. Metal Filter: 02825270/●



### TFB-5160 X

Cod. 02034606 - EAN 8422248101998


- Mechanical control panel
- 2 extraction levels
- Extraction power: 345m³/h - 175m³/h
- Motor maximum airflow free outlet: 700m³/h
- Sound power: 51dB(A), maximum: 64dB(A)
- Tangential motor. Extra silent. Maximum energy consumption 65W
- High efficiency Compact STRIP LED lighting
- Energy Class: B
- Active Charcoal Filter: 02859495/O. Metal Filter: 02800981/●



### TFB-5160 BK

Cod. 02034408 - EAN 8422248108096


- Mechanical control panel
- 2 extraction levels
- Extraction power: 345m³/h - 175m³/h
- Motor maximum airflow free outlet: 700m³/h
- Sound power: 51dB(A), maximum: 64dB(A)
- Tangential motor. Extra silent. Maximum energy consumption 65W
- High efficiency Compact Strip LED lighting
- Energy Class: B
- Active Charcoal Filter: 02859495/O. Metal Filter: 02800981/●



### TFB-5160 WH

Cod. 02034107 - EAN 8422248102001


- Mechanical control panel
- 2 extraction levels
- Extraction power: 345m³/h - 175m³/h
- Motor maximum airflow free outlet: 700m³/h
- Sound power: 51dB(A), maximum: 64dB(A)
- Tangential motor. Extra silent. Maximum energy consumption 65W
- High efficiency Compact Strip LED lighting
- Energy Class: B
- Active Charcoal Filter: 02859495/O. Metal Filter: 02800981/●



### TF-5250 X


Cod. 02097305 - EAN 8422248086264

- Sliding Control Panel
- 3 extraction levels
- Extraction power: 325m³/h - 150m³/h
- Motor maximum airflow free outlet: 350m³/h
- Sound power: 54dB(A), maximum: 68dB(A)
- 2 Motor. Maximum energy consumption 2 x 65W
- LED E-14 lighting
- Energy Class: D
- Active Charcoal Filter: 02846762/O. Metal Filter: 02825270/●





**TFB-5150 X**
**Cod.** 02097306 - **EAN** 8422248102018


- Mechanical control panel
- 2 extraction levels
- Extraction power: 345m³/h - 175m³/h
- Motor maximum airflow free outlet: 700m³/h
- Sound power: 51dB(A), maximum: 64dB(A)
- Tangential motor. Extra silent. Maximum energy consumption 65W
- High efficiency Strip LED lighting
- Energy Class: D
- Active Charcoal Filter: 02859495/O. Metal Filter: 02800977/●


**TFK 6005 X**
**Cod.** 02034604 - **EAN** 8422248357234


- Mechanical Control Panel
- 2 extraction levels
- Extraction power: 360m³/h - 186m³/h
- Motor maximum airflow free outlet: 600m³/h
- Sound power: 54dB(A), maximum: 68dB(A)
- K11 motor. Maximum energy consumption 95W
- High efficiency Strip LED lighting
- Energy Class: D
- Active Charcoal Filter: 02859489/O. Metal Filter: 02825270/●


**TFK 6005 WH**
**Cod.** 02034505 - **EAN** 8422248357227


- Mechanical Control Panel
- 2 extraction levels
- Extraction power: 360m³/h - 186m³/h
- Motor maximum airflow free outlet: 600m³/h
- Sound power: 54dB(A), maximum: 68dB(A)
- K11 motor. Maximum energy consumption 95W
- High efficiency Strip LED lighting
- Energy Class: B
- Active Charcoal Filter: 02859489/O. Metal Filter: 02825270/●


**LFK 6001 X**
**Cod.** 02011603 - **EAN** 8422248371308


- Mechanical control panel
- 3 extraction levels
- Extraction power: 162m³/h - 108m³/h
- Motor maximum airflow free outlet: 230m³/h
- Sound power: 49dB(A), maximum: 58dB(A)
- L1B motor. Maximum energy consumption 55W
- E-14 LED lighting
- Energy Class: B
- Active Charcoal Filter: 02846764/O. Metal Filter: 02833166/●



**LFK 6001 WH**
**Cod.** 02011112 - **EAN** 8422248371315

- Mechanical control panel
- 3 extraction levels
- Extraction power: 162m³/h - 108m³/h
- Motor maximum airflow free outlet: 230m³/h
- Sound power: 49dB(A), maximum: 58dB(A)
- L1B motor. Maximum energy consumption 55W
- E-14 LED lighting
- Energy Class: B
- Active Charcoal Filter: 02846764/O. Metal Filter: 02833166/●


**LFK 6001 WH + FCA**
**Cod.** 02011121 - **EAN** 8422248371322

- Mechanical control panel
- 3 extraction levels
- Extraction power: 162m³/h - 108m³/h
- Motor maximum airflow free outlet: 230m³/h
- Sound power: 49dB(A), maximum: 58dB(A)
- L1B motor. Maximum energy consumption 55W
- E-14 LED lighting
- Carbon filter included
- Energy Class: B
- Active Charcoal Filter: 02846764/●. Metal Filter: 02833166/●






### F-2050 X

Cod. 02015306 - EAN 8422248086103


- Mechanical control panel
- 3 extraction levels
- Extraction power: 205m³/h - 110m³/h
- Motor maximum airflow free outlet: 350m³/h
- Sound power: 56dB(A), maximum: 68dB(A)
- 1 motor x 60W
- E-14 LED lighting
- Energy Class: D
- Active Charcoal Filter: 02846764/O. Metal Filter: 02833162/●



### F-2050 WH

Cod. 02015006 - EAN 8422248086110


- Mechanical control panel
- 3 extraction levels
- Extraction power: 205m³/h - 110m³/h
- Motor maximum airflow free outlet: 350m³/h
- Sound power: 56dB(A), maximum: 68dB(A)
- 1 motor x 60W
- E-14 LED lighting
- Energy Class: D
- Active Charcoal Filter: 02846764/O. Metal Filter: 02833162/●



### F-2290 X

Cod. 02014302 - EAN 8422248168946


- Sliding control panel
- 3 extraction levels
- Minimum sound power: 59dB(A), maximum: 65dB(A)
- Motor maximum airflow free outlet: 380m³/h
- 2 motors. Maximum energy consumption 2 x 125W
- Energy Class: B
- Active Charcoal Filter: 02846764/O. Metal Filter: 02833162/●



### FK SLIM 6000 X

Cod. 02011604 - EAN 8422248357241


- Mechanical Control Panel
- 3 extraction levels
- Extraction power: 162m³/h - 108m³/h
- Motor maximum airflow free outlet: 350m³/h
- Sound power: 49dB(A), maximum: 58dB(A)
- Maximum energy consumption 55W
- E-14 LED lighting
- Energy Class: D
- Active Charcoal Filter: 02859389/O. Metal Filter: 02833162/●



### FK SLIM 6000 BK

Cod. 02011504 - EAN 8422248357258


- Mechanical Control Panel
- 3 extraction levels
- Extraction power: 162m³/h - 108m³/h
- Motor maximum airflow free outlet: 350m³/h
- Sound power: 49dB(A), maximum: 58dB(A)
- Maximum energy consumption 55W
- E-14 LED lighting
- Energy Class: D
- Active Charcoal Filter: 02859389/O. Metal Filter: 02833162/●



### FK SLIM 6000 WH


Cod. 02011204 - EAN 8422248357265

- Mechanical Control Panel
- 3 extraction levels
- Extraction power: 162m³/h - 108m³/h
- Motor maximum airflow free outlet: 350m³/h
- Sound power: 49dB(A), maximum: 58dB(A)
- Maximum energy consumption 55W
- E-14 LED lighting
- Energy Class: B
- Active Charcoal Filter: 02859389/O. Metal Filter: 02833162/●





**PROFESSIONAL 750**
**Cod.** 00117000 - **EAN** 8422248100816


- Extraction power: 600m³/h
- Sound power: 49dB(A)
- Maximum energy consumption: 105W
- Metal grease filter with plate to collect grease washable in dishwasher
- Metal housing and plastic impeller.
- 120mm outlet diameter
- Energy Class: D
- Metal Filter: 01140700/●


**PROFESSIONAL 500**
**Cod.** 00117400 - **EAN** 8422248010832


- Extraction power: 450m³/h
- Sound power: 57dB(A)
- Maximum energy consumption: 125W
- Metal grease filter with plate to collect grease washable in dishwasher
- Plastic housing and impeller
- 100 mm outlet diameter
- Energy Class: D
- Metal Filter: 01140801/●


**GS-600 PLUS2 VEL.**
**Cod.** 00116110 - **EAN** 8422248006316


- 2 extraction levels
- Extraction power: 600/420m³/h
- Sound power: 52dB(A)
- Maximum energy consumption: 105W
- Metal housing and plastic impeller.
- 2 speeds switch that can be wall mounted
- 120 mm outlet diameter
- Energy Class: C
- Metal Filter: 01100000/●


**GS-600 BK**
**Cod.** 00116400 - **EAN** 8422248357371


- Extraction power: 480m³/h
- Sound power: 50dB(A)
- Maximum energy consumption: 105W
- Metal housing and plastic impeller.
- 110 mm outlet diameter
- Energy Class: C


**PROFESSIONAL 750 L**
**Cod.** 00117100 - **EAN** 8422248100823


- Extraction power: 600m³/h
- Sound power: 49dB(A)
- Maximum energy consumption: 119W
- LED E-14 lighting
- Metal grease filter with plate to collect grease washable in dishwasher
- Metal housing and plastic impeller.
- 120mm outlet diameter
- Energy Class: D
- Metal Filter: 01140700/●


**GS-600**
**Cod.** 00116002 - **EAN** 8422248100601

- Extraction power: 600m³/h
- Sound power: 49dB(A)
- Maximum energy consumption: 119W
- LED E-14 lighting
- Metal grease filter with plate to collect grease washable in dishwasher
- Metal housing and plastic impeller.
- Energy Class: C
- 120mm outlet diameter


**GS-400 M**
**Cod.** 00114102 - **EAN** 8422248100403

- Extraction power: 600m³/h
- Sound power: 49dB(A)
- Maximum energy consumption: 119W
- LED E-14 lighting
- Metal grease filter with plate to collect grease washable in dishwasher
- Metal housing and plastic impeller.
- Energy Class: B
- 120mm outlet diameter


**GS-400 P**
**Cod.** 00111002 - **EAN** 8422248100830

- Extraction power: 600m³/h
- Sound power: 49dB(A)
- Maximum energy consumption: 119W
- LED E-14 lighting
- Metal grease filter with plate to collect grease washable in dishwasher
- Metal housing and plastic impeller.
- Energy Class: B
- 120mm outlet diameter

